APEX FLAVORS, INC.

SAFETY DATA SHEET.



Version 1.01

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Number 015, 015BEV, 015TTB, 015COF

Manufacturer Apex Flavors, Inc.

1361 Brass Mill Rd.

Suite E

Belcamp, MD 21017 (410)!565-6600

Product name PISTACHIO TYPE, NATURAL FLAVOR BLEND - NUT FREE

Mixture

Pure substance/mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use No information available

1.3. Details of the supplier of the safety data sheet

For further information, please contact:

E-mail Address cpisano@apexflavors.com

1.4. Emergency telephone number

Emergency telephone Chemtrec: 1-800-424-9300 for US/ Outside US Chemtel 813-248-0585

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Acute inhalation toxicity - dust/mist	Category 4
Serious eye damage/eye irritation	Category 2A
Carcinogenicity	Category 1A
Acute aquatic toxicity	Category 2
Chronic aquatic toxicity	Category 3
Flammable liquids	Category 2


Classification according to EU Directives 67/548/EEC or 1999/45/EC

For the full text of the R-phrases mentioned in this Section, see Section 16

Symbol(s)

Not dangerous

2.2. Label elements



Signal Word Danger

Hazard Statements

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H350 - May cause cancer

H401 - Toxic to aquatic life

H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements

P201 - Obtain special instructions before use

P281 - Use personal protective equipment as required

P308 + P313 - IF exposed or concerned: Get medical advice/ attention

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

2.3. Other information

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Name	EC-No	CAS-No	Alternate CAS #	Weight %	Classificatio n according to Directive 67/548/EEC or 1999/45/EC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
PROPYLENE GLYCOL	200-338-0	57-55-6		30-50%	-	No data available	No data available
ETHYL ALCOHOL	200-578-6	64-17-5		30-50%	F; R11	Flam. Liq. 2 (H225) Flam. Liq. 2 (H225)	No data available
BENZYL ALCOHOL	202-859-9	100-51-6		1-5%	Xn; R20/22	Acute Tox. 5 (H333) Acute Tox. 4 (H302)	No data available

For the full text of the R-phrases mentioned in this Section, see Section 16

4. FIRST AID MEASURES

4.1. Description of first aid measures

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

015, 015BEV, 015TTB, 015COF PISTACHIO TYPE, NATURAL FLAVOR BLEND - NUT FREE

Ingestion Clean mouth with water and drink afterwards plenty of water.

Inhalation Move to fresh air.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Extinguishing media which shall not be used for safety reasons

No information available

5.2. Special hazards arising from the substance or mixture

Special Hazard

None

5.3. Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

See Section 12 for additional Ecological Information

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust)

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Ensure adequate ventilation.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end use(s)

Exposure scenario N/A

Other Guidelines N/A

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Chemical Name	European Union	The United Kingdom	France	Spain	Germany
PROPYLENE GLYCOL 57-55-6		STEL: 450 ppm STEL: 1422 mg/m³ STEL: 30 mg/m³ TWA: 150 ppm TWA: 474 mg/m³ TWA: 10 mg/m³			
ETHYL ALCOHOL 64-17-5		STEL: 3000 ppm STEL: 5760 mg/m³ TWA: 1000 ppm TWA: 1920 mg/m³	VME: 1000 ppm VME: 1900 mg/m³ VLCT: 5000 ppm VLCT: 9500 mg/m³	VLA-ED: 1000 ppm VLA-ED: 1910 mg/m³	MAK: 500 ppm MAK: 960 mg/m³ Ceiling / Peak: 1000 ppm Ceiling / Peak: 1920 mg/m³ Skin TWA: 500 ppm TWA: 960 mg/m³

Chemical Name	Italy	Portugal	The Netherlands	Finland	Denmark
ETHYL ALCOHOL		TWA: 1000 ppm	Skin	TWA: 1000 ppm TWA:	TWA: 1000 ppm TWA:
64-17-5			STEL: 1900 mg/m ³	1900 mg/m ³	1900 mg/m ³
			TWA: 260 mg/m ³	STEL: 1300 ppm	_
				STEL: 2500 mg/m ³	
BENZYL ALCOHOL	_			TWA: 10 ppm TWA:	
100-51-6				45 mg/m ³	

Chemical Name	Austria	Sweden - Occupational Exposure Limits - TLVs (LLVs)	Switzerland	Poland	Norway
PROPYLENE GLYCOL 57-55-6					TWA: 25 ppm TWA: 79 mg/m³ STEL: 37.5 ppm STEL: 118.5 mg/m³
ETHYL ALCOHOL 64-17-5	STEL 2000 ppm STEL 3800 mg/m ³ MAK: 1000 ppm MAK: 1900 mg/m ³	500 ppm NGV 1000 mg/m³ NGV	STEL: 1000 ppm STEL: 1920 mg/m ³ MAK: 500 ppm MAK: 960 mg/m ³	NDS: 1900 mg/m ³	TWA: 500 ppm TWA: 950 mg/m³ STEL: 625 ppm STEL: 1187.5 mg/m³
BENZYL ALCOHOL 100-51-6				NDS: 240 mg/m ³	

Component	Ireland
PROPYLENE GLYCOL	TWA: 150 ppm TWA: 470 mg/m ³ TWA: 10 mg/m ³
57-55-6 (30-50%)	
ETHYL ALCOHOL	TWA: 1000 ppm TWA: 1900 mg/m ³
64-17-5 (30-50%)	

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available

(PNEC)

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas

015, 015BEV, 015TTB, 015COF PISTACHIO TYPE, NATURAL FLAVOR BLEND - NUT FREE

Personal protective equipment

Eye Protection Tightly fitting safety goggles

Hand ProtectionProtective glovesSkin and body protectionLong sleeved clothing

Respiratory protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

Environmental Exposure Controls No information available

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical stateliquidAppearanceclearOdortypical of pistachio nutColorlight yellow

<u>Property</u> <u>Values</u> <u>Method</u>

pHNo information availableMelting/freezing pointNo information availableBoiling point/boiling rangeFCC Method

Boiling point/boiling range
Flash Point
24 °C / 75 °F
Closed cup
Evaporation rate
FCC Method
FCC Method

Flammability (solid, gas)

Flammability Limits in Air

No information available
No information available

Upper flammability limit lower flammability limit

Vapor pressure mm Hg 20°CNo information availableVapor densityNo information availableRelative densityNo information available

 Specific Gravity @ 25C
 0.930 - 0.950
 FCC Method

 Specific Gravity @ 20C
 0.933 - 0.953
 FCC Method

 Refractive Index
 1.392 - 1.412
 FCC Method

Water solubility
Partition coefficient: n-octanol/water
Autoignition temperature
Decomposition temperature
Viscosity, dynamic

No information available
No information available
No information available
No information available

Explosive properties No information available Oxidizing Properties No information available

9.2. Other information

VOC Content(%) 88.7586000254378

Molecular Weight No information available

10. STABILITY AND REACTIVITY

10.1. Reactivity

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

015, 015BEV, 015TTB, 015COF PISTACHIO TYPE, NATURAL FLAVOR BLEND - NUT FREE

Heat, flames and sparks

10.5. Incompatible materials

No materials to be especially mentioned

10.6. Hazardous decomposition products

None under normal use conditions

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Inhalation There is no data available for this product

Eye contact There is no data available for this product

Skin contact There is no data available for this product

Ingestion There is no data available for this product

Acute toxicity 4.27810001% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document (Rev. 1, 2005):

Oral 9,363.00 mg/kg **Dermal** 17,166.00 mg/kg

<u>Inhalation</u>

 Mist
 4.40 mg/l

 Vapor
 966.00 mg/l

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
PROPYLENE GLYCOL	20000 mg/kg (Rat)	20800 mg/kg (Rabbit)	
ETHYL ALCOHOL	7060 mg/kg (Rat)		124.7 mg/L (Rat) 4 h
BENZYL ALCOHOL	1230 mg/kg (Rat)	2000 mg/kg (Rabbit)	8.8 mg/L (Rat) 4 h

Skin corrosion/irritation

Eye damage/irritation

Sensitization

Germ Cell Mutagenicity

No information available
No information available
No information available

Germ Cell MutagenicityNo information available
No information available

Specific target organ systemic

toxicity (single exposure)

No information available

Specific target organ systemic toxicity (repeated exposure)

No information available

Target Organ Effects Blood Central nervous system Eyes Liver Reproductive system Respiratory system Skin

Aspiration hazard No information available

12. ECOLOGICAL INFORMATION

Revision Date 26-May-2016

12.1. Toxicity

Ecotoxicity effects Contains no substances known to be hazardous to the environment or not degradable in

waste water treatment plants

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
PROPYLENE GLYCOL	19000: 96 h Pseudokirchneriella subcapitata mg/L EC50	51600: 96 h Oncorhynchus mykiss mg/L LC50 static 41 - 47: 96 h Oncorhynchus mykiss mL/L LC50 static 51400: 96 h Pimephales promelas mg/L LC50 static 710: 96 h Pimephales promelas mg/L LC50	10000: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50 Static
ETHYL ALCOHOL		mykiss mL/L LC50 static 100: 96 h	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static
BENZYL ALCOHOL	35: 3 h Anabaena variabilis mg/L EC50	10: 96 h Lepomis macrochirus mg/L LC50 static 460: 96 h Pimephales promelas mg/L LC50 static	23: 48 h water flea mg/L EC50

12.2. Persistence and degradability

No information available

12.3. Bioaccumulative potential

No information available

Chemical Name	log Pow
ETHYL ALCOHOL	-0.32
BENZYL ALCOHOL	1.1

12.4. Mobility in soil

No information available

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues / unused products

Dispose of in accordance with local regulations

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal

14. TRANSPORT INFORMATION

DOT

IMDG / IMO

Proper shipping name EXTRACTS, FLAVOURING, LIQUID

Hazard class 3 UN/ID No 1197 Packing Group II

Revision Date 26-May-2016

ICAO/IATA

UN/ID No 1197

Proper shipping name EXTRACTS, FLAVOURING, LIQUID

Hazard class 3
Packing Group II
ERG Code 127

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

WGK Classification

Chemical Name	Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes
PROPYLENE GLYCOL 57-55-6	Hazard Class 1
ETHYL ALCOHOL 64-17-5	Hazard Class 1
BENZYL ALCOHOL 100-51-6	Hazard Class 1

International Inventories

All of the components in the product are on the following Inventory lists: No information available.

TSCA EINECS/ELINCS DSL/NDSL PICCS ENCS IECSC AICS KECL -

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

15.2. Chemical safety assessment

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H333 - May be harmful if inhaled H302 - Harmful if swallowed H225 - Highly flammable liquid and vapor

Revision Date 26-May-2016

Revision Note Not applicable.

Revision# 1.01

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Revision Date 26-May-2016

WARNING/DISCLAIMER:

Our ingredients have not been tested, nor have they been determined safe, for inhalation or use in any electronic smoking devices, electronic nicotine delivery systems, electronic cigarettes, or other similar devices (collectively "E-Cigarettes") or in any E-Liquids used with E-Cigarettes. By receiving Apex Flavors, Inc ingredients, the recipient confirms that they will not use these ingredients in connection with the manufacture and distribution of E-Cigarettes, E-Liquids or any component thereof. WE DISCLAIM, TO THE FULLEST EXTENT PERMITTED BY LAW, ALL WARRANTIES, EXPRESS OR IMPLIED, and disclaim all liability in connection with the use of our ingredients in connection with E-Cigarettes and E-Liquids. All such risks are assumed by you and the user.

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.