

**1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1. Product identifier**

Number 452

Manufacturer Apex Flavors, Inc.
1361 Brass Mill Rd.
Suite E
Belcamp, MD 21017
(410) 565-6600

Product name PURE NUTMEG EXTRACT, NATURAL
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use No information available

1.3. Details of the supplier of the safety data sheet

For further information, please contact:

E-mail Address cpisano@apexflavors.com

1.4. Emergency telephone number

Emergency telephone Chemtrec: 1-800-424-9300 for US/ 703-527-3887 outside US

2. HAZARDS IDENTIFICATION**2.1. Classification of the substance or mixture**

Serious eye damage/eye irritation	Category 2A
Acute aquatic toxicity	Not classified for acute
Flammable liquids	Category 2

Classification according to EU Directives 67/548/EEC or 1999/45/EC
For the full text of the R-phrases mentioned in this Section, see Section 16

2.2. Label elements

**Signal Word**

Warning

Hazard Statements

H319 - Causes serious eye irritation

H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

2.3. Other information

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Name	EC-No	CAS-No	Alternate CAS #	Weight %	Classification according to Directive 67/548/EEC or 1999/45/EC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
ETHYL ALCOHOL	Present	64-17-5		50-90%	F; R11	Eye Irrit. 1 (H319) (EFFA) Flam. Liq. 2 (H225) (EFFA) Flam. Liq. 2 (H225)	No data available
PINENES	201-291-9	80-56-8		<1	R10, XI; R43, N; R50/53, XN; R65;	Aquatic Acute 1 (H400) Skin Sens. 1 (H317) Skin Irrit. 3 (H316) Asp. Tox. 1 (H304) Aquatic Chronic 1 (H410) Acute Tox. 5 (H303) Flam. Liq. 3 (H226)	No data available
LIMONENE	227-813-5	5989-27-5		<1	R10, XI; R38, XI; R43, N; R50/53;	Aquatic Acute 1 (H400) Skin Sens. 1 (H317) Skin Irrit. 2 (H316) Asp. Tox. 1 (H304) Aquatic Chronic 1 (H410) Flam. Liq. 3 (H226)	No data available

For the full text of the R-phrases mentioned in this Section, see Section 16

4. FIRST AID MEASURES

4.1. Description of first aid measures

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Ingestion	Clean mouth with water and drink afterwards plenty of water.
Inhalation	Move to fresh air.

4.2. Most important symptoms and effects, both acute and delayed**4.3. Indication of any immediate medical attention and special treatment needed**

Note to physicians Treat symptomatically

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media**Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Extinguishing media which shall not be used for safety reasons

No information available

5.2. Special hazards arising from the substance or mixture**Special Hazard**

None

5.3. Advice for firefighters**Special protective equipment for fire-fighters**

As in any fire, wear self-contained breathing apparatus and full protective gear

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

See Section 12 for additional Ecological Information

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust)

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Ensure adequate ventilation.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end use(s)

Exposure scenario N/A

Other Guidelines N/A

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1. Control parameters**

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Chemical Name	European Union	The United Kingdom	France	Spain	Germany
ETHYL ALCOHOL 64-17-5		STEL: 3000 ppm STEL: 5760 mg/m ³ TWA: 1000 ppm TWA: 1920 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³ STEL: 5000 ppm STEL: 9500 mg/m ³	STEL: 1000 ppm STEL: 1910 mg/m ³	TWA: 500 ppm TWA: 960 mg/m ³ Ceiling / Peak: 1000 ppm Ceiling / Peak: 1920 mg/m ³ Skin
PINENES 80-56-8				VLA-ED: 20 ppm VLA-ED: 113 mg/m ³	
LIMONENE 5989-27-5					MAK: 20 ppm MAK: 110 mg/m ³ Ceiling / Peak: 40 ppm Ceiling / Peak: 220 mg/m ³ TWA: 20 ppm TWA: 110 mg/m ³

Chemical Name	Italy	Portugal	The Netherlands	Finland	Denmark
ETHYL ALCOHOL 64-17-5		TWA: 1000 ppm	Skin STEL: 1900 mg/m ³ TWA: 260 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³ STEL: 1300 ppm STEL: 2500 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³
PINENES 80-56-8		TWA: 20 ppm			
LIMONENE 5989-27-5				TWA: 25 ppm TWA: 140 mg/m ³ STEL: 50 ppm STEL: 280 mg/m ³	

Chemical Name	Austria	Sweden - Occupational Exposure Limits - TLVs (LLVs)	Switzerland	Poland	Norway
ETHYL ALCOHOL 64-17-5	STEL 2000 ppm STEL 3800 mg/m ³ TWA: 1000 ppm TWA: 1900 mg/m ³	500 ppm NGV 1000 mg/m ³ NGV	STEL: 1000 ppm STEL: 1920 mg/m ³ TWA: 500 ppm TWA: 960 mg/m ³	TWA: 1900 mg/m ³	TWA: 500 ppm TWA: 950 mg/m ³ STEL: 625 ppm STEL: 1187.5 mg/m ³
PINENES 80-56-8		25 ppm NGV 150 mg/m ³ NGV			TWA: 25 ppm TWA: 140 mg/m ³ Skin STEL: 37.5 ppm STEL: 175 mg/m ³
LIMONENE 5989-27-5			STEL: 40 ppm STEL: 220 mg/m ³ MAK: 20 ppm MAK: 110 mg/m ³		TWA: 25 ppm TWA: 140 mg/m ³ STEL: 37.5 ppm STEL: 175 mg/m ³

Component	Ireland
ETHYL ALCOHOL 64-17-5 (50-90%)	STEL: 1000 ppm

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC) No information available

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas

Personal protective equipment

Eye Protection	Tightly fitting safety goggles
Hand Protection	Protective gloves
Skin and body protection	Long sleeved clothing
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

Environmental Exposure Controls No information available

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	liquid	Appearance	clear
Odor	characteristic of nutmeg with citrus, terpeney notes	Color	Colorless to pale yellow.
Property	Values	Method	
pH		No information available	
Melting/freezing point		No information available	
Boiling point/boiling range		FCC Method	
Flash Point	22 °C / 71 °F	Closed cup	
Evaporation rate		FCC Method	
Flammability (solid, gas)		No information available	
Flammability Limits in Air		No information available	
Upper flammability limit			
lower flammability limit			
Vapor pressure mm Hg 20°C		No information available	
Vapor density		No information available	
Relative density		No information available	
Specific Gravity @ 25C	0.8868 - 0.9168	FCC Method	
Specific Gravity @ 20C	0.8898 - 0.9198	FCC Method	
Refractive Index	1.3495 - 1.3795	FCC Method	
Water solubility		No information available	
Partition coefficient: n-octanol/water		No information available	
Autoignition temperature		No information available	
Decomposition temperature		No information available	
Viscosity, dynamic		No information available	
Explosive properties	No information available		
Oxidizing Properties	No information available		
9.2. Other information			
VOC Content(%)	58.8399999886751		
Molecular Weight	No information available		

10. STABILITY AND REACTIVITY

10.1. Reactivity

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Heat, flames and sparks

10.5. Incompatible materials

No materials to be especially mentioned

10.6. Hazardous decomposition products

None under normal use conditions

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Inhalation There is no data available for this product

Eye contact There is no data available for this product

Skin contact There is no data available for this product

Ingestion There is no data available for this product

Acute toxicity 41.1% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document (Rev. 1, 2005):

Mist 67,221.58 mg/l

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
ETHYL ALCOHOL			124.7 mg/L (Rat) 4 h
PINENES	2100 mg/kg (Rat)	5000 mg/kg (Rat)	
LIMONENE	4400 mg/kg (Rat)	2000 mg/kg (Rabbit)	

Skin corrosion/irritation No information available
Eye damage/irritation No information available
Sensitization No information available
Germ Cell Mutagenicity No information available
Carcinogenicity No information available

Specific target organ systemic toxicity (single exposure) No information available

Specific target organ systemic toxicity (repeated exposure) No information available

Target Organ Effects Blood Central nervous system Eyes Liver Reproductive system Respiratory system Skin

Aspiration hazard No information available

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
ETHYL ALCOHOL		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	9268 - 14221: 48 h Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static
PINENES		0.28: 96 h Pimephales promelas mg/L LC50 static	41: 48 h Daphnia magna mg/L LC50
LIMONENE		0.619-0.796: 96 h Pimephales promelas mg/L LC50 flow-through 35: 96 h Oncorhynchus mykiss mg/L LC50	

12.2. Persistence and degradability

No information available

12.3. Bioaccumulative potential

No information available

Chemical Name	log Pow
ETHYL ALCOHOL	-0.32
PINENES	4.1

12.4. Mobility in soil

No information available

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues / unused products Dispose of in accordance with local regulations

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal

14. TRANSPORT INFORMATION

DOT

IMDG / IMO

Proper shipping name	EXTRACTS, FLAVOURING, LIQUID
Hazard class	3
UN/ID No	1197
Packing Group	II

ICAO/IATA

UN/ID No	1197
Proper shipping name	EXTRACTS, FLAVOURING, LIQUID
Hazard class	3
Packing Group	II
ERG Code	127

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

WGK Classification

Chemical Name	Germany - Water Classification (VwVwS) - Annex 2 - Water
ETHYL ALCOHOL	Hazard Classes
64-17-5	Hazard Class 1

International Inventories

All of the components in the product are on the following Inventory lists: No information available.

TSCA	-
EINECS/ELINCS	-
DSL/NDSL	-
PICCS	-
ENCS	-
IECSC	-
AICS	-
KECL	-

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

15.2. Chemical safety assessment

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H400 - Very toxic to aquatic life H317 - May cause an allergic skin reaction H316 - Causes mild skin irritation H304 - May be fatal if swallowed and enters airways H410 - Very toxic to aquatic life with long lasting effects H226 - Flammable liquid and vapor H319 - Causes serious eye irritation H225 - Highly flammable liquid and vapor H303 - May be harmful if swallowed

Revision Date 02-Feb-2026

Revision Note Not applicable.

Revision# 1.01

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

WARNING/DISCLAIMER:

Our ingredients have not been tested, nor have they been determined safe, for inhalation or use in any electronic smoking devices, electronic nicotine delivery systems, electronic cigarettes, or other similar devices (collectively "E-Cigarettes") or in any E-Liquids used with E-Cigarettes. By receiving Apex Flavors, Inc ingredients, the recipient confirms that they will not use these ingredients in connection with the manufacture and distribution of E-Cigarettes, E-Liquids or any component thereof. WE DISCLAIM, TO THE FULLEST EXTENT PERMITTED BY LAW, ALL WARRANTIES, EXPRESS OR IMPLIED, and disclaim all liability in connection with the use of our ingredients in connection with E-Cigarettes and E-Liquids. All such risks are assumed by you and the user.

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.