SAFETY DATA SHEET.



Version 1

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Number 010, 010BEV, 010PGF, 010PGFT, 010TTB

Manufacturer Apex Flavors, Inc. 1361 Brass Mill Rd.

Suite E

Belcamp, MD 21017 (410) 565-6600

Product name PURE JASMINE EXTRACT, NATURAL Mixture

Pure substance/mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use No information available

1.3. Details of the supplier of the safety data sheet

For further information, please contact:

E-mail Address cpisano@apexflavors.com

1.4. Emergency telephone number

Emergency telephone Chemtrec: 1-800-424-9300 for US/ Outside US Chemtel 813-248-0585

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

2.1. Classification of the substance of mixture	
Serious eye damage/eye irritation	Category 2A
Carcinogenicity	Category 1A
Acute aquatic toxicity	Category 2
Flammable liquids	Category 2

Classification according to EU Directives 67/548/EEC or 1999/45/EC

For the full text of the R-phrases mentioned in this Section, see Section 16

Symbol(s)

Not dangerous

2.2. Label elements



Signal Word Danger

Hazard Statements

H319 - Causes serious eye irritation

H350 - May cause cancer

H401 - Toxic to aquatic life

Precautionary Statements

P201 - Obtain special instructions before use

P281 - Use personal protective equipment as required

P308 + P313 - IF exposed or concerned: Get medical advice/ attention

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

2.3. Other information

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Name	EC-No	CAS-No	Alternate CAS #	Weight %	Classificatio n according to Directive 67/548/EEC or 1999/45/EC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
ETHYL ALCOHOL	200-578-6	64-17-5		50-90%	F; R11	Flam. Liq. 2 (H225) Flam. Liq. 2 (H225)	No data available
PHYTOL	205-776-6	150-86-7		<1	XI; R38	Aquatic Acute 1 (H400) Skin Irrit. 2 (H316) Aquatic Chronic 1 (H410)	No data available
BENZYL ACETATE	Present	140-11-4		<1	-	Aquatic Acute 2 (H401) (EFFA) Skin Irrit. 3 (316) (EFFA) Acute Tox. 5 (H303)(EFFA) Flam. Liq. 4 (H227)(EFFA) Aquatic Acute 2 (H401) Skin Irrit. 3 (H316) Acute Tox. 5 (H303)	No data available

For the full text of the R-phrases mentioned in this Section, see Section 16

4. FIRST AID MEASURES

4.1. Description of first aid measures

Page 2/8

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Skin contactWash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Inhalation Move to fresh air.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Extinguishing media which shall not be used for safety reasons

No information available

5.2. Special hazards arising from the substance or mixture

Special Hazard

None

5.3. Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

See Section 12 for additional Ecological Information

6.2. Environmental precautions

Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust)

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Ensure adequate ventilation.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end use(s)

Exposure scenario N/A

Other Guidelines N/A

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies

Chemical Name	European Union	The United Kingdom	France	Spain	Germany
ETHYL ALCOHOL		STEL: 3000 ppm	VME: 1000 ppm VME:	VLA-ED: 1000 ppm	MAK: 500 ppm MAK:
64-17-5		STEL: 5760 mg/m ³	1900 mg/m ³	VLA-ED: 1910 mg/m ³	960 mg/m ³
		TWA: 1000 ppm TWA:	VLCT: 5000 ppm		Ceiling / Peak: 1000
		1920 mg/m ³	VLCT: 9500 mg/m ³		ppm Ceiling / Peak:
			_		1920 mg/m ³
					Skin
					TWA: 500 ppm TWA:
					960 mg/m ³
BENZYL ACETATE				TWA: 10 ppm	
140-11-4				TWA: 62 mg/m ³	

Chemical Name	Italy	Portugal	The Netherlands	Finland	Denmark
ETHYL ALCOHOL		TWA: 1000 ppm	Skin	TWA: 1000 ppm TWA:	TWA: 1000 ppm TWA:
64-17-5			STEL: 1900 mg/m ³	1900 mg/m ³	1900 mg/m ³
			TWA: 260 mg/m ³	STEL: 1300 ppm	
				STEL: 2500 mg/m ³	
BENZYL ACETATE		TWA: 10 ppm			TWA: 10 ppm
140-11-4					TWA: 61 mg/m ³

Chemical Name	Austria	Sweden - Occupational Exposure Limits - TLVs (LLVs)	Switzerland	Poland	Norway
ETHYL ALCOHOL 64-17-5	STEL 2000 ppm STEL 3800 mg/m ³ MAK: 1000 ppm MAK: 1900 mg/m ³	mg/m³ NGV	STEL: 1000 ppm STEL: 1920 mg/m³ MAK: 500 ppm MAK: 960 mg/m³	NDS: 1900 mg/m ³	TWA: 500 ppm TWA: 950 mg/m³ STEL: 625 ppm STEL: 1187.5 mg/m³

Component	Ireland
ETHYL ALCOHOL	TWA: 1000 ppm TWA: 1900 mg/m ³
64-17-5 (50-90%)	

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available

(PNEC)

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas

Personal protective equipment

Eye Protection Tightly fitting safety goggles

Hand Protection Protective gloves
Skin and body protection Long sleeved clothing

Respiratory protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

Environmental Exposure Controls No information available

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical stateliquidAppearanceclearOdorjasmine-likeColoryellowish

<u>Property</u> <u>Values</u> <u>Method</u>

pH No information available

Melting/freezing point

No information available

Boiling point/boiling range

FCC Method

Flash Point 21 °C / 69 °F Closed cup Evaporation rate FCC Method

Flammability (solid, gas)

No information available
Flammability Limits in Air

No information available

Upper flammability limit lower flammability limit

Vapor pressure mm Hg 20°C No information available

Vapor densityNo information availableRelative densityNo information available

 Specific Gravity @ 25C
 0.8195 - 0.8495
 FCC Method

 Specific Gravity @ 20C
 0.8225 - 0.8525
 FCC Method

 Refractive Index
 1.3506 - 1.3806
 FCC Method

Refractive Index

1.3506 - 1.3806

Water solubility

1.3506 - 1.3806

No information available

Partition coefficient: n-octanol/waterNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableViscosity, dynamicNo information available

Explosive properties No information available Oxidizing Properties No information available

9.2. Other information

VOC Content(%) 79.296

Molecular Weight No information available

10. STABILITY AND REACTIVITY

10.1. Reactivity

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Heat, flames and sparks

10.5. Incompatible materials

No materials to be especially mentioned

10.6. Hazardous decomposition products

None under normal use conditions

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Inhalation There is no data available for this product

Eye contact There is no data available for this product

Skin contact There is no data available for this product

Ingestion There is no data available for this product

Acute toxicity 20.344% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document (Rev. 1, 2005):

7,101.00 mg/kg Oral

Inhalation

Mist 66,575.54 mg/l

Skin corrosion/irritation Eye damage/irritation

Sensitization

Germ Cell Mutagenicity Carcinogenicity

No information available No information available

No information available No information available

No information available

Specific target organ systemic toxicity (single exposure)

No information available

Specific target organ systemic

toxicity (repeated exposure)

No information available

Target Organ Effects

Blood Central nervous system Eyes Liver Reproductive system Respiratory system Skin

Aspiration hazard No information available

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects Contains no substances known to be hazardous to the environment or not degradable in

waste water treatment plants

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other
			aquatic invertebrates
ETHYL ALCOHOL		12.0 - 16.0: 96 h Oncorhynchus	9268 - 14221: 48 h Daphnia magna
		mykiss mL/L LC50 static 100: 96 h	mg/L LC50 10800: 24 h Daphnia
		Pimephales promelas mg/L LC50	magna mg/L EC50 2: 48 h Daphnia
		static 13400 - 15100: 96 h	magna mg/L EC50 Static
		Pimephales promelas mg/L LC50	
		flow-through	

12.2. Persistence and degradability

No information available

12.3. Bioaccumulative potential

No information available

Chemical Name	log Pow
ETHYL ALCOHOL	-0.32
BENZYL ACETATE	1.96

12.4. Mobility in soil

No information available

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues / unused

products

Dispose of in accordance with local regulations

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal

14. TRANSPORT INFORMATION

DOT

UN/ID No 1197

Proper shipping name EXTRACTS, FLAVOURING, LIQUID

Hazard class 3
Packing Group II
ERG Code 127

IMDG / IMO

Proper shipping name EXTRACTS, FLAVOURING, LIQUID

Hazard class 3 UN/ID No 1197 Packing Group II

ICAO/IATA

UN/ID No 1197

Proper shipping name EXTRACTS, FLAVOURING, LIQUID

Hazard class 3
Packing Group II
ERG Code 127

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

WGK Classification

Chemical Name	Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes
ETHYL ALCOHOL	Hazard Class 1

64-17-5

International Inventories

All of the components in the product are on the following Inventory lists: United States of America (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (ECL), China (IECSC), Japan (ENCS), Philippines (PICCS).

TSCA Complies **EINECS/ELINCS** Complies DSL/NDSL Complies Complies **PICCS** Complies **ENCS** Complies **IECSC** Complies **AICS** Complies **KECL**

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

15.2. Chemical safety assessment

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H401 - Toxic to aquatic life H303 - May be harmful if swallowed H227 - Combustible liquid H316 - Causes mild skin irritation H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects H225 - Highly flammable liquid and vapor

Revision Date 31-Aug-2016

Revision Note Not applicable.

Revision# 1

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

WARNING/DISCLAIMER:

Apex Flavors, Inc.'s products are sold exclusively for use in food and drink for human consumption. These products have not been tested, nor have they been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, and electronic cigarettes or similar devices (collectively "E-Cigarettes"). In supplying this product(s), Apex Flavors, Inc. instructs, and purchasing recipient confirms, that this product(s) will not be used in connection with the manufacture and distribution of E-Cigarettes or any component thereof. Recipients of our products that use them outside of their intended use of food or drink do so at their own risk and without warranty, either expressed or implied, from Apex Flavors, Inc. or its suppliers. The user assumes all liability for loss, injury, damage, or expense resulting from such uses.

Disclaimer

Our ingredients have not been tested, nor have they been determined safe, for inhalation or use in any electronic smoking devices, electronic nicotine delivery systems, electronic cigarettes, or other similar devices (collectively "E-Cigarettes") or in any E-Liquids used with E-Cigarettes. By receiving Apex Flavors, Inc ingredients, the recipient confirms that they will not use these ingredients in connection with the manufacture and distribution of E-Cigarettes, E-Liquids or any component thereof. WE DISCLAIM, TO THE FULLEST EXTENT PERMITTED BY LAW, ALL WARRANTIES, EXPRESS OR IMPLIED, and disclaim all liability in connection with the use of our ingredients in connection with E-Cigarettes and E-Liquids. All such risks are assumed by you and the user.

Page 8/8