APEX FLAVORS, INC.

SAFETY DATA SHEET.

Version 1

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Number 363PGF(T)

Manufacturer

Apex Flavors, Inc.
1371 Brass Mill Rd.
Suite A
Belcamp, MD 21017
410-565-6600

Product name PINEAPPLE TYPE, NATURAL FLAVOR BLEND (Propylene Glycol Free)
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Not for direct consumption

1.3. Details of the supplier of the safety data sheet

For further information, please contact:

E-mail Address cpisano@apexflavors.com

1.4. Emergency telephone number

Emergency telephone Chemtrec: 1-800-424-9300 for US/ Outside US Chemtel 813-248-0585.

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Acute oral toxicity	Category 5
Acute inhalation toxicity - dust/mist	Category 3
Serious eye damage/eye irritation	Category 2A
Carcinogenicity	Category 1A
Acute aquatic toxicity	Category 2
Flammable liquids	Category 2

Classification according to EU Directives 67/548/EEC or 1999/45/EC
For the full text of the R-phrases mentioned in this Section, see Section 16

Symbol(s)
Not dangerous

2.2. Label elements

Signal Word
Danger

Hazard Statements
H303 - May be harmful if swallowed
H331 - Toxic if inhaled
H319 - Causes serious eye irritation
H350 - May cause cancer
H401 - Toxic to aquatic life

Precautionary Statements
P321 - Specific treatment (see .? on this label)
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed
P201 - Obtain special instructions before use
P281 - Use personal protective equipment as required
P308 + P313 - IF exposed or concerned: Get medical advice/ attention
P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction
P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

2.3. Other information

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Name	EC-No	CAS-No	Alternate CAS #	Weight %	Classification according to Directive 67/548/EEC or 1999/45/EC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
ETHYL ALCOHOL	200-578-6	64-17-5		50-90%	F; R11	Flam. Liq. 2 (H225) Eye Irrit. 1 (H319)	No data available
BENZYL ALCOHOL	202-859-9	100-51-6		1-5%	Xn; R20/22	Acute Tox. 5 (H333) Acute Tox. 4 (H302)	No data available
ALLYL CAPROATE	204-642-4	123-68-2		<1	-	Aquatic Acute 2 (H401) (EFFA) Eye Irrit. 1 (H319) (EFFA) Skin Irrit. 2 (315) (EFFA) Acute Tox. 3 (H301) (EFFA) Acute Tox. 3 (H311)(EFFA) Flam. Liq. 4 (H227)(EFFA)	No data available
ALLYL HEPTOATE	205-527-1	142-19-8		<1	-	STOT RE 2 (H373) (EFFA) Aquatic Acute 1 (H400) (EFFA) Eye Irrit. 1 (H319) (EFFA) Skin Irrit. 2 (315)	No data available

						(EFFA) Aquatic Chronic 1 (H410) (EFFA) Acute Tox. 4 (H302) (EFFA) Acute Tox. 3 (H311)(EFFA) Flam. Liq. 4 (H227)(EFFA)	
ISOBUTYL ACETATE	Present	110-19-0		<1	F; R11 R66	Aquatic Acute 3 (H402) (EFFA) Flam. Liq. 2 (H225) (EFFA) (EUH066) Flam. Liq. 2 (H225)	No data available
LIMONENE	227-813-5	5989-27-5		<1	R10, XI; R38, XI; R43, N; R50/53;	Aquatic Acute 1 (H400) Skin Sens. 1 (H317) Skin Irrit. 1 (H315) Asp. Tox. 1 (H304) Aquatic Chronic 1 (H410) Flam. Liq. 3 (H226)	No data available

For the full text of the R-phrases mentioned in this Section, see Section 16

4. FIRST AID MEASURES

4.1. Description of first aid measures

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Inhalation Move to fresh air.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Extinguishing media which shall not be used for safety reasons
No information available

5.2. Special hazards arising from the substance or mixture

Special Hazard
None

5.3. Advice for firefighters

Special protective equipment for fire-fighters
As in any fire, wear self-contained breathing apparatus and full protective gear

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

See Section 12 for additional Ecological Information

6.2. Environmental precautions

Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust)

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Ensure adequate ventilation.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end use(s)

Exposure scenario N/A

Other Guidelines N/A

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Chemical Name	European Union	The United Kingdom	France	Spain	Germany
ETHYL ALCOHOL 64-17-5		STEL: 3000 ppm STEL: 5760 mg/m³ TWA: 1000 ppm TWA: 1920 mg/m³	VME: 1000 ppm VME: 1900 mg/m³ VLCT: 5000 ppm VLCT: 9500 mg/m³	VLA-ED: 1000 ppm VLA-ED: 1910 mg/m³	MAK: 500 ppm MAK: 960 mg/m³ Ceiling / Peak: 1000 ppm Ceiling / Peak: 1920 mg/m³ Skin TWA: 500 ppm TWA: 960 mg/m³
ISOBUTYL ACETATE 110-19-0		STEL: 187 ppm STEL: 903 mg/m³ TWA: 150 ppm TWA: 724 mg/m³	TWA: 150 ppm TWA: 710 mg/m³ STEL: 200 ppm STEL: 940 mg/m³	TWA: 150 ppm TWA: 724 mg/m³	TWA: 100 ppm TWA: 480 mg/m³ Ceiling / Peak: 200 ppm Ceiling / Peak: 960 mg/m³ TWA: 62 ppm TWA: 300 mg/m³
LIMONENE 5989-27-5					MAK: 20 ppm MAK: 110 mg/m³ Ceiling / Peak: 40 ppm Ceiling / Peak: 220 mg/m³ TWA: 20 ppm TWA: 110 mg/m³

Chemical Name	Italy	Portugal	The Netherlands	Finland	Denmark
ETHYL ALCOHOL		TWA: 1000 ppm	Skin	TWA: 1000 ppm TWA:	TWA: 1000 ppm TWA:

64-17-5			STEL: 1900 mg/m³ TWA: 260 mg/m³	1900 mg/m³ STEL: 1300 ppm STEL: 2500 mg/m³	1900 mg/m³
BENZYL ALCOHOL 100-51-6				TWA: 10 ppm TWA: 45 mg/m³	
ISOBUTYL ACETATE 110-19-0		TWA: 150 ppm		TWA: 150 ppm TWA: 720 mg/m³ STEL: 200 ppm STEL: 960 mg/m³	TWA: 150 ppm TWA: 710 mg/m³
LIMONENE 5989-27-5				TWA: 25 ppm TWA: 140 mg/m³ STEL: 50 ppm STEL: 280 mg/m³	

Chemical Name	Austria	Sweden - Occupational Exposure Limits - TLVs (LLVs)	Switzerland	Poland	Norway
ETHYL ALCOHOL 64-17-5	STEL 2000 ppm STEL 3800 mg/m³ MAK: 1000 ppm MAK: 1900 mg/m³	500 ppm NGV 1000 mg/m³ NGV	STEL: 1000 ppm STEL: 1920 mg/m³ MAK: 500 ppm MAK: 960 mg/m³	NDS: 1900 mg/m³	TWA: 500 ppm TWA: 950 mg/m³ STEL: 625 ppm STEL: 1187.5 mg/m³
BENZYL ALCOHOL 100-51-6				NDS: 240 mg/m³	
ISOBUTYL ACETATE 110-19-0	STEL 100 ppm STEL 480 mg/m³ TWA: 100 ppm TWA: 480 mg/m³ Ceiling 100 ppm Ceiling 480 mg/m³	100 ppm NGV 500 mg/m³ NGV	STEL: 200 ppm STEL: 960 mg/m³ TWA: 100 ppm TWA: 480 mg/m³	STEL: 400 mg/m³ TWA: 200 mg/m³	
LIMONENE 5989-27-5			STEL: 40 ppm STEL: 220 mg/m³ MAK: 20 ppm MAK: 110 mg/m³		TWA: 25 ppm TWA: 140 mg/m³ STEL: 37.5 ppm STEL: 175 mg/m³

Component	Ireland
ETHYL ALCOHOL 64-17-5 (50-90%)	TWA: 1000 ppm TWA: 1900 mg/m³
ISOBUTYL ACETATE 110-19-0 (<1)	TWA: 150 ppm TWA: 700 mg/m³ STEL: 187 ppm STEL: 875 mg/m³

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC) No information available

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas

Personal protective equipment

Eye Protection Tightly fitting safety goggles
Hand Protection Protective gloves
Skin and body protection Long sleeved clothing
Respiratory protection When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

Environmental Exposure Controls No information available

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	liquid	**Appearance**	clear
Odor	characteristic of pineapple	**Color**	colorless

Property	Values	Method
pH		No information available
Melting/freezing point		No information available
Boiling point/boiling range		FCC Method
Flash Point	17 °C / 62 °F	Closed cup
Evaporation rate		FCC Method
Flammability (solid, gas)		No information available
Flammability Limits in Air		No information available
Upper flammability limit		
lower flammability limit		
Vapor pressure mm Hg 20°C		No information available
Vapor density		No information available
Relative density		No information available
Specific Gravity @ 25C	0.8149 - 0.8449	FCC Method
Specific Gravity @ 20C	0.8179 - 0.8479	FCC Method
Refractive Index	1.361 - 1.391	FCC Method
Water solubility		No information available
Partition coefficient: n-octanol/water		No information available
Autoignition temperature		No information available
Decomposition temperature		No information available
Viscosity, dynamic		No information available

Explosive properties	No information available
Oxidizing Properties	No information available

9.2. Other information

VOC Content(%)	95.0727
Molecular Weight	No information available

10. STABILITY AND REACTIVITY

10.1. Reactivity

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Heat, flames and sparks

10.5. Incompatible materials

No materials to be especially mentioned

10.6. Hazardous decomposition products

None under normal use conditions

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Inhalation There is no data available for this product

Eye contact There is no data available for this product

Skin contact There is no data available for this product

Ingestion There is no data available for this product

Acute toxicity 0.515325% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document (Rev. 1, 2005):

Oral 4,687.00 mg/kg
Dermal 16,190.00 mg/kg

Inhalation
Mist 1.00 mg/l
Vapor 220.00 mg/l

Skin corrosion/irritation No information available
Eye damage/irritation No information available
Sensitization No information available
Germ Cell Mutagenicity No information available
Carcinogenicity No information available

Specific target organ systemic toxicity (single exposure) No information available

Specific target organ systemic toxicity (repeated exposure) No information available

Target Organ Effects Blood Central nervous system Eyes Liver Reproductive system Respiratory system Skin

Aspiration hazard No information available

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
ETHYL ALCOHOL		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static

BENZYL ALCOHOL	35: 3 h Anabaena variabilis mg/L EC50	10: 96 h Lepomis macrochirus mg/L LC50 static 460: 96 h Pimephales promelas mg/L LC50 static	23: 48 h water flea mg/L EC50
ALLYL CAPROATE		30: 96 h Carassius auratus mg/L LC50	
ISOBUTYL ACETATE		101: 48 h Leuciscus idus melanotus mg/L LC50 static 101 - 123: 48 h Leuciscus idus melanotus mg/L LC50 flow-through	168: 24 h Daphnia magna mg/L EC50
LIMONENE		0.619-0.796: 96 h Pimephales promelas mg/L LC50 flow-through 35: 96 h Oncorhynchus mykiss mg/L LC50	

12.2. Persistence and degradability

No information available

12.3. Bioaccumulative potential

No information available

Chemical Name	log Pow
ETHYL ALCOHOL	-0.32
BENZYL ALCOHOL	1.1
ISOBUTYL ACETATE	1.72

12.4. Mobility in soil

No information available

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

Endocrine Disruptor Information .? is a suspected endocrine disruptor

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues / unused products Dispose of in accordance with local regulations

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal

14. TRANSPORT INFORMATION

DOT/ADR

UN/ID No 1197
Proper shipping name EXTRACTS, FLAVOURING, LIQUID
Hazard class 3
Packing Group II
ERG Code 127

IMDG / IMO

Proper shipping name EXTRACTS, FLAVOURING, LIQUID
Hazard class 3
UN/ID No 1197
Packing Group II

ICAO/IATA

UN/ID No	1197
Proper shipping name	EXTRACTS, FLAVOURING, LIQUID
Hazard class	3
Packing Group	II

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

WGK Classification

Chemical Name	Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes
ETHYL ALCOHOL 64-17-5	Hazard Class 1
BENZYL ALCOHOL 100-51-6	Hazard Class 1
ISOBUTYL ACETATE 110-19-0	Hazard Class 1

International Inventories
All of the components in the product are on the following Inventory lists: No information available.

TSCA	-
EINECS/ELINCS	-
DSL/NDSL	-
PICCS	-
ENCS	-
IECSC	-
AICS	-
KECL	-

Legend
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
PICCS - Philippines Inventory of Chemicals and Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
AICS - Australian Inventory of Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances

15.2. Chemical safety assessment

16. OTHER INFORMATION

Risk Combination Phrases
R20/22 - Harmful by inhalation and if swallowed

Full text of H-Statements referred to under sections 2 and 3
H333 - May be harmful if inhaled H302 - Harmful if swallowed H402 - Harmful to aquatic life H225 - Highly flammable liquid and vapor H401 - Toxic to aquatic life H319 - Causes serious eye irritation H301 - Toxic if swallowed H311 - Toxic in contact with skin H227 - Combustible liquid H373 - May cause damage to organs (a,b,c) through prolonged or repeated exposure if inhaled H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects H317 - May cause an allergic skin reaction H315 - Causes skin irritation H304 - May be fatal if swallowed and enters airways H226 - Flammable liquid and vapor EUH066 - Repeated exposure may cause skin dryness or cracking

Revision Date	29-Jan-2018
Revision Note	Not applicable.

Revision# 1

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

WARNING/DISCLAIMER:

The ingredients/flavors provided by Apex have not been tested, nor have they been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, electronic cigarettes or other similar devices (collectively "E-Cigarettes"). In supplying ingredients/flavors, Apex instructs, and by receiving such ingredients/flavors recipient confirms, that the ingredients/flavors will not be used in connection with the manufacture and distribution of E-Cigarettes or any component thereof.

Disclaimer

Food ingredients that are safe to be consumed in food products may pose hazards if not handled properly. This product is intended to be used in food products and, not intended to be consumed in its present form. The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.