APEX FLAVORS, INC.



## SAFETY DATA SHEET.

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 24-Oct-2019 Version 1

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

**Product Code(s)** 321, 321BEV, 321TTB, 321ICR, 321COF

Product name CANDY CANE TYPE EXTRACT, NATURAL & ARTIFICIAL

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Ingredient for further processing

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Manufacturer Apex Flavors, Inc.

1361 Brass Mill Rd.

Suite E

Belcamp, MD 21017 (410) 565-6600

For further information, please contact:

E-mail Address cpisano@apexflavors.com

1.4. Emergency telephone number

Emergency telephone Chemtrec: 1-800-424-9300 for US/ Outside US Chemtel 813-248-0585

## **Section 2: HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Serious eye damage/eye irritation	Category 2 - (H319)
Carcinogenicity	Category 1A - (H350)
Flammable liquids	Category 2 - (H225)

## 2.2. Label elements Product identifier

Contains ETHYL ALCOHOL



Signal Word Danger

**Hazard Statements** 

H319 - Causes serious eye irritation

H350 - May cause cancer

## Precautionary Statements - EU (§28, 1272/2008)

P201 - Obtain special instructions before use

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P370 + P378 - In case of fire: Use .? to extinguish

## 2.3. Other information

No information available

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1 Substances

Chemical Name	EC-No	CAS-No	Weight %	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
ETHYL ALCOHOL	200-578-6	64-17-5	50-90%	Flam. Liq. 2 (H225) Eye Irrit. 1 (H319)	No data available
PROPYLENE GLYCOL	200-338-0	57-55-6	10-15%	No data available	No data available
BENZYL ALCOHOL	202-859-9	100-51-6	<1%	Acute Tox. 5 (H333) Acute Tox. 4 (H302)	No data available
L-Limonene	227-815-6	5989-54-8	<1%	Aquatic Acute 1 (H400) Skin Sens. 1 (H317) Skin Irrit. 2 (H316) Asp. Tox. 1 (H304) Aquatic Chronic 1 (H410) Flam. Lig. 3 (H226)	No data available
LIMONENE	227-813-5	5989-27-5	<1%	Aquatic Acute 1 (H400) Skin Sens. 1 (H317) Skin Irrit. 1 (H315) Asp. Tox. 1 (H304) Aquatic Chronic 1 (H410) Flam. Liq. 3 (H226)	No data available
BENZALDEHYDE	Present	100-52-7	<1%	Acute Tox. 4 (H302) Aquatic Acute 2 (H401) (EFFA) Eye Irrit. 1 (H319) (EFFA) Skin Irrit. 3 (316) (EFFA) Acute Tox. 4 (H302) (EFFA) Flam. Liq. 4 (H227)(EFFA) Acute Tox. 4 (H332)(EFFA) Aquatic Acute 2 (H401) Eye Irrit. 1 (H319) Skin Irrit. 3 (H316) Acute Tox. 4 (H302) Acute Tox. 4 (H332)	No data available

For the full text of the R-phrases mentioned in this Section, see Section 16

Full text of H- and EUH-phrases: see section 16

## **Section 4: FIRST AID MEASURES**

## 4.1. Description of first aid measures

**General advice** Immediate medical attention is required. Show this material safety data sheet to the doctor

in attendance.

**Inhalation** Move to fresh air.

**Skin contact** Wash off immediately with plenty of water.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

**Self-protection of the first aider** Remove all sources of ignition.

4.2. Most important symptoms and effects, both acute and delayed

Main Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically.

## **Section 5: FIRE FIGHTING MEASURES**

#### 5.1. Extinguishing media

## **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

No information available

#### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors

## 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment.

## **Section 6: ACCIDENTAL RELEASE MEASURES**

## 6.1. Personal precautions, protective equipment and emergency procedures

## **Personal precautions**

Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate ventilation.

### For emergency responders

Use personal protection recommended in Section 8.

#### 6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

#### 6.3. Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal

binder, sawdust). Pick up and transfer to properly labeled containers.

#### 6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

## **Section 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

## Advice on safe handling

Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Use only in an area containing flame proof equipment. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.

## **General Hygiene Considerations**

When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing.

## 7.2. Conditions for safe storage, including any incompatibilities

## **Storage Conditions**

Keep tightly closed in a dry and cool place. Keep in properly labeled containers.

## Incompatible products

None known based on information supplied.

#### 7.3 Specific end use(s)

## **Risk Management Methods (RMM)**

The information required is contained in this Material Safety Data Sheet.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

Chemical Name	European Union	The United Kingdom	France	Spain	Germany
ETHYL ALCOHOL	-	STEL: 3000 ppm	VME: 1000 ppm VME:	VLA-ED: 1000 ppm	-
64-17-5		STEL: 5760 mg/m <sup>3</sup>	1900 mg/m <sup>3</sup>	VLA-ED: 1910 mg/m <sup>3</sup>	
		TWA: 1000 ppm TWA:	VLCT: 5000 ppm		
		1920 mg/m <sup>3</sup>	VLCT: 9500 mg/m <sup>3</sup>		
PROPYLENE GLYCOL	-	STEL: 450 ppm STEL:	=	=	-
57-55-6		1422 mg/m <sup>3</sup> STEL: 30			
		mg/m³			
		TWA: 150 ppm TWA:			
		474 mg/m³ TWA: 10			
		mg/m³			
Chemical Name	Italy	Portugal	The Netherlands	Finland	Denmark
ETHYL ALCOHOL	-	TWA: 1000 ppm	Skin		
64-17-5			STEL: 1900 mg/m <sup>3</sup>	1900 mg/m <sup>3</sup>	1900 mg/m <sup>3</sup>
			TWA: 260 mg/m <sup>3</sup>	STEL: 1300 ppm	
				STEL: 2500 mg/m <sup>3</sup>	
BENZYL ALCOHOL	-	-	-	TWA: 10 ppm TWA:	-
100-51-6				45 mg/m <sup>3</sup>	
LIMONENE	-	-	-	TWA: 25 ppm TWA:	-
5989-27-5				140 mg/m <sup>3</sup>	
				STEL: 50 ppm STEL:	
				280 mg/m <sup>3</sup>	
BENZALDEHYDE	-	-	-	TWA: 1 ppm	-
100-52-7				TWA: 4.4 mg/m <sup>3</sup>	
				STEL: 4 ppm	
				STEL: 17.4 mg/m <sup>3</sup>	
				Ceiling: 4 ppm	
				Ceiling: 17.4 mg/m <sup>3</sup>	
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
ETHYL ALCOHOL	STEL 2000 ppm STEL	STEL: 1000 ppm	NDS: 1900 mg/m <sup>3</sup>	TWA: 500 ppm TWA:	TWA: 1000 ppm TWA:
64-17-5	3800 mg/m <sup>3</sup>	STEL: 1920 mg/m <sup>3</sup>		950 mg/m <sup>3</sup>	1900 mg/m <sup>3</sup>
	MAK: 1000 ppm MAK:	MAK: 500 ppm MAK:		STEL: 625 ppm STEL:	

	1900 mg/m <sup>3</sup>	960 mg/m <sup>3</sup>		1187.5 mg/m <sup>3</sup>	
PROPYLENE GLYCOL 57-55-6	-	-	•	TWA: 25 ppm TWA: 79 mg/m³ STEL: 37.5 ppm STEL: 118.5 mg/m³	TWA: 150 ppm TWA: 470 mg/m³ TWA: 10 mg/m³
BENZYL ALCOHOL 100-51-6	-	-	NDS: 240 mg/m <sup>3</sup>	-	-
L-Limonene 5989-54-8	-	-	-	TWA: 25 ppm TWA: 140 mg/m³ STEL: 37.5 ppm STEL: 175 mg/m³	-
LIMONENE 5989-27-5	-	STEL: 40 ppm STEL: 220 mg/m³ MAK: 20 ppm MAK: 110 mg/m³	-	TWA: 25 ppm TWA: 140 mg/m³ STEL: 37.5 ppm STEL: 175 mg/m³	-
BENZALDEHYDE 100-52-7	-	-	STEL: 40 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>	-	-

**Derived No Effect Level (DNEL)** No information available.

**Predicted No Effect Concentration** No information available.

(PNEC)

8.2. Exposure controls

**Engineering Controls** Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Tightly fitting safety goggles.

Skin and body protection Antistatic boots. Wear fire/ flame resistant/ retardant clothing. Impervious gloves.

Respiratory protection NIOSH/MSHA approved respiratory protection is required to be worn.

**Environmental Exposure Controls** No information available.

## **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

Physical state liquid **Appearance** clear

**Aroma** Minty; sweet.

colorless to slightly yellow Color

**Property** Values Method

No information available Hq No information available

Melting/freezing point Boiling point/boiling range FCC Method

**Flash Point** 22 °C / 72 °F Closed cup FCC Method **Evaporation rate** 

Flammability (solid, gas) No information available

Flammability Limits in Air Upper flammability limit No information available

lower flammability limit No information available Vapor pressure mm Hg 20°C No information available Vapor density No information available

No information available Relative density 0.9104 FCC Method

Specific Gravity @ 25C 0.8804 Specific Gravity @ 20C 0.8834 0.9134 FCC Method **Refractive Index** 1.3733 1.4033 FCC Method

Water solubility No information available Solubility in other solvents No information available Partition coefficient: n-octanol/water No information available

Autoignition temperatureNo information availableDecomposition temperatureNo information availableViscosity, kinematicNo information availableViscosity, dynamicNo information available

**Explosive properties**Oxidizing Properties
No information available
No information available

#### 9.2. Other information

Softening point
Molecular Weight
VOC Content(%)
Density VALUE
No information available

## **Section 10: STABILITY AND REACTIVITY**

## 10.1. Reactivity

No data available.

#### 10.2. Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact none. Sensitivity to Static Discharge none.

#### 10.3. Possibility of hazardous reactions

## **Hazardous Reactions**

None under normal processing.

## 10.4. Conditions to avoid

Heat, flames and sparks.

## 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

None under normal use conditions.

## **Section 11: TOXICOLOGICAL INFORMATION**

## 11.1. Information on toxicological effects

## Acute toxicity

#### **Product Information**

Product does not present an acute toxicity hazard based on known or supplied information.

InhalationThere is no data available for this product.Eye contactThere is no data available for this product.Skin contactThere is no data available for this product.IngestionThere is no data available for this product.

## The following values are calculated based on chapter 3.1 of the GHS document

8,118.70 mg/kg ATEmix (oral) ATEmix (dermal) 26,906.10 mg/kg ATEmix (inhalation-dust/mist) 9.74 mg/l

Unknown Acute Toxicity

96.418556% of the mixture consists of ingredient(s) of unknown toxicity.

12.003556 % of the mixture consists of ingredient(s) of unknown acute oral toxicity. 84.218556 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

96.418556 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas). 96.418556 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor). 24.203556 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

#### Oral LD50

	Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
Γ	ETHYL ALCOHOL	7060 mg/kg (Rat)		124.7 mg/L (Rat)4 h
Г	PROPYLENE GLYCOL	20000 mg/kg (Rat)	20800 mg/kg (Rabbit)	

Skin corrosion/irritation No information available.

Eye damage/irritation No information available.

Sensitization No information available.

**Germ Cell Mutagenicity** No information available.

Carcinogenicity No information available.

No information available. Reproductive toxicity

Specific target organ systemic

toxicity (single exposure)

No information available.

Specific target organ systemic toxicity (repeated exposure)

No information available.

Blood, Central nervous system, Eyes, Liver, Reproductive system, Respiratory system, **Target Organ Effects** 

Skin.

No information available. **Aspiration hazard** 

## **Section 12: ECOLOGICAL INFORMATION**

## **12.1. Toxicity**

Toxic to aquatic life **Ecotoxicity** 

10.19856% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
ETHYL ALCOHOL	-	12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static
PROPYLENE GLYCOL	19000: 96 h Pseudokirchneriella subcapitata mg/L EC50	51600: 96 h Oncorhynchus mykiss mg/L LC50 static 41 - 47: 96 h Oncorhynchus mykiss mL/L LC50 static 51400: 96 h Pimephales	10000: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50 Static

		promelas mg/L LC50 static 710: 96 h Pimephales promelas mg/L LC50	
BENZYL ALCOHOL	35: 3 h Anabaena variabilis mg/L EC50	10: 96 h Lepomis macrochirus mg/L LC50 static 460: 96 h Pimephales promelas mg/L LC50 static	23: 48 h water flea mg/L EC50
LIMONENE	-	0.619-0.796: 96 h Pimephales promelas mg/L LC50 flow-through 35: 96 h Oncorhynchus mykiss mg/L LC50	-
BENZALDEHYDE	-	10.6 - 11.8: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 12.69: 96 h Oncorhynchus mykiss mg/L LC50 static 0.8 - 1.44: 96 h Lepomis macrochirus mg/L LC50 flow-through 6.8 - 8.53: 96 h Pimephales promelas mg/L LC50 flow-through 7.5: 96 h Lepomis macrochirus mg/L LC50 static	50: 24 h Daphnia magna mg/L EC50

## 12.2. Persistence and degradability

No information available.

## 12.3. Bioaccumulative potential

No information available.

Chemical Name	log Pow
ETHYL ALCOHOL	-0.32
BENZYL ALCOHOL	1.1
BENZALDEHYDE	1.48

## 12.4. Mobility in soil

## Mobility in soil

No information available.

## 12.5. Results of PBT and vPvB assessment

No information available.

## 12.6. Other adverse effects

No information available

## **Section 13: DISPOSAL CONSIDERATIONS**

## 13.1. Waste treatment methods

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packaging Empty remaining contents.

## **Section 14: TRANSPORT INFORMATION**

IMDG / IMO

**14.1 UN/ID No** 1197

14.2 Proper shipping name EXTRACTS, FLAVOURING, LIQUID

14.3 Hazard class 3 14.4 Packing Group ||

DOT/ADR/RID

**14.1 UN/ID No** 1197

14.2 Proper shipping name EXTRACTS, FLAVOURING, LIQUID

14.3 Hazard class 3 14.4 Packing Group II

ICAO/IATA

**14.1 UN/ID No** 1197

**14.2 Proper shipping name** EXTRACTS, FLAVOURING, LIQUID

14.3 Hazard class 3 14.4 Packing Group II

14.5 Environmental hazard Not applicable

14.6 Special Provisions None

## **Section 15: REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

## Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

#### **Persistent Organic Pollutants**

Not applicable

## Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

#### **International Inventories**

not determined **TSCA DSL/NDSL** not determined **EINECS/ELINCS** not determined **ENCS** not determined **IECSC** not determined not determined **KECL PICCS** not determined **AICS** not determined

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## 15.2. Chemical safety assessment

No information available

## **Section 16: OTHER INFORMATION**

## Key or legend to abbreviations and acronyms used in the safety data sheet

## Full text of R-phrases referred to under sections 2 and 3

R38 - Irritating to skin

R22 - Harmful if swallowed

R10 - Flammable

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

#### Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapor

H226 - Flammable liquid and vapor

H227 - Combustible liquid

H302 - Harmful if swallowed

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H316 - Causes mild skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H333 - May be harmful if inhaled

H400 - Very toxic to aquatic life

H401 - Toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

#### Legend

SVHC: Substances of Very High Concern for Authorization:

#### Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA: Time weighted average STEL: Short term exposure limit

Ceiling: Maximum limit value: \* Skin designation

Revision Date 24-Oct-2019

**Reason for revision:** Not applicable.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

### WARNING/DISCLAIMER:

Our ingredients have not been tested, nor have they been determined safe, for inhalation or use in any electronic smoking devices, electronic nicotine delivery systems, electronic cigarettes, or other similar devices (collectively "E-Cigarettes") or in any E-Liquids used with E-Cigarettes. By receiving Apex Flavors, Inc ingredients, the recipient confirms that they will not use these ingredients in connection with the manufacture and distribution of E-Cigarettes, E-Liquids or any component thereof. WE DISCLAIM, TO THE FULLEST EXTENT PERMITTED BY LAW, ALL WARRANTIES, EXPRESS OR IMPLIED, and disclaim all liability in connection with the use of our ingredients in connection with E-Cigarettes and E-Liquids. All such risks are assumed by you and the user.

#### Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.