SAFETY DATA SHEET.



Version 1

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

| Number | 540PGFT |
|--|---|
| Manufacturer | Apex Flavors, Inc. 1371 Brass Mill Rd. Suite A Belcamp, MD 21017 (410) 565-6600 |
| Product name Pure substance/mixture | LEMON ITALIAN EXTRACT, NATURAL (VERDELLI VARIETAL) Mixture |
| 1.2. Relevant identified uses of the s | ubstance or mixture and uses advised against |
| Recommended Use | Not for direct consumption |
| 1.3. Details of the supplier of the saf | ety data sheet |
| For further information, please contact: | _ |
| E-mail Address | cpisano@apexflavors.com |
| 1.4. Emergency telephone number | |

Emergency telephone

Chemtrec: 1-800-424-9300 for US/ 703-527-3887 outside US

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

| Serious eye damage/eye irritation | Category 2 |
|-----------------------------------|-------------|
| Skin sensitization | Category 1 |
| Carcinogenicity | Category 1A |
| Chronic aquatic toxicity | Category 3 |
| Flammable liquids | Category 3 |

Classification according to EU Directives 67/548/EEC or 1999/45/EC For the full text of the *R*-phrases mentioned in this Section, see Section 16

Symbol(s) Xi - Irritant

R-code(s) R10 - R43 - R52/53

2.2. Label elements



Signal Word

Danger

H226 - Flammable liquid and vapor

Precautionary Statements

P280 - Wear eye protection/ face protection

P321 - Specific treatment (see .? on this label)

P201 - Obtain special instructions before use

P281 - Use personal protective equipment as required

P308 + P313 - IF exposed or concerned: Get medical advice/ attention

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

2.3. Other information

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

| Chemical Name | EC-No | CAS-No | Alternate CAS # | Weight % | Classificatio n according to Directive 67/548/EEC or 1999/45/EC | Classification according to Regulation (EC) No. 1272/2008 [CLP] | REACH Registration Number |
|---------------|-----------|-----------|--------------------|----------|--|---|---------------------------------|
| ETHYL ALCOHOL | 200-578-6 | 64-17-5 | | 50-90% | F; R11 | Flam. Liq. 2 (H225) Eye Irrit. 1 (H319) | No data available |
| LIMONENE | 227-813-5 | 5989-27-5 | | 1-5% | R10, XI; R38, XI; R43, N; R50/53; | Aquatic Acute 1 (H400) Skin Sens. 1 (H317) Skin Irrit. 1 (H315) Asp. Tox. 1 (H304) Aquatic Chronic 1 (H410) Flam. Liq. 3 (H226) | No data available |
| PINENES | 201-291-9 | 80-56-8 | | <1 | R10, XI; R43, N; R50/53, XN; R65; | Aquatic Acute 1 (H400) Skin Sens. 1 (H317) Skin Irrit. 1 (H315) Asp. Tox. 1 (H304) Aquatic Chronic 1 (H410) Acute Tox. 5 (H303) Flam. Liq. 3 (H226) | No data available |
| CITRAL | 226-394-6 | 5392-40-5 | | <1 | XI; R38, XI; R43; | Aquatic Acute 2 (H401) Sens. 1 (H317) Skin Irrit. 2 (H315) Acute Tox. 5 (H313) Flam. Liq. 4 (H227) | No data available |
| MYRCENE | 204-622-5 | 123-35-3 | | <1 | - | Eye Irrit. 1 (H319) (EFFA) Skin Irrit. 2 (315) (EFFA) | No data available |

| | Asp. Tox. 1 (H304) (EFFA) Eye Irrit. 1 (H319) Skin Irrit. 2 (H315) |
|--|--|
|--|--|

For the full text of the R-phrases mentioned in this Section, see Section 16

4. FIRST AID MEASURES

4.1. Description of first aid measures

| General advice | Immediate medical attention is required Show this material safety data sheet to the doctor in attendance. |
|------------------------------------|---|
| Eye contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes If symptoms persist, call a physician |
| Skin contact | Wash off immediately with plenty of water. Wash off immediately with soap and plenty of water. |
| Ingestion | Do NOT induce vomiting. Drink plenty of water. Immediate medical attention is not required. Rinse mouth. |
| Inhalation | Move to fresh air. If symptoms persist, call a physician. |
| Self-protection of the first aider | Remove all sources of ignition |

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Extinguishing media which shall not be used for safety reasons No information available

5.2. Special hazards arising from the substance or mixture

Special Hazard None

5.3. Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate ventilation. Use personal protective equipment.

See Section 12 for additional Ecological Information

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust)

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Use only in an area containing flame proof equipment. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.

7.2. Conditions for safe storage, including any incompatibilities

Keep tightly closed in a dry and cool place. Keep in properly labeled containers. Keep containers tightly closed in a cool, well-ventilated place.

7.3 Specific end use(s)

Exposure scenario N/A N/A

Other Guidelines

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

| Chemical Name | European Union | The United Kingdom | France | Spain | Germany |
|---------------|----------------|------------------------------|------------------------------|--------------------------------|------------------------|
| ETHYL ALCOHOL | | STEL: 3000 ppm | VME: 1000 ppm VME: | VLA-ED: 1000 ppm | MAK: 500 ppm MAK: |
| 64-17-5 | | STEL: 5760 mg/m ³ | 1900 mg/m ³ | VLA-ED: 1910 mg/m ³ | 960 mg/m ³ |
| | | TWA: 1000 ppm TWA: | | | Ceiling / Peak: 1000 |
| | | 1920 mg/m ³ | VLCT: 9500 mg/m ³ | | ppm Ceiling / Peak: |
| | | | | | 1920 mg/m ³ |
| | | | | | Skin |
| | | | | | TWA: 500 ppm TWA: |
| | | | | | 960 mg/m ³ |
| LIMONENE | | | | | MAK: 20 ppm MAK: |
| 5989-27-5 | | | | | 110 mg/m ³ |
| | | | | | Ceiling / Peak: 40 ppm |
| | | | | | Ceiling / Peak: 220 |
| | | | | | mg/m³ |
| | | | | | TWA: 20 ppm TWA: |
| | | | | | 110 mg/m ³ |
| PINENES | | | | VLA-ED: 20 ppm | |
| 80-56-8 | | | | VLA-ED: 113 mg/m ³ | |
| MYRCENE | | | TWA: 1000 mg/m ³ | | |
| 123-35-3 | | | STEL: 1500 mg/m ³ | | |

| Chemical Name | Italy | Portugal | The Netherlands | Finland | Denmark |
|---------------|-------|---------------|------------------------------|------------------------------|------------------------|
| ETHYL ALCOHOL | | TWA: 1000 ppm | Skin | TWA: 1000 ppm TWA: | TWA: 1000 ppm TWA: |
| 64-17-5 | | | STEL: 1900 mg/m ³ | 1900 mg/m ³ | 1900 mg/m ³ |
| | | | TWA: 260 mg/m ³ | STEL: 1300 ppm | _ |
| | | | _ | STEL: 2500 mg/m ³ | |
| LIMONENE | | | | TWA: 25 ppm TWA: | |
| 5989-27-5 | | | | 140 mg/m ³ | |

540PGFT LEMON ITALIAN EXTRACT, NATURAL (VERDELLI VARIETAL) Revision Date 14-Jun-2018

| | | STEL: 50 ppm STEL: 280 mg/m ³ |
|---------|-------------|---|
| PINENES | TWA: 20 ppm | |
| 80-56-8 | | |

| Chemical Name | Austria | Sweden - Occupational Exposure Limits - TLVs (LLVs) | Switzerland | Poland | Norway |
|--------------------------|--|--|--|-----------------------------|--|
| ETHYL ALCOHOL 64-17-5 | STEL 2000 ppm STEL 3800 mg/m ³ MAK: 1000 ppm MAK: 1900 mg/m ³ | 500 ppm NGV 1000 mg/m ³ NGV | STEL: 1000 ppm STEL: 1920 mg/m ³ MAK: 500 ppm MAK: 960 mg/m ³ | NDS: 1900 mg/m ³ | TWA: 500 ppm TWA: 950 mg/m ³ STEL: 625 ppm STEL: 1187.5 mg/m ³ |
| LIMONENE 5989-27-5 | ¥ | | STEL: 40 ppm STEL: 220 mg/m ³ MAK: 20 ppm MAK: 110 mg/m ³ | | TWA: 25 ppm TWA: 140 mg/m ³ STEL: 37.5 ppm STEL: 175 mg/m ³ |
| PINENES 80-56-8 | | 25 ppm NGV 150 mg/m ³ NGV | ¥ | | TWA: 25 ppm TWA: 140 mg/m ³ Skin STEL: 37.5 ppm STEL: 175 mg/m ³ |
| MYRCENE 123-35-3 | | | | | TWA: 40 ppm TWA: 275 mg/m ³ STEL: 60 ppm STEL: 343.75 mg/m ³ |

| Component | Ireland |
|--------------------|---|
| ETHYL ALCOHOL | TWA: 1000 ppm TWA: 1900 mg/m ³ |
| 64-17-5 (50-90%) | |

| Derived No Effect Level (DNEL) | No information available |
|--|--|
| Predicted No Effect Concentration (PNEC) | No information available |
| 8.2. Exposure controls | |
| Engineering Controls | Ensure adequate ventilation, especially in confined areas |
| Personal protective equipment Eye Protection Hand Protection Skin and body protection Respiratory protection | Tightly fitting safety goggles Protective gloves Antistatic boots Wear fire/ flame resistant/ retardant clothing Impervious gloves When workers are facing concentrations above the exposure limit they must use appropriate certified respirators |
| General Hygiene Considerations | When using, do not eat, drink or smoke Provide regular cleaning of equipment, work area and clothing |
| Environmental Exposure Controls | Do not allow material to contaminate ground water system |

clear

Slightly yellow

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| Physical state Odor | liquid Characteristic of lemon | Appearance Color S |
|--|---|--|
| Property pH Melting/freezing poir Boiling point/boiling Flash Point Evaporation rate Flammability (solid, s Flammability Limits Upper flammability | range 24 °C / 75 °F gas) in Air | <u>Method</u> No information available No information available FCC Method Closed cup FCC Method No information available No information available |
| lower flammability Vapor pressure mm Vapor density Relative density Specific Gravity @ 2 Specific Gravity @ 2 Refractive Index Water solubility Partition coefficient: Autoignition tempera Decomposition temp Viscosity, dynamic | limit Hg 20°C 5C 0.9878 - 0.9278 0C 0.9908 - 0.9308 1.3448 - 1.3748 n-octanol/water ature | No information available No information available No information available FCC Method FCC Method FCC Method No information available No information available No information available No information available |
| Explosive properties Oxidizing Properties | No information available | |

9.2. Other information

VOC Content(%) Molecular Weight 61.5772 No information available

10. STABILITY AND REACTIVITY

10.1. Reactivity

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Heat, flames and sparks

10.5. Incompatible materials

No materials to be especially mentioned

10.6. Hazardous decomposition products

None under normal use conditions

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

| Acute toxicity | |
|--|--|
| Inhalation | There is no data available for this product |
| Eye contact | There is no data available for this product |
| Skin contact | There is no data available for this product |
| Ingestion | There is no data available for this product |
| Acute toxicity | 38.0369% of the mixture consists of ingredient(s) of unknown toxicity |
| The following values are calculated | based on chapter 3.1 of the GHS document (Rev. 1, 2005): |
| Oral Dermal | 7,041.00 mg/kg 93,164.00 mg/kg |
| Inhalation Mist | 68,360.19 mg/l |
| Skin corrosion/irritation Eye damage/irritation Sensitization Germ Cell Mutagenicity Carcinogenicity | No information available No information available No information available No information available No information available |
| Specific target organ systemic toxicity (single exposure) | No information available |
| Specific target organ systemic toxicity (repeated exposure) | No information available |
| Target Organ Effects | Blood Central nervous system Eyes Liver Reproductive system Respiratory system Skin |
| Aspiration hazard | No information available |

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

| Chemical Name | Toxicity to algae | Toxicity to fish | Toxicity to daphnia and other aquatic invertebrates |
|---------------|-------------------|---|--|
| ETHYL ALCOHOL | | mykiss mL/L LC50 static 100: 96 h | 9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static |
| LIMONENE | | 0.619-0.796: 96 h Pimephales promelas mg/L LC50 flow-through 35: 96 h Oncorhynchus mykiss | |

| | | mg/L LC50 | |
|---------|----------------------------------|----------------------------------|----------------------------------|
| PINENES | | 0.28: 96 h Pimephales promelas | 41: 48 h Daphnia magna mg/L LC50 |
| | | mg/L LC50 static | |
| CITRAL | 16: 72 h Desmodesmus subspicatus | 4.6-10: 96 h Leuciscus idus mg/L | 7: 48 h Daphnia magna mg/L EC50 |
| | mg/L EC50 19: 96 h Desmodesmus | LC50 static | |
| | subspicatus mg/L EC50 | | |

12.2. Persistence and degradability

No information available

12.3. Bioaccumulative potential

No information available

| -0.32 |
|-------|
| 4.1 |
| 2.76 |
| - |

12.4. Mobility in soil

No information available

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

Endocrine Disruptor Information

.? is a suspected endocrine disruptor

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

| Waste from residues / unused products | Dispose of in accordance with local regulations |
|--|--|
| Contaminated packaging | Empty containers should be taken to an approved waste handling site for recycling or disposal |
| Other Information | According to the European Waste Catalogue, Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used |

14. TRANSPORT INFORMATION

| DOT/ADR UN/ID No Proper shipping name Hazard class Packing Group ERG Code | 1197 EXTRACTS, FLAVOURING, LIQUID 3 III 127 |
|--|---|
| <u>IMDG / IMO</u> Proper shipping name Hazard class UN/ID No Packing Group | EXTRACTS, FLAVOURING, LIQUID 3 1197 III |
| ICAO/IATA UN/ID No | 1197 |

| Proper shipping name | EXTRACTS, FLAVOURING, LIQUID |
|----------------------|------------------------------|
| Hazard class | 3 |
| Packing Group | III |

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

WGK Classification

| Chemical Name | Germany - Water Classification (VwVwS) - Annex 2 - Water | |
|---------------|--|--|
| | Hazard Classes | |
| ETHYL ALCOHOL | Hazard Class 1 | |
| 64-17-5 | | |
| CITRAL | Hazard Class 1 | |
| 5392-40-5 | | |

International Inventories

All of the components in the product are on the following Inventory lists: No information available.

| TSCA | - |
|---------------|---|
| EINECS/ELINCS | - |
| DSL/NDSL | - |
| PICCS | - |
| ENCS | - |
| IECSC | - |
| AICS | - |
| KECL | - |
| | |

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

15.2. Chemical safety assessment

16. OTHER INFORMATION

Risk Combination Phrases

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Full text of H-Statements referred to under sections 2 and 3

H319 - Causes serious eye irritation H304 - May be fatal if swallowed and enters airways H315 - Causes skin irritation H401 - Toxic to aquatic life H317 - May cause an allergic skin reaction H313 - May be harmful in contact with skin H227 - Combustible liquid H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects H226 - Flammable liquid and vapor H225 - Highly flammable liquid and vapor H303 - May be harmful if swallowed

| Revision Date | 14-Jun-2018 |
|---------------|----------------|
| Revision Note | Not applicable |
| Revision# | 1 |

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

WARNING/DISCLAIMER:

Apex Flavors, Inc.'s products are sold exclusively for use in food and drink for human consumption. These products have not been tested, nor have they been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, and electronic cigarettes or similar devices (collectively "E-Cigarettes"). In supplying this product(s), Apex Flavors, Inc. instructs, and purchasing recipient confirms, that this product(s) will not be used in connection with the manufacture and distribution of E-Cigarettes or any component thereof. Recipients of our products that use them outside of their intended use of food or drink do so at their own risk and without warranty, either expressed or implied, from Apex Flavors, Inc. or its suppliers. The user assumes all liability for loss, injury, damage, or expense resulting from such uses.

Disclaimer

Food ingredients that are safe to be consumed in food products may pose hazards if not handled properly. This product is intended to be used in food products and, not intended to be consumed in its present form. The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.