APEX FLAVORS, INC.

SAFETY DATA SHEET.



This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 21-Mar-2019 Version 6

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

1.1. Product identifier

Product Code(s) 261

Product name VANILLA CUSTARD TYPE EXTRACT, NATURAL & ARTIFICIAL

Pure substance/mixture

Contains ETHYL ALCOHOL

Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Ingredient for further processing

No information available Uses advised against

1.3. Details of the supplier of the safety data sheet

Manufacturer Apex Flavors, Inc.

1371 Brass Mill Rd.

Suite A

Belcamp, MD 21017

(410) 565-6600

For further information, please contact:

E-mail Address cpisano@apexflavors.com

1.4. Emergency telephone number

Emergency telephone Chemtrec: 1-800-424-9300 for US/ 703-527-3887 outside US

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Acute toxicity - Inhalation (Vapors)	Category 4 - (H332)
Specific target organ systemic toxicity (repeated exposure)	Category 1 - (H372)

2.2. Label elements **Product identifier**



Signal Word Danger

Hazard Statements

H332 - Harmful if inhaled

H372 - Causes damage to organs through prolonged or repeated exposure if inhaled

Precautionary Statements - EU (§28, 1272/2008)

P201 - Obtain special instructions before use

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P314 - Get medical advice/attention if you feel unwell

P501 - Dispose of contents/container to industrial incineration plant

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

2.3. Other information

No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Name	EC-No	CAS-No	Weight %	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
PROPYLENE GLYCOL	200-338-0	57-55-6	50-90%	No data available	No data available
ETHYL ALCOHOL	200-578-6	64-17-5	1-5%	Flam. Liq. 2 (H225) Eye Irrit. 1 (H319)	No data available
HEXANOIC ACID (CAPROIC ACID)	Present	142-62-1	<1%	Aquatic Acute 3 (H402) (EFFA) Skin Corr. 1C (314) (EFFA) Eye Dam. 1 (H318) (EFFA) Acute Tox. 5 (H303)(EFFA) Acute Tox. 3 (H311)(EFFA)	No data available
BUTYRIC ACID	Present	107-92-6	<1%	Aquatic Acute 3 (H402) (EFFA) Skin Corr. 1B (314) (EFFA) Eye Dam. 1 (H318) (EFFA) Acute Tox. 4 (H302) (EFFA) Flam. Liq. 4 (H227)(EFFA) Skin Corr. 1B (H314)	No data available
ETHYL ACETATE	Present	141-78-6	<1%	Eye Irrit. 1 (H319) (EFFA) Flam. Liq. 2 (H225) (EFFA) Eye Irrit. 1 (H319) (EUH066) Flam. Liq. 2 (H225) STOT SE 3 (H336) Eye Irrit. 2 (H319)	No data available
ACETYL METHYL CARBINOL	208-174-1	513-86-0	<1%	Flam. Lig. 3 (H226)(EFFA)	No data available
METHYL N-AMYL KETONE FCC (2-Heptanone)	Present	110-43-0	<1%	Acute Tox. 4 (H302) Acute Tox. 4 (H302) (EFFA) Flam. Liq. 3 (H226)(EFFA) Acute Tox. 4 (H332)(EFFA) Flam. Liq. 3 (H226) Acute Tox. 4 (H332)	No data available
ETHYL BUTYRATE	203-306-4	105-54-4	<1%	Aquatic Acute 2 (H401) (EFFA) Skin Irrit. 3 (316) (EFFA) Flam. Liq. 3 (H226)(EFFA)	No data available
ACETYL PROPIONYL FCC (2,3 PENTANEDIONE)	209-984-8	600-14-6	<1%	No data available	No data available

For the full text of the R-phrases mentioned in this Section, see Section 16

Full text of H- and EUH-phrases: see section 16

Section 4: FII	KSI AID	MEASURES
----------------	---------	----------

4.1. Description of first aid measures

General advice If symptoms persist, call a physician.

Inhalation Immediate medical attention is not required. If symptoms persist, call a physician. Move to

fresh air in case of accidental inhalation of vapors or decomposition products.

Skin contact Immediate medical attention is not required. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes. If skin irritation persists, call a

physician.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

persist, call a physician.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Call a physician. Do NOT induce vomiting.

Self-protection of the first aider Use personal protective equipment.

4.2. Most important symptoms and effects, both acute and delayed

Main Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physiciansTreat symptomatically.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use. Dry chemical. Carbon dioxide CO2. Water spray. Alcohol-resistant foam.

Unsuitable extinguishing media

No information available

5.2. Special hazards arising from the substance or mixture

Keep product and empty container away from heat and sources of ignition Risk of ignition

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

Use personal protective equipment. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take precautionary measures against static discharges.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material. Dam up. Pick up and transfer to properly labeled

containers. Take precautionary measures against static discharges.

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

Use only in area provided with appropriate exhaust ventilation. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from heat, sparks and open flame. No smoking. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

General Hygiene Considerations

When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep away from heat and sources of ignition. Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat. Keep in properly labeled containers.

Incompatible products

None known based on information supplied.

7.3 Specific end use(s)

Risk Management Methods (RMM)

The information required is contained in this Material Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Chemical Name	European Union	The United Kingdom	France	Spain	Germany
PROPYLENE GLYCOL	-	STEL: 450 ppm STEL:	-	-	-
57-55-6		1422 mg/m ³ STEL: 30			
		mg/m³			
		TWA: 150 ppm TWA:			
		474 mg/m³ TWA: 10			
		mg/m³			
ETHYL ALCOHOL	-	STEL: 3000 ppm	VME: 1000 ppm VME:	VLA-ED: 1000 ppm	-
64-17-5		STEL: 5760 mg/m ³	1900 mg/m ³	VLA-ED: 1910 mg/m ³	
		TWA: 1000 ppm TWA:	VLCT: 5000 ppm		
		1920 mg/m ³	VLCT: 9500 mg/m ³		
ETHYL ACETATE	-	STEL: 400 ppm	TWA: 400 ppm TWA:	TWA: 400 ppm TWA:	-
141-78-6		TWA: 200 ppm	1400 mg/m ³	1460 mg/m ³	
METHYL N-AMYL KETONE	S*	STEL: 100 ppm STEL:	TWA: 50 ppm TWA:	S*	-
FCC (2-Heptanone)	TWA 50 ppm TWA	475 mg/m ³	238 mg/m ³	STEL: 100 ppm STEL:	
110-43-0	238 mg/m ³	TWA: 50 ppm TWA:	STEL: 100 ppm STEL:	474 mg/m ³	
	STEL 100 ppm STEL	237 mg/m ³	475 mg/m ³	TWA: 50 ppm TWA:	
	475 mg/m ³	Skin		237 mg/m ³	

Chemical Name	Italy	Portugal	The Netherlands	Finland	Denmark
ETHYL ALCOHOL	-	TWA: 1000 ppm	Skin	TWA: 1000 ppm TWA:	TWA: 1000 ppm TWA:
64-17-5			STEL: 1900 mg/m ³	1900 mg/m ³	1900 mg/m ³
			TWA: 260 mg/m ³	STEL: 1300 ppm	
				STEL: 2500 mg/m ³	
ETHYL ACETATE	-	TWA: 400 ppm	-	TWA: 300 ppm TWA:	TWA: 150 ppm TWA:
141-78-6				1100 mg/m ³	540 mg/m ³
				STEL: 500 ppm STEL:	
				1800 mg/m ³	
METHYL N-AMYL KETONE	TWA: 50 ppm TWA:	TWA: 50 ppm	TWA: 233 mg/m ³	TWA: 50 ppm TWA:	TWA: 50 ppm TWA:
FCC (2-Heptanone)	238 mg/m ³			240 mg/m ³	238 mg/m ³
110-43-0	STEL: 100 ppm STEL:			STEL: 75 ppm STEL:	Skin
	475 mg/m ³			360 mg/m ³	
	Skin			Skin	
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
PROPYLENE GLYCOL	-	-	-	TWA: 25 ppm TWA:	TWA: 150 ppm TWA:
57-55-6				79 mg/m ³	470 mg/m³ TWA: 10
				STEL: 37.5 ppm	mg/m³
				STEL: 118.5 mg/m ³	
ETHYL ALCOHOL	STEL 2000 ppm STEL	STEL: 1000 ppm	NDS: 1900 mg/m ³	TWA: 500 ppm TWA:	TWA: 1000 ppm TWA:
64-17-5	3800 mg/m ³	STEL: 1920 mg/m ³		950 mg/m ³	1900 mg/m ³
	MAK: 1000 ppm MAK:	MAK: 500 ppm MAK:		STEL: 625 ppm STEL:	
	1900 mg/m ³	960 mg/m ³		1187.5 mg/m ³	
ETHYL ACETATE	STEL 600 ppm STEL	STEL: 800 ppm STEL:	STEL: 600 mg/m ³	TWA: 150 ppm TWA:	TWA: 200 ppm
141-78-6	2100 mg/m ³	2800 mg/m ³	TWA: 200 mg/m ³	550 mg/m ³	STEL: 400 ppm
	TWA: 300 ppm TWA:	TWA: 400 ppm TWA:		STEL: 187.5 ppm	
	1050 mg/m ³	1400 mg/m ³		STEL: 687.5 mg/m ³	
METHYL N-AMYL KETONE	Skin	TWA: 50 ppm TWA:	STEL: 475 mg/m ³	TWA: 25 ppm TWA:	TWA: 50 ppm TWA:
FCC (2-Heptanone)	STEL 100 ppm STEL	235 mg/m ³	TWA: 238 mg/m ³	115 mg/m ³	238 mg/m ³
110-43-0	473 mg/m ³			Skin	STEL: 100 ppm STEL:
	TWA: 50 ppm TWA:			STEL: 37.5 ppm	475 mg/m ³
	237 mg/m ³			STEL: 143.75 mg/m ³	Skin

Derived No Effect Level (DNEL)No information available.

Predicted No Effect Concentration No information available.

(PNEC)

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Tightly fitting safety goggles.

Skin and body protectionLong sleeved clothing. Chemical resistant apron. Antistatic boots. Impervious gloves.

Respiratory protection NIOSH/MSHA approved respiratory protection is required to be worn.

Environmental Exposure Controls No information available.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state liquid

Appearanceclear to slightly cloudyOdorcreamy vanillaColorlight yellow to amber

<u>Property</u> <u>Values</u> <u>• Method</u>

pH No information available
Melting/freezing point No information available

Boiling point/boiling range FCC Method

Flash Point 71 °C / 160 °F Closed cup Evaporation rate FCC Method

Flammability (solid, gas)

Flammability Limits in Air

Upper flammability limit lower flammability limit Vapor pressure mm Hg 20°C

Vapor density Relative density

Specific Gravity @ 25C 1.0305 - 1.0605 Specific Gravity @ 20C 1.0335 - 1.0635 **Refractive Index** 1.4139 - 1.4439

Water solubility Solubility in other solvents

Partition coefficient: n-octanol/water

Autoignition temperature Decomposition temperature

Viscosity, kinematic Viscosity, dynamic

Explosive properties

No information available **Oxidizing Properties** No information available

9.2. Other information

Softening point No information available Molecular Weight No information available No information available **VOC Content(%) Density VALUE** No information available **Bulk Density VALUE** No information available

No information available

No information available No information available No information available No information available No information available

FCC Method FCC Method FCC Method

No information available No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact none. Sensitivity to Static Discharge Yes.

10.3. Possibility of hazardous reactions

Hazardous Reactions

None under normal processing.

10.4. Conditions to avoid

Heat, flames and sparks.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

None under normal use conditions.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Product Information

Product does not present an acute toxicity hazard based on known or supplied information.

InhalationThere is no data available for this product.Eye contactThere is no data available for this product.Skin contactThere is no data available for this product.IngestionThere is no data available for this product.

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 14,729.00 mg/kg

 ATEmix (dermal)
 15,244.00 mg/kg

 ATEmix (inhalation-dust/mist)
 96,143.72 mg/l

Unknown Acute Toxicity

98.982% of the mixture consists of ingredient(s) of unknown toxicity.

13.08 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.
15.33 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

98.982 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas). 98.982 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor). 96.732 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Oral LD50

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
ETHYL ALCOHOL	7060 mg/kg (Rat)		124.7 mg/L (Rat)4 h

Skin corrosion/irritationNo information available.

Eye damage/irritation No information available.

Sensitization No information available.

Germ Cell Mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

Specific target organ systemic

toxicity (single exposure)

No information available.

Specific target organ systemic toxicity (repeated exposure)

No information available.

Target Organ Effects Blood, Central nervous system, Eyes, Liver, Reproductive system, Respiratory system,

Skin.

Aspiration hazard No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity Harmful to aquatic life

10.37% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
PROPYLENE GLYCOL	19000: 96 h Pseudokirchneriella subcapitata mg/L EC50	51600: 96 h Oncorhynchus mykiss mg/L LC50 static 41 - 47: 96 h Oncorhynchus mykiss mL/L LC50 static 51400: 96 h Pimephales promelas mg/L LC50 static 710: 96 h Pimephales promelas mg/L LC50	10000: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50 Static
ETHYL ALCOHOL	-	12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static
HEXANOIC ACID (CAPROIC ACID)	-	306 - 334: 96 h Pimephales promelas mg/L LC50 flow-through 88: 96 h Pimephales promelas mg/L LC50 static	22: 24 h water flea mg/L EC50
BUTYRIC ACID	46.7: 72 h Desmodesmus subspicatus mg/L EC50	200: 24 h Lepomis macrochirus mg/L LC50	61.7: 24 h Daphnia magna mg/L EC50
ETHYL ACETATE	3300: 48 h Desmodesmus subspicatus mg/L EC50	220 - 250: 96 h Pimephales promelas mg/L LC50 flow-through 484: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 352 - 500: 96 h Oncorhynchus mykiss mg/L LC50 semi-static	560: 48 h Daphnia magna mg/L EC50 Static
METHYL N-AMYL KETONE FCC (2-Heptanone)	-	126 - 137: 96 h Pimephales promelas mg/L LC50 flow-through	-

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

Chemical Name	log Pow
ETHYL ALCOHOL	-0.32
HEXANOIC ACID (CAPROIC ACID)	1.92
BUTYRIC ACID	0.79
ETHYL ACETATE	0.6
METHYL N-AMYL KETONE FCC (2-Heptanone)	1.98

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packaging Empty remaining contents.

Section 14: TRANSPORT INFORMATION

IMDG / IMO

14.1 UN/ID No	Not regulated
14.2 Proper shipping name	Not regulated
14.3 Hazard class	Not regulated
14.4 Packing Group	Not regulated

DOT/ADR/RID

14.1 UN/ID No	Not regulated
14.2 Proper shipping name	Not regulated
14.3 Hazard class	Not regulated
14.4 Packing Group	Not regulated

ICAO/IATA

14.1 UN/ID No	Not regulated
14.2 Proper shipping name	Not regulated
14.3 Hazard class	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental hazard	Not applicable

14.6 Special Provisions None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

International Inventories

TSCA	-
DSL/NDSL	-
EINECS/ELINCS	-
ENCS	-
IECSC	-
KECL	-
PICCS	-
AICS	_

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

No information available

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of R-phrases referred to under sections 2 and 3

No information available

Full text of H-Statements referred to under section 3

H302 - Harmful if swallowed

H226 - Flammable liquid and vapor

H332 - Harmful if inhaled

H319 - Causes serious eye irritation

H225 - Highly flammable liquid and vapor

H336 - May cause drowsiness or dizziness

H402 - Harmful to aquatic life

H318 - Causes serious eye damage

H303 - May be harmful if swallowed

H311 - Toxic in contact with skin

EUH066 - Repeated exposure may cause skin dryness or cracking

Legend

SVHC: Substances of Very High Concern for Authorization:

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA: Time weighted average STEL: Short term exposure limit

Ceiling: Maximum limit value: * Skin designation

Revision Date 21-Mar-2019

Reason for revision: Not applicable.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

WARNING/DISCLAIMER: Apex Flavors, Inc.'s products are sold exclusively for use in food and drink for

human consumption. These products have not been tested, nor have they been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, and electronic cigarettes or similar devices (collectively "E-Cigarettes"). In supplying this product(s), Apex Flavors, Inc. instructs, and purchasing recipient confirms, that this product(s) will not be used in connection with the manufacture and distribution of E-Cigarettes or any component thereof. Recipients of our products that use them outside of their intended use of food or drink do so at their own risk and without warranty, either expressed or implied, from Apex Flavors, Inc. or its suppliers. The user assumes all liability for loss,

injury, damage, or expense resulting from such uses.