APEX FLAVORS, INC.

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Revision date 28-Mar-2024 Revision Number 1

1. Identification

Product identifier

Product Name Fresh Tangerine Extract, Natural

Other means of identification

Product Code(s) SC-ITEM 1338

UN number or ID number UN1197

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Food and Beverage Flavoring

Restrictions on use No information available

Details of the supplier of the safety data sheet

Manufacturer Address

Apex Flavors, Inc. 1361 Brass Mill Rd Suite E Belcamp, MD 21017-1239 United States (410) 565-6600

E-mail address sds@apexflavors.com

Emergency telephone number

Company Phone Number 410-565-6600

Emergency Telephone Chemtrec 1-800-424-9300

2. Hazard(s) identification

Classification

Flammable liquids	Category 3
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (repeated exposure)	Category 1

Label elements



Danger

Hazard statements

Flammable liquid and vapor.

Causes skin irritation.

Causes serious eye irritation.

May cause respiratory irritation. May cause drowsiness or dizziness.

Causes damage to organs through prolonged or repeated exposure.

Precautionary Statements - Prevention

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves, protective clothing, eye protection and face protection.

Wash face, hands and any exposed skin thoroughly after handling.

Do not breathe dust, fume, gas, mist, vapors and spray.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed.

Ground and bond container and receiving equipment.

Use explosion-proof electrical, ventilating, lighting and .? equipment.

Use only non-sparking tools.

Take action to prevent static discharges.

Keep cool.

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see .? on this label).

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and attention.

Skin

If skin irritation occurs: Get medical advice and attention.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water and then shower.

Wash contaminated clothing before reuse.

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Fire

In case of fire: Use CO2, dry chemical, or foam to extinguish.

Precautionary Statements - Storage

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Precautionary Statements - Disposal

Dispose of contents and container to an approved waste disposal plant.

Other information

Toxic to aquatic life with long lasting effects.

3. Composition/information on ingredients

Substance

Not applicable.

<u>Mixture</u>

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
ETHYL ALCOHOL 190 PROOF FOOD GRADE/KOSHER	64-17-5	50.00 - 70.00	-	-
TANGERINE OIL SINGLE FOLD (CODE 642712)	8008-31-9	1.00 - 15,00	-	-

4. First-aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get

medical advice/attention.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention. Get medical

attention immediately if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get medical attention if irritation develops and persists.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Call a physician.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid

contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapor

concentrations may cause symptoms like headache, dizziness, tiredness, nausea and

vomiting.

Effects of Exposure May cause cancer. May cause adverse reproductive effects - such as birth defect,

miscarriages, or infertility. Mutagenic effects. Causes damage to organs through prolonged

or repeated exposure.

Indication of any immediate medical attention and special treatment needed

Note to physiciansTreat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing mediaDo not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge Yes.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the

product must be grounded. Do not touch or walk through spilled material.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

Methods for cleaning upTake precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Take off contaminated clothing and wash before

reuse. In case of insufficient ventilation, wear suitable respiratory equipment.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up.

8. Exposure controls/personal protection

Control parameters Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
ETHYL ALCOHOL 190 PROOF FOOD	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900	IDLH: 3300 ppm
GRADE/KOSHER		mg/m³	TWA: 1000 ppm TWA: 1900
64-17-5		(vacated) TWA: 1000 ppm	mg/m³
		(vacated) TWA: 1900 mg/m ³	-

Chemical name	Alberta	British Columbia	Ontario	Quebec
ETHYL ALCOHOL 190 PROOF		STEL: 1000 ppm	STEL: 1000 ppm	TWA: 1000 ppm TWA:
FOOD GRADE/KOSHER	1880 mg/m ³			1880 mg/m ³
64-17-5				

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state No information available

Appearance Liquid

Color orange

Odor Orange-like odor

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pHNo data availableNone knownMelting point / freezing pointNo data availableNone knownInitial boiling point and boilingNo data availableNone known

range

Flash point 31 °C / 87.8 °F None known Evaporation rate No data available None known Flammability No data available None known Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available None known Relative vapor density No data available None known Relative density 0.8939 - 0.9109 None known Water solubility No data available None known Solubility(ies) Water, ethanol None known Partition coefficient No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known **Dynamic viscosity** No data available None known

Other information

Explosive properties No information available No information available **Oxidizing properties** No information available Softening point Molecular weight No information available **VOC** content No information available **Liquid Density** No information available **Bulk density** No information available Specific Gravity @ 25C 0.8909 - 0.9109 Specific Gravity @ 20C 0.8939 - 0.9139 Refractive Index @ 20C 1.3552 - 1.3752

10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Heat, flames and sparks.

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract. May cause drowsiness or dizziness.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye

irritation. (based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. Causes skin irritation.

(based on components).

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. May cause redness and tearing of the eyes. Inhalation of high vapor

concentrations may cause symptoms like headache, dizziness, tiredness, nausea and

vomiting.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 10,214.10 mg/kg

 ATEmix (dermal)
 22,000.00 mg/kg

 ATEmix (inhalation-gas)
 99,999.00 ppm

 ATEmix (inhalation-vapor)
 99,999.00 mg/l

 ATEmix (inhalation-dust/mist)
 107,114.60 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
ETHYL ALCOHOL 190 PROOF FOOD	7060 mg/kg (Rat)	-	124.7 mg/L (Rat) 4 h
GRADE/KOSHER			_
64-17-5			
TANGERINE OIL SINGLE FOLD	5 g/kg (Rat)	5 g/kg (Rabbit)	-
(CODE 642712)			
8008-31-9			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity Contains a known or suspected mutagen. Classification based on data available for

ingredients.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

	Chemical name	ACGIH	IARC	NTP	OSHA
--	---------------	-------	------	-----	------

ETHYL ALCOHOL 190 PROOF	A3	Group 1	Known	X
FOOD GRADE/KOSHER		,		
64-17-5				

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Occupational Safety and Health Administration of the US Department of Labor

X - Present

Reproductive toxicity Classification based on data available for ingredients.

STOT - single exposure May cause respiratory irritation. May cause drowsiness or dizziness.

STOT - repeated exposureCauses damage to organs through prolonged or repeated exposure.

Aspiration hazard No information available.

12. Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
ETHYL ALCOHOL 190 PROOF	=	12.0 - 16.0: 96 h	=	9268 - 14221: 48 h
FOOD GRADE/KOSHER		Oncorhynchus mykiss		Daphnia magna mg/L
64-17-5		mL/L LC50 static 100:		LC50 10800: 24 h
		96 h Pimephales		Daphnia magna mg/L
		promelas mg/L LC50		EC50 2: 48 h Daphnia
		static 13400 - 15100: 96		magna mg/L EC50
		h Pimephales promelas		Static
		mg/L LC50 flow-through		

Persistence and degradability No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient
ETHYL ALCOHOL 190 PROOF FOOD GRADE/KOSHER	-0.32
64-17-5	

Other adverse effects No information available.

13. Disposal considerations

Disposal methods

Dania 0 /

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld

containers.

California waste information This product contains one or more substances that are listed with the State of California as

a hazardous waste.

14. Transport information

DOT

UN number or ID number UN1197

Proper shipping name Extracts, flavoring, liquid

Transport hazard class(es) 3
Packing group || I
DOT Marine Pollutant |

Marine pollutant ETHYL ALCOHOL 190 PROOF FOOD GRADE/KOSHER, TANGERINE OIL SINGLE

FOLD (CODE 642712)

Description UN1197, Extracts, flavoring, liquid, 3, II, Marine pollutant (ETHYL ALCOHOL 190 PROOF

FOOD GRADE/KOSHER, TANGERINE OIL SINGLE FOLD (CODE 642712))

Special Provisions 149, IB2, T4, TP1, TP8

Emergency Response Guide

Number

127

<u>TDG</u>

UN1197 UN1197

UN proper shipping name Extracts, flavouring, liquid

Transport hazard class(es) 3
Packing group ||

Marine pollutant name ETHYL ALCOHOL 190 PROOF FOOD GRADE/KOSHER.

Description UN1197, Extracts, flavouring, liquid, 3, II

<u>MEX</u>

UN number or ID number UN1197

UN proper shipping name Extracts, flavouring, liquid

Transport hazard class(es) 3
Packing group ||

Description UN1197, Extracts, flavouring, liquid, 3, II

ICAO (air)

UN number or ID number
UN proper shipping name
UN1197
Extracts, liquid

Transport hazard class(es) 3
Packing group

Description UN1197, Extracts, liquid, 3, II

Special Provisions A3

<u>IATA</u>

UN number or ID number
UN1197
UN proper shipping name
Extracts, liquid

Transport hazard class(es) 3
Packing group II
ERG Code 3L
Special Provisions A3

Description UN1197, Extracts, liquid, 3, II

UN number or ID number UN1197

UN proper shipping name Extracts, liquid

Transport hazard class(es)3Packing groupIIEmS-No.F-E, S-DMarine pollutantP

Description UN1197, Extracts, liquid (ETHYL ALCOHOL 190 PROOF FOOD GRADE/KOSHER), 3, II,

(31°C c.c.), Marine pollutant

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA Contact supplier for inventory compliance status.

Chemical name	CAS No.	Inventory Listing Status	Commercial Activity Designation
ETHYL ALCOHOL 190 PROOF FOOD GRADE/KOSHER	64-17-5	-	Unknown *
WATER	7732-18-5	Present	Active
TANGERINE OIL SINGLE FOLD (CODE 642712)	8008-31-9	-	Unknown *

^{*}Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

DSL/NDSL Contact supplier for inventory compliance status. **EINECS/ELINCS** Contact supplier for inventory compliance status. **ENCS** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **IECSC KECL** Contact supplier for inventory compliance status. **PICCS** Contact supplier for inventory compliance status. AIIC Contact supplier for inventory compliance status. **NZIoC** Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AllC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals: Ethyl alcohol is only considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage

Chemical name	California Proposition 65
ETHYL ALCOHOL 190 PROOF FOOD GRADE/KOSHER - 64-17-5	Carcinogen
	Developmental

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
ETHYL ALCOHOL 190 PROOF FOOD	X	X	X
GRADE/KOSHER			
64-17-5			
WATER	-	-	X
7732-18-5			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPAHealth hazards2Flammability3Instability0Special hazards-HMISHealth hazards2 *Flammability3Physical hazards0Personal protectionX

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

+ Sensitizers

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 28-Mar-2024

Revision NoteNo information available.

Disclaimer

WARNING/DISCLAIMER:

Our ingredients have not been tested, nor have they been determined safe, for inhalation or use in any electronic smoking devices, electronic nicotine delivery systems, electronic cigarettes, or other similar devices (collectively "E-Cigarettes") or in any E-Liquids used with E-Cigarettes. By receiving Apex Flavors, Inc ingredients, the recipient confirms that they will not use these ingredients in connection with the manufacture and distribution of E-Cigarettes, E-Liquids or any component thereof. WE DISCLAIM, TO THE FULLEST EXTENT PERMITTED BY LAW, ALL WARRANTIES, EXPRESS OR IMPLIED, and disclaim all liability in connection with the use of our ingredients in connection with E-Cigarettes and E-Liquids. All such risks are assumed by you and the user.

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet

North America

North America SDS version information - NGHS

UL release: GHS Revision 3 2023 Q3

North America

Full process, including GHS and Transportation Wizards

Specific target organ toxicity (repeated exposure) Category 1

Chemical name California Hazardous Waste Status

ETHYL ALCOHOL 190 PROOF FOOD GRADE/KOSHER	Toxic Ignitable
64-17-5	-