

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Revision date 07-Mar-2025

Revision Number 1

1. Identification	
Product identifier	
Product Name	Pistachio Type, Natural & Artificial (Contains <0.10% Artificial Top Note)
Other means of identification	
Product Code(s)	SC-ITEM 1885TTB
UN number or ID number	UN1197
Synonyms	None
Recommended use of the chemical	and restrictions on use
Recommended use	Alcoholic Beverage Flavor
Restrictions on use	No information available
Details of the supplier of the safety	data sheet
Manufacturer Address Apex Flavors, Inc. 1361 Brass Mill Rd Suite E Belcamp, MD 21017-1239 United States (410) 565-6600	
E-mail address	sds@apexflavors.com
Emergency telephone number	
Company Phone Number	410-565-6600
Emergency Telephone	Chemtrec 1-800-424-9300

2. Hazard(s) identification

Classification

Flammable liquids	Category 3
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Respiratory sensitization	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 1A
Specific target organ toxicity (single exposure)	Category 1 Category 3
Specific target organ toxicity (repeated exposure)	Category 1

Label elements



Danger

Hazard statements

Flammable liquid and vapor. Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause cancer. May cause damage to organs. May cause damage to organs through prolonged or repeated exposure. May cause respiratory irritation. May cause drowsiness or dizziness.

Precautionary Statements - Prevention

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves, protective clothing, eye protection and face protection.

Wash face, hands and any exposed skin thoroughly after handling.

In case of inadequate ventilation wear respiratory protection.

Contaminated work clothing must not be allowed out of the workplace.

Do not breathe dust.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Precautionary Statements - Response

Specific treatment (see .? on this label).

IF exposed: Call a POISON CENTER or doctor.

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and attention.

Skin

IF ON SKIN: Wash with plenty of water and soap.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice and attention.

Inhalation

If experiencing respiratory symptoms: Call a POISON CENTER or doctor.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Precautionary Statements - Storage

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Precautionary Statements - Disposal

Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable.

Other information

Toxic to aquatic life with long lasting effects.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%	Information Review	Date HMIRA filed and date exemption granted (if applicable)
PROPYLENE GLYCOL	57-55-6	45.00 - 65.00	-	-
ETHYL ALCOHOL 190 PROOF FOOD GRADE/KOSHER	64-17-5	40.00 - 60.00	-	-
Trade secret	Trade secret	<1.00	-	-
BENZALDEHYDE (NATURAL)	100-52-7	<100	-	-

4. First-aid measures

Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.
Inhalation	May cause allergic respiratory reaction. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Get immediate medical attention.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	May cause an allergic skin reaction. If symptoms persist, call a physician. Wash off immediately with soap and plenty of water for at least 15 minutes.
Ingestion	May produce an allergic reaction. Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Get immediate medical attention.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. See section 8 for more information.
Most important symptoms and effe	cts, both acute and delayed
Symptoms	May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or wheezing. Itching. Rashes. Hives. May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
Effects of Exposure	May cause cancer. May cause adverse reproductive effects - such as birth defect, miscarriages, or infertility. May cause damage to organs. May cause damage to organs through prolonged or repeated exposure.
Indication of any immediate medica	al attention and special treatment needed
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by inhalation. May cause sensitization by skin contact.
Explosion data Sensitivity to mechanical impac Sensitivity to static discharge	t None. None.
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Other information	Refer to protective measures listed in Sections 7 and 8.
Methods and material for contain	nment and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes. Avoid breathing vapors or mists.

Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.
Keep out of the reach of children.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
ETHYL ALCOHOL 190 PROOF FOOD	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900	IDLH: 3300 ppm
GRADE/KOSHER		mg/m ³	TWA: 1000 ppm TWA: 1900
64-17-5		(vacated) TWA: 1000 ppm	mg/m ³
		(vacated) TWA: 1900 mg/m ³	
Trade secret	STEL: 15 ppm	TWA: 10 ppm TWA: 25 mg/m ³	IDLH: 50 ppm
	TWA: 10 ppm	(vacated) TWA: 10 ppm	TWA: 10 ppm TWA: 25 mg/m ³
		(vacated) TWA: 25 mg/m ³	STEL: 15 ppm STEL: 37
			mg/m ³

Chemical name	Alberta	British Columbia	Ontario	Quebec
PROPYLENE GLYCOL	-	-	TWA: 10 mg/m ³ TWA:	-
57-55-6			50 ppm TWA: 155	
			mg/m³	
ETHYL ALCOHOL 190 PROOF		STEL: 1000 ppm	STEL: 1000 ppm	TWA: 1000 ppm TWA:
FOOD GRADE/KOSHER	1880 mg/m ³			1880 mg/m ³
64-17-5				
Trade secret	TWA: 10 ppm TWA: 25	TWA: 10 ppm	TWA: 10 ppm	-
	mg/m³	STEL: 15 ppm	STEL: 15 ppm	
	STEL: 15 ppm STEL: 37			
	mg/m ³			
BENZALDEHYDE (NATURAL)	-	-	STEL: 4 ppm STEL: 17	-
100-52-7			mg/m³	

Appropriate engineering controls

rs sh stations tion systems.
rsonal protective equipment
afety glasses with side shields (or goggles).
uitable gloves. Impervious gloves.
uitable protective clothing. Long sleeved clothing.
tective equipment is needed under normal use conditions. If exposure limits are led or irritation is experienced, ventilation and evacuation may be required.
contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do , drink or smoke when using this product. Remove and wash contaminated clothing oves, including the inside, before re-use. Wash hands before breaks and immediately andling the product.

9. Physical and chemical properties

Information on basic physical and chemical properties Physical state

Appearance	Liquid	
Color	Clear and Colorless	
Odor	sweet	
Odor threshold	No information available	
Property	Values	Remarks • Method
pH	No data available	None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling rang	eNo data available	None known
Flash point	24 C. 76 F.	None known
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	0.9259 - 0.9429	None known
Water solubility	Soluble in water	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Other information		
Explosive properties	No information available	
Oxidizing properties	No information available	
Softening point	No information available	
Molecular weight	No information available	
VOC content	No information available	
Liquid Density	No information available	
Bulk density	No information available	
Specific Gravity @ 25C	0.9229 - 0.9429	
Specific Gravity @ 20C	0.9259 - 0.9459	
Refractive Index @ 20C	1.3886 - 1.4086	

10. Stability and reactivity

Reactivity No information available.	
Chemical stability Stable under normal conditions.	
Possibility of hazardous reactions None under normal processing.	
Conditions to avoid None known based on information supplied.	
Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.	

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. May cause sensitization in susceptible persons. (based on components). May cause irritation of respiratory tract. May cause drowsiness or dizziness.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). May cause sensitization by skin contact. Causes skin irritation.
Ingestion	Specific test data for the substance or mixture is not available. May cause additional effects as listed under "Inhalation". Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Symptoms related to the	physical, chemical and toxicological characteristics
Symptoms	Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Coughing and/ or wheezing. Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes. Inhalation of high vapor concentrations may cause symptoms like

headache, dizziness, tiredness, nausea and vomiting.

Acute toxicity

Numerical measures of toxicity

The following ATE values have been calculated for the mixture

ATEmix (oral)	12,402.00	mg/kg
ATEmix (dermal)	23,953.60	mg/kg
ATEmix (inhalation-gas)	99,999.00	ppm
ATEmix (inhalation-vapor)	99,999.00	mg/l
ATEmix (inhalation-dust/mist)	78,225.30	mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
PROPYLENE GLYCOL	20000 mg/kg (Rat)	20800 mg/kg (Rabbit)	-
57-55-6			
ETHYL ALCOHOL 190 PROOF FOOD	7060 mg/kg (Rat)	-	124.7 mg/L (Rat)4 h
GRADE/KOSHER			
64-17-5			
Trade secret	3310 mg/kg (Rat)	1060 mg/kg (Rabbit)	11.4 mg/L (Rat)4 h
BENZALDEHYDE (NATURAL)	800 mg/kg (Rat)	1250 mg/kg (Rabbit)	-
100-52-7			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Causes skin irritation.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes serious eye irritation.
Respiratory or skin sensitization	May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Germ cell mutagenicity

Classification based on data available for ingredients.

Carcinogenicity

Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA	
ETHYL ALCOHOL 190 PROOF FOOD GRADE/KOSHER 64-17-5	A3	Group 1	Known	X	
Legend ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen Occupational Safety and Health Administration of the US Department of Labor X - Present					
Reproductive toxicity Classification based on data available for ingredients. May damage fertility or the unborn child.					
STOT - single exposure Based on the classification criteria of the Globally Harmonized System as adopted in the country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). May cause damage to organs. May cause respiratory irritation. May cause drowsiness or dizziness.					

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard No information available.

12. Ecological information

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
PROPYLENE GLYCOL 57-55-6		51600: 96 h Oncorhynchus mykiss mg/L LC50 static 41 - 47: 96 h Oncorhynchus mykiss mL/L LC50 static 51400: 96 h Pimephales promelas mg/L LC50 static 710: 96 h Pimephales promelas mg/L LC50		10000: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50 Static
ETHYL ALCOHOL 190 PROOF FOOD GRADE/KOSHER 64-17-5	-	12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales	-	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L

				ECCO 2: 40 h Danhaia
		promelas mg/L LC50		EC50 2: 48 h Daphnia
		static 13400 - 15100: 96		magna mg/L EC50
		h Pimephales promelas		Static
		mg/L LC50 flow-through		
Trade secret	-	75: 96 h Lepomis	EC50 = 8.8 mg/L 15 min	47: 24 h Daphnia magna
		macrochirus mg/L LC50	EC50 = 8.8 mg/L 25 min	mg/L EC50 65: 48 h
		static 79: 96 h	EC50 = 8.8 mg/L 5 min	Daphnia magna mg/L
		Pimephales promelas	_	EC50 Static
		mg/L LC50 static		
BENZALDEHYDE (NATURAL)	-	0.8-1.44: 96 h Lepomis	-	50: 24 h Daphnia magna
100-52-7		macrochirus mg/L LC50		mg/L EC50
		flow-through 10.6-11.8:		-
		96 h Oncorhynchus		
		mykiss mg/L LC50		
		flow-through 12.69: 96 h		
		Oncorhynchus mykiss		
		mg/L LC50 static		
		6.8-8.53: 96 h		
		Pimephales promelas		
		mg/L LC50 flow-through		
		7.5: 96 h Lepomis		
		macrochirus mg/L LC50		
		static		
		Sidlic		

Persistence and degradability No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient
ETHYL ALCOHOL 190 PROOF FOOD GRADE/KOSHER	-0.32
64-17-5	
Trade secret	-0.31
BENZALDEHYDE (NATURAL)	1.48
100-52-7	

Other adverse effects

No information available.

13. Disposal considerations

Disposal methods	
Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
California waste information	This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. Transport information

DOT

UN number or ID number UN1197

Proper shipping name Transport hazard class(es) Packing group DOT Marine Pollutant Marine pollutant Description Special Provisions Emergency Response Guide Number	EXTRACTS, LIQUID 3 III I ETHYL ALCOHOL 190 PROOF FOOD GRADE/KOSHER UN1197, EXTRACTS, LIQUID, 3, III, Marine pollutant (ETHYL ALCOHOL 190 PROOF FOOD GRADE/KOSHER) B1, IB3, T2, TP1 127
TDG UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Marine pollutant name Description	UN1197 EXTRACTS, FLAVOURING, LIQUID 3 III ETHYL ALCOHOL 190 PROOF FOOD GRADE/KOSHER. UN1197, EXTRACTS, FLAVOURING, LIQUID, 3, III
MEX UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Description Special Provisions	UN1197 EXTRACTS, LIQUID 3 III UN1197, EXTRACTS, LIQUID, 3, III 223
ICAO (air) UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Description Special Provisions	UN1197 EXTRACTS, LIQUID 3 III UN1197, EXTRACTS, LIQUID, 3, III A3
IATA UN number or ID number UN proper shipping name Transport hazard class(es) Packing group ERG Code Special Provisions Description	UN1197 EXTRACTS, LIQUID 3 III 3L A3 UN1197, EXTRACTS, LIQUID, 3, III
UN number or ID number UN proper shipping name Transport hazard class(es) Packing group EmS-No. Special Provisions Marine pollutant Description	UN1197 EXTRACTS, LIQUID 3 III F-E, S-D 223, 955 P UN1197, EXTRACTS, LIQUID (ETHYL ALCOHOL 190 PROOF FOOD GRADE/KOSHER), 3, III, (0°C C.C.), Marine pollutant

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA

Contact supplier for inventory compliance status.

Chemical name	CAS No.	Inventory Listing Status	Commercial Activity Designation
PROPYLENE GLYCOL	57-55-6	-	Unknown *
ETHYL ALCOHOL 190 PROOF FOOD GRADE/KOSHER	64-17-5	-	Unknown *
WATER	7732-18-5	Present	Active
Trade secret	-	-	Unknown *
BENZALDEHYDE (NATURAL)	100-52-7	-	Unknown *

*Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AIIC	Contact supplier for inventory compliance status.
NZIOC	Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable	CWA - Toxic Pollutants	CWA - Priority	CWA - Hazardous

	Quantities		Pollutants	Substances
Trade secret	5000 lb	-	-	Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
Trade secret	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

US State Regulations

<u>California Proposition 65</u> This product contains the following Proposition 65 chemicals: Ethyl alcohol is only considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage

Chemical name	California Proposition 65	
ETHYL ALCOHOL 190 PROOF FOOD GRADE/KOSHER - 64-17-5	Carcinogen	
	Developmental	

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
PROPYLENE GLYCOL	Х	-	Х
57-55-6			
ETHYL ALCOHOL 190 PROOF FOOD	Х	Х	Х
GRADE/KOSHER			
64-17-5			
WATER	-	-	Х
7732-18-5			
Trade secret	Х	Х	Х
BENZALDEHYDE (NATURAL)	X	Х	Х
100-52-7			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information					
NFPA HMIS	Health hazards 3 Health hazards 2	· · · · · · · · · · · · · · · · · · ·		Instability 0 Physical hazards 0	Special hazards - Personal protection X
Key or legend to abbreviations and acronyms used in the safety data sheet					
Legend Section 8 TWA Ceiling +	: Exposure controls/person TWA (time-weighted avera Maximum limit value Sensitizers	rage)	STEL Sk*	STEL (Short Term Skin designation	Exposure Limit)
Agency for Toxic S U.S. Environmenta European Food Sa	erences and sources for d Substances and Disease Re al Protection Agency Chem afety Authority (EFSA) al Protection Agency)	egistry (ATSDR)	le the SDS		

Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) U.S. National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

Revision date	07-Mar-2025		

Revision Note No information available.

Disclaimer

WARNING/DISCLAIMER:

Our ingredients have not been tested, nor have they been determined safe, for inhalation or use in any electronic smoking devices, electronic nicotine delivery systems, electronic cigarettes, or other similar devices (collectively "E-Cigarettes") or in any E-Liquids used with E-Cigarettes. By receiving Apex Flavors, Inc ingredients, the recipient confirms that they will not use these ingredients in connection with the manufacture and distribution of E-Cigarettes, E-Liquids or any component thereof. WE DISCLAIM, TO THE FULLEST EXTENT PERMITTED BY LAW, ALL WARRANTIES, EXPRESS OR IMPLIED, and disclaim all liability in connection with the use of our ingredients in connection with E-Cigarettes and E-Liquids. All such risks are assumed by you and the user.

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet