



## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

**Number** 262TTB

**Manufacturer** Apex Flavors, Inc.  
1371 Brass Mill Rd.  
Suite A  
Belcamp, MD 21017  
(410) 565-6600

**Product name** TEQUILA TYPE, NATURAL & ARTIFICIAL (CONTAINS <0.10% ARTIFICIAL TOP NOTE)

**Pure substance/mixture** Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Not for direct consumption

### 1.3. Details of the supplier of the safety data sheet

For further information, please contact:

**E-mail Address** cpisano@apexflavors.com

### 1.4. Emergency telephone number

**Emergency telephone** Chemtrec: 1-800-424-9300 for US/ 703-527-3887 outside US

## 2. HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

Acute oral toxicity	Category 5
Acute inhalation toxicity - dust/mist	Category 3
Serious eye damage/eye irritation	Category 2A
Carcinogenicity	Category 1A
Acute aquatic toxicity	Category 2
Flammable liquids	Category 3

**Classification according to EU Directives 67/548/EEC or 1999/45/EC**  
For the full text of the R-phrases mentioned in this Section, see Section 16

### 2.2. Label elements



**Signal Word**

Danger

**Hazard Statements**

H303 - May be harmful if swallowed  
 H319 - Causes serious eye irritation  
 H331 - Toxic if inhaled  
 H350 - May cause cancer  
 H401 - Toxic to aquatic life

H226 - Flammable liquid and vapor

**Precautionary Statements**

P321 - Specific treatment (see .? on this label)  
 P403 + P233 - Store in a well-ventilated place. Keep container tightly closed  
 P201 - Obtain special instructions before use  
 P281 - Use personal protective equipment as required  
 P308 + P313 - IF exposed or concerned: Get medical advice/ attention  
 P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction  
 P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

**2.3. Other information**

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

**3.1 Substances**

Chemical Name	EC-No	CAS-No	Alternate CAS #	Weight %	Classification according to Directive 67/548/EEC or 1999/45/EC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
ETHYL ALCOHOL	200-578-6	64-17-5		20-30%	F; R11	Flam. Liq. 2 (H225) Eye Irrit. 1 (H319)	No data available
PROPYLENE GLYCOL	200-338-0	57-55-6		15-20%	-	No data available	No data available
ISOAMYL ALCOHOL	204-633-5	123-51-3		10-15%	-	Flam. Liq. 3 (H226)(EFFA) Acute Tox. 4 (H332)(EFFA)	No data available
FURFURAL	Present	98-01-1		<1	Xn; R21 T; R23/25 Xi; R36/37/38 Carc.Cat.3; R40	Acute Tox. 3 (H301) Carc. 2 (H351) (EFFA) Eye Irrit. 1 (H319) (EFFA) Skin Irrit. 2 (315) (EFFA) Acute Tox. 3 (H301) (EFFA) Acute Tox. 4 (H312)(EFFA) Flam. Liq. 4 (H227)(EFFA) Acute Tox. 3 (H331)(EFFA)	No data available

						Carc. 2 (H351) Eye Irrit. 1 (H319) Skin Irrit. 2 (H315) Acute Tox. 3 (H301) Acute Tox. 4 (H312) Acute Tox. 3 (H331) Acute Tox. 4 (H312) Skin Irrit. 2 (H315) STOT SE 3 (H335) Carc. 2 (H351) Acute Tox. 3 (H331) Eye Irrit. 2 (H319)	
ACETALDEHYDE	200-836-8	75-07-0		<1	F+; R12 Xi; R36/37 Carc.Cat.3; R40	Carc. 2 (H351) (EPPA) Eye Irrit. 1 (H319) (EPPA) Flam. Liq. 1 (H224) (EPPA) Flam. Liq. 1 (H224) STOT SE 3 (H335) Carc. 2 (H351) Eye Irrit. 2 (H319)	No data available

For the full text of the R-phrases mentioned in this Section, see Section 16

## 4. FIRST AID MEASURES

### 4.1. Description of first aid measures

- Eye contact** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
- Skin contact** Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
- Ingestion** Clean mouth with water and drink afterwards plenty of water.
- Inhalation** Move to fresh air.

### 4.2. Most important symptoms and effects, both acute and delayed

### 4.3. Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically

## 5. FIRE-FIGHTING MEASURES

### 5.1. Extinguishing media

**Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

**Extinguishing media which shall not be used for safety reasons**

No information available

### 5.2. Special hazards arising from the substance or mixture

**Special Hazard**

None

### 5.3. Advice for firefighters

**Special protective equipment for fire-fighters**

As in any fire, wear self-contained breathing apparatus and full protective gear

## 6. ACCIDENTAL RELEASE MEASURES

**6.1. Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation.

See Section 12 for additional Ecological Information

**6.2. Environmental precautions**

Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

**6.3. Methods and material for containment and cleaning up**

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust)

**7. HANDLING AND STORAGE**

**7.1. Precautions for safe handling**

Ensure adequate ventilation.

**7.2. Conditions for safe storage, including any incompatibilities**

Keep container tightly closed in a dry and well-ventilated place.

**7.3 Specific end use(s)**

Exposure scenario N/A

Other Guidelines N/A

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1. Control parameters**

**Exposure limits** This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Chemical Name	European Union	The United Kingdom	France	Spain	Germany
ETHYL ALCOHOL 64-17-5		STEL: 3000 ppm STEL: 5760 mg/m <sup>3</sup> TWA: 1000 ppm TWA: 1920 mg/m <sup>3</sup>	VME: 1000 ppm VME: 1900 mg/m <sup>3</sup> VLCT: 5000 ppm VLCT: 9500 mg/m <sup>3</sup>	VLA-ED: 1000 ppm VLA-ED: 1910 mg/m <sup>3</sup>	MAK: 500 ppm MAK: 960 mg/m <sup>3</sup> Ceiling / Peak: 1000 ppm Ceiling / Peak: 1920 mg/m <sup>3</sup> Skin TWA: 500 ppm TWA: 960 mg/m <sup>3</sup>
PROPYLENE GLYCOL 57-55-6		STEL: 450 ppm STEL: 1422 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> TWA: 150 ppm TWA: 474 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>			
ISOAMYL ALCOHOL 123-51-3		STEL: 125 ppm STEL: 458 mg/m <sup>3</sup> TWA: 100 ppm TWA: 366 mg/m <sup>3</sup>	TWA: 100 ppm TWA: 360 mg/m <sup>3</sup>	STEL: 125 ppm STEL: 458 mg/m <sup>3</sup> TWA: 100 ppm TWA: 366 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 73 mg/m <sup>3</sup> Ceiling / Peak: 80 ppm Ceiling / Peak: 292 mg/m <sup>3</sup>
FURFURAL 98-01-1		STEL: 5 ppm STEL: 20 mg/m <sup>3</sup> TWA: 2 ppm TWA: 8 mg/m <sup>3</sup> Skin	STEL: 2 ppm STEL: 8 mg/m <sup>3</sup>	S* TWA: 2 ppm TWA: 8 mg/m <sup>3</sup>	Skin

**262TTB TEQUILA TYPE, NATURAL & ARTIFICIAL  
(CONTAINS <0.10% ARTIFICIAL TOP NOTE)**

**Revision Date 05-Apr-2018**

ACETALDEHYDE 75-07-0		STEL: 50 ppm STEL: 92 mg/m <sup>3</sup> TWA: 20 ppm TWA: 37 mg/m <sup>3</sup>	TWA: 100 ppm TWA: 180 mg/m <sup>3</sup>	STEL: 25 ppm STEL: 46 mg/m <sup>3</sup>	TWA: 50 ppm TWA: 91 mg/m <sup>3</sup> Ceiling / Peak: 50 ppm Ceiling / Peak: 91 mg/m <sup>3</sup> Skin
-------------------------	--	--	--	--	---

Chemical Name	Italy	Portugal	The Netherlands	Finland	Denmark
ETHYL ALCOHOL 64-17-5		TWA: 1000 ppm	Skin STEL: 1900 mg/m <sup>3</sup> TWA: 260 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> STEL: 1300 ppm STEL: 2500 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>
ISOAMYL ALCOHOL 123-51-3		STEL: 125 ppm TWA: 100 ppm		TWA: 100 ppm TWA: 370 mg/m <sup>3</sup> STEL: 150 ppm STEL: 550 mg/m <sup>3</sup>	TWA: 100 ppm TWA: 360 mg/m <sup>3</sup>
FURFURAL 98-01-1		TWA: 2 ppm		TWA: 2 ppm TWA: 8 mg/m <sup>3</sup> STEL: 5 ppm STEL: 20 mg/m <sup>3</sup> Skin	TWA: 2 ppm TWA: 7.9 mg/m <sup>3</sup> Skin
ACETALDEHYDE 75-07-0		Ceiling: 25 ppm	STEL: 92 mg/m <sup>3</sup> TWA: 37 mg/m <sup>3</sup>	STEL: 25 ppm STEL: 46 mg/m <sup>3</sup>	Ceiling: 25 ppm Ceiling: 45 mg/m <sup>3</sup>

Chemical Name	Austria	Sweden - Occupational Exposure Limits - TLVs (LLVs)	Switzerland	Poland	Norway
ETHYL ALCOHOL 64-17-5	STEL 2000 ppm STEL 3800 mg/m <sup>3</sup> MAK: 1000 ppm MAK: 1900 mg/m <sup>3</sup>	500 ppm NGV 1000 mg/m <sup>3</sup> NGV	STEL: 1000 ppm STEL: 1920 mg/m <sup>3</sup> MAK: 500 ppm MAK: 960 mg/m <sup>3</sup>	NDS: 1900 mg/m <sup>3</sup>	TWA: 500 ppm TWA: 950 mg/m <sup>3</sup> STEL: 625 ppm STEL: 1187.5 mg/m <sup>3</sup>
PROPYLENE GLYCOL 57-55-6					TWA: 25 ppm TWA: 79 mg/m <sup>3</sup> STEL: 37.5 ppm STEL: 118.5 mg/m <sup>3</sup>
ISOAMYL ALCOHOL 123-51-3	STEL 200 ppm STEL 720 mg/m <sup>3</sup> TWA: 100 ppm TWA: 360 mg/m <sup>3</sup>		STEL: 80 ppm STEL: 292 mg/m <sup>3</sup> TWA: 20 ppm TWA: 73 mg/m <sup>3</sup>	STEL: 400 mg/m <sup>3</sup> TWA: 200 mg/m <sup>3</sup>	TWA: 50 ppm TWA: 180 mg/m <sup>3</sup> STEL: 75 ppm STEL: 225 mg/m <sup>3</sup>
FURFURAL 98-01-1	Skin TWA: 5 ppm TWA: 20 mg/m <sup>3</sup>	2 ppm NGV 8 mg/m <sup>3</sup> NGV	Skin TWA: 2 ppm TWA: 8 mg/m <sup>3</sup>	STEL: 25 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>	TWA: 2 ppm TWA: 8 mg/m <sup>3</sup> Skin STEL: 4 ppm STEL: 16 mg/m <sup>3</sup>
ACETALDEHYDE 75-07-0	STEL 50 ppm STEL 90 mg/m <sup>3</sup> TWA: 50 ppm TWA: 90 mg/m <sup>3</sup> Ceiling 50 ppm Ceiling 90 mg/m <sup>3</sup>	25 ppm NGV 45 mg/m <sup>3</sup> NGV	STEL: 50 ppm STEL: 90 mg/m <sup>3</sup> TWA: 90 mg/m <sup>3</sup> TWA: 50 ppm	: 45 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	TWA: 25 ppm TWA: 45 mg/m <sup>3</sup> STEL: 37.5 ppm STEL: 67.5 mg/m <sup>3</sup>

Component	Ireland
ETHYL ALCOHOL 64-17-5 ( 20-30% )	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>
PROPYLENE GLYCOL 57-55-6 ( 15-20% )	TWA: 150 ppm TWA: 470 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>
ISOAMYL ALCOHOL 123-51-3 ( 10-15% )	TWA: 100 ppm TWA: 360 mg/m <sup>3</sup> STEL: 125 ppm STEL: 450 mg/m <sup>3</sup>
FURFURAL 98-01-1 ( <1 )	TWA: 2 ppm TWA: 8 mg/m <sup>3</sup> STEL: 5 ppm STEL: 20 mg/m <sup>3</sup> Skin
ACETALDEHYDE 75-07-0 ( <1 )	TWA: 25 ppm TWA: 45 mg/m <sup>3</sup> STEL: 25 ppm STEL: 45 mg/m <sup>3</sup>

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC) No information available

**8.2. Exposure controls**

Engineering Controls Ensure adequate ventilation, especially in confined areas

**Personal protective equipment**

Eye Protection Tightly fitting safety goggles  
 Hand Protection Protective gloves  
 Skin and body protection Long sleeved clothing  
 Respiratory protection When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

Environmental Exposure Controls No information available

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**9.1. Information on basic physical and chemical properties**

Physical state	liquid	Appearance	clear
Odor	characteristic of tequila	Color	yellowish

<u>Property</u>	<u>Values</u>	<u>Method</u>
pH		No information available
Melting/freezing point		No information available
Boiling point/boiling range		FCC Method
Flash Point	32 °C / 90 °F	Closed cup
Evaporation rate		FCC Method
Flammability (solid, gas)		No information available
Flammability Limits in Air		No information available
Upper flammability limit		
lower flammability limit		
Vapor pressure mm Hg 20°C		No information available
Vapor density		No information available
Relative density		No information available
Specific Gravity @ 25C	0.9346 - 0.9646	FCC Method
Specific Gravity @ 20C	0.9376 - 0.9676	FCC Method
Refractive Index	1.365 - 1.395	FCC Method
Water solubility		No information available
Partition coefficient: n-octanol/water		No information available
Autoignition temperature		No information available
Decomposition temperature		No information available
Viscosity, dynamic		No information available

Explosive properties No information available  
 Oxidizing Properties No information available

**9.2. Other information**

VOC Content(%) 43.4854979142547  
 Molecular Weight No information available

## 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

### 10.2. Chemical stability

Stable under normal conditions

### 10.3. Possibility of hazardous reactions

### 10.4. Conditions to avoid

Heat, flames and sparks

### 10.5. Incompatible materials

No materials to be especially mentioned

### 10.6. Hazardous decomposition products

None under normal use conditions

## 11. TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### Acute toxicity

#### Inhalation

There is no data available for this product

#### Eye contact

There is no data available for this product

#### Skin contact

There is no data available for this product

#### Ingestion

There is no data available for this product

#### Acute toxicity

42.311735% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document (Rev. 1, 2005):

#### Oral

3,638.00 mg/kg

#### Dermal

12,478.00 mg/kg

#### Inhalation

##### Mist

0.96 mg/l

##### Vapor

48.00 mg/l

#### Skin corrosion/irritation

No information available

#### Eye damage/irritation

No information available

#### Sensitization

No information available

#### Germ Cell Mutagenicity

No information available

#### Carcinogenicity

No information available

#### Specific target organ systemic toxicity (single exposure)

No information available

#### Specific target organ systemic toxicity (repeated exposure)

No information available

**Target Organ Effects** Blood Central nervous system Eyes Liver Reproductive system Respiratory system Skin

**Aspiration hazard** No information available

## 12. ECOLOGICAL INFORMATION

### 12.1. Toxicity

**Ecotoxicity effects** Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
ETHYL ALCOHOL		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static
PROPYLENE GLYCOL	19000: 96 h Pseudokirchneriella subcapitata mg/L EC50	51600: 96 h Oncorhynchus mykiss mg/L LC50 static 41 - 47: 96 h Oncorhynchus mykiss mL/L LC50 static 51400: 96 h Pimephales promelas mg/L LC50 static 710: 96 h Pimephales promelas mg/L LC50	10000: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50 Static
ISOAMYL ALCOHOL	493: 72 h Desmodesmus subspicatus mg/L EC50 181: 96 h Desmodesmus subspicatus mg/L EC50	700: 96 h Salmo gairdneri mg/L LC50 static	260: 48 h Daphnia magna mg/L EC50
FURFURAL		13.4 - 19.3: 96 h Pimephales promelas mg/L LC50 static 16.79 - 26.35: 96 h Pimephales promelas mg/L LC50 flow-through	29: 24 h Daphnia magna mg/L EC50
ACETALDEHYDE	237 - 249: 120 h Nitzschia linearis mg/L EC50	28.0 - 34.0: 96 h Pimephales promelas mg/L LC50 flow-through 53: 96 h Lepomis macrochirus mg/L LC50 static 1.8 - 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static 39.8 - 46.8: 96 h Pimephales promelas mg/L LC50 static	3.64 - 6.15: 48 h Daphnia magna mg/L EC50 Static 48.3: 48 h Daphnia magna mg/L EC50

### 12.2. Persistence and degradability

No information available

### 12.3. Bioaccumulative potential

No information available

Chemical Name	log Pow
ETHYL ALCOHOL	-0.32
ISOAMYL ALCOHOL	1.28
FURFURAL	0.67
ACETALDEHYDE	0.5

### 12.4. Mobility in soil

No information available

### 12.5. Results of PBT and vPvB assessment

### 12.6. Other adverse effects



Chemical Name	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Japan - Endocrine Disruptor Information
FURFURAL	Group III Chemical		

### 13. DISPOSAL CONSIDERATIONS

**13.1. Waste treatment methods**

<b>Waste from residues / unused products</b>	Dispose of in accordance with local regulations
<b>Contaminated packaging</b>	Empty containers should be taken to an approved waste handling site for recycling or disposal

### 14. TRANSPORT INFORMATION

**DOT/ADR**

<b>UN/ID No</b>	1197
<b>Proper shipping name</b>	EXTRACTS, FLAVOURING, LIQUID
<b>Hazard class</b>	3
<b>Packing Group</b>	III
<b>ERG Code</b>	127

**IMDG / IMO**

<b>Proper shipping name</b>	EXTRACTS, FLAVOURING, LIQUID
<b>Hazard class</b>	3
<b>UN/ID No</b>	1197
<b>Packing Group</b>	III

**ICAO/IATA**

<b>UN/ID No</b>	1197
<b>Proper shipping name</b>	EXTRACTS, FLAVOURING, LIQUID
<b>Hazard class</b>	3
<b>Packing Group</b>	III
<b>ERG Code</b>	127

### 15. REGULATORY INFORMATION

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**WGK Classification**

Chemical Name	Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes
ETHYL ALCOHOL 64-17-5	Hazard Class 1
PROPYLENE GLYCOL 57-55-6	Hazard Class 1
ISOAMYL ALCOHOL 123-51-3	Hazard Class 1
FURFURAL 98-01-1	Hazard Class 2
ACETALDEHYDE 75-07-0	Hazard Class 1

**International Inventories**

All of the components in the product are on the following Inventory lists: No information available.

**TSCA**

-

EINECS/ELINCS	-
DSL/NDSL	-
PICCS	-
ENCS	-
IECSC	-
AICS	-
KECL	-

**Legend**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory  
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List  
PICCS - Philippines Inventory of Chemicals and Chemical Substances  
ENCS - Japan Existing and New Chemical Substances  
IECSC - China Inventory of Existing Chemical Substances  
AICS - Australian Inventory of Chemical Substances  
KECL - Korean Existing and Evaluated Chemical Substances

**15.2. Chemical safety assessment**

**16. OTHER INFORMATION**

**Full text of H-Statements referred to under sections 2 and 3**

H226 - Flammable liquid and vapor H332 - Harmful if inhaled H225 - Highly flammable liquid and vapor H351 - Suspected of causing cancer if inhaled H319 - Causes serious eye irritation H224 - Extremely flammable liquid and vapor H335 - May cause respiratory irritation H301 - Toxic if swallowed H312 - Harmful in contact with skin H227 - Combustible liquid H331 - Toxic if inhaled H315 - Causes skin irritation

Revision Date	05-Apr-2018
Revision Note	Not applicable.
Revision#	1.01

**This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.**

**WARNING/DISCLAIMER:**

Apex Flavors, Inc.'s products are sold exclusively for use in food and drink for human consumption. These products have not been tested, nor have they been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, and electronic cigarettes or similar devices (collectively "E-Cigarettes"). In supplying this product(s), Apex Flavors, Inc. instructs, and purchasing recipient confirms, that this product(s) will not be used in connection with the manufacture and distribution of E-Cigarettes or any component thereof. Recipients of our products that use them outside of their intended use of food or drink do so at their own risk and without warranty, either expressed or implied, from Apex Flavors, Inc. or its suppliers. The user assumes all liability for loss, injury, damage, or expense resulting from such uses.

**Disclaimer**

Food ingredients that are safe to be consumed in food products may pose hazards if not handled properly. This product is intended to be used in food products and, not intended to be consumed in its present form. The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.