



1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Number 380BEV

Manufacturer Apex Flavors, Inc.
1371 Brass Mill Rd.
Suite A
Belcamp, MD 21017
(410) 565-6600

Product name CHERRY SOUR TYPE, NATURAL FLAVOR BLEND

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use No information available

1.3. Details of the supplier of the safety data sheet

For further information, please contact:

E-mail Address cpisano@apexflavors.com

1.4. Emergency telephone number

Emergency telephone Chemtrec: 1-800-424-9300 for US/ 703-527-3887 outside US

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Acute aquatic toxicity	Category 3
Chronic aquatic toxicity	Category 3
Flammable liquids	Category 3

Classification according to EU Directives 67/548/EEC or 1999/45/EC
For the full text of the R-phrases mentioned in this Section, see Section 16

2.2. Label elements

**Signal Word**

Danger

Hazard Statements

H315 - Causes skin irritation

H318 - Causes serious eye damage

H412 - Harmful to aquatic life with long lasting effects

H226 - Flammable liquid and vapor

Precautionary Statements

P321 - Specific treatment (see .? on this label)

P280 - Wear eye protection/ face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/ physician

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

2.3. Other information**3. COMPOSITION/INFORMATION ON INGREDIENTS****3.1 Substances**

Chemical Name	EC-No	CAS-No	Alternate CAS #	Weight %	Classification according to Directive 67/548/EEC or 1999/45/EC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
GLYCERINE	Present	56-81-5		50-90%	-	No data available	No data available
ETHYL ALCOHOL	Present	64-17-5		10-15%	F; R11	Eye Irrit. 1 (H319) (EFFA) Flam. Liq. 2 (H225) (EFFA) Flam. Liq. 2 (H225)	No data available
ACETIC ACID	Present	64-19-7		1-5%	R10 C; R35	Skin Corr. 1A (314) (EFFA) Eye Dam. 1 (H318) (EFFA) Flam. Liq. 3 (H226)(EFFA) Skin Corr. 1A (H314) Eye Dam. 1 (H318) Skin Corr. 1A (H314) Flam. Liq. 3 (H226)	No data available
LACTIC ACID	Present	50-21-5		1-5%	-	Eye Dam. 1 (H318) (EFFA) Skin Irrit. 2 (315) (EFFA) Acute Tox. 5 (H303)(EFFA)	No data available

BENZALDEHYDE	Present	100-52-7		1-5%	Xn; R22	Acute Tox. 4 (H302) Aquatic Acute 2 (H401) (EFFA) Eye Irrit. 1 (H319) (EFFA) Skin Irrit. 3 (316) (EFFA) Acute Tox. 4 (H302) (EFFA) Flam. Liq. 4 (H227)(EFFA) Acute Tox. 4 (H332)(EFFA) Aquatic Acute 2 (H401) Eye Irrit. 1 (H319) Skin Irrit. 3 (H316) Acute Tox. 4 (H302) Acute Tox. 4 (H332)	No data available
--------------	---------	----------	--	------	---------	--	-------------------

For the full text of the R-phrases mentioned in this Section, see Section 16

4. FIRST AID MEASURES

4.1. Description of first aid measures

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Ingestion	Clean mouth with water and drink afterwards plenty of water.
Inhalation	Move to fresh air.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Extinguishing media which shall not be used for safety reasons

No information available

5.2. Special hazards arising from the substance or mixture

Special Hazard

None

5.3. Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

See Section 12 for additional Ecological Information

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust)

7. HANDLING AND STORAGE**7.1. Precautions for safe handling**

Ensure adequate ventilation.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end use(s)

Exposure scenario N/A

Other Guidelines N/A

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1. Control parameters**

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Chemical Name	European Union	The United Kingdom	France	Spain	Germany
GLYCERINE 56-81-5		STEL: 30 mg/m ³ TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 50 mg/m ³ Ceiling / Peak: 100 mg/m ³
ETHYL ALCOHOL 64-17-5		STEL: 3000 ppm STEL: 5760 mg/m ³ TWA: 1000 ppm TWA: 1920 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³ STEL: 5000 ppm STEL: 9500 mg/m ³	STEL: 1000 ppm STEL: 1910 mg/m ³	TWA: 500 ppm TWA: 960 mg/m ³ Ceiling / Peak: 1000 ppm Ceiling / Peak: 1920 mg/m ³ Skin
ACETIC ACID 64-19-7	TWA 10 ppm TWA 25 mg/m ³		STEL: 10 ppm STEL: 25 mg/m ³	STEL: 15 ppm STEL: 37 mg/m ³ TWA: 10 ppm TWA: 25 mg/m ³	TWA: 10 ppm TWA: 25 mg/m ³ Ceiling / Peak: 20 ppm Ceiling / Peak: 50 mg/m ³
Component	Italy	Portugal	The Netherlands	Finland	Denmark
GLYCERINE 56-81-5 (50-90%)		TWA: 10 mg/m ³		TWA: 20 mg/m ³	
ETHYL ALCOHOL 64-17-5 (10-15%)		TWA: 1000 ppm	Skin STEL: 1900 mg/m ³ TWA: 260 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³ STEL: 1300 ppm STEL: 2500 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³
ACETIC ACID 64-19-7 (1-5%)		STEL: 15 ppm TWA: 10 ppm TWA: 25 mg/m ³	TWA: 25 mg/m ³	TWA: 5 ppm TWA: 13 mg/m ³ STEL: 10 ppm STEL: 25 mg/m ³	TWA: 10 ppm TWA: 25 mg/m ³

BENZALDEHYDE 100-52-7 (1-5%)				TWA: 1 ppm TWA: 4.4 mg/m ³ STEL: 4 ppm STEL: 17.4 mg/m ³ Ceiling: 4 ppm Ceiling: 17.4 mg/m ³		
Chemical Name	Austria	Sweden - Occupational Exposure Limits - TLVs (LLVs)	Switzerland	Poland	Norway	GLYCE 56-8
		STEL: 100 mg/m ³ TWA: 50 mg/m ³	TWA: 10 mg/m ³		ETHYL ALCOHOL 64-17-5	STEL 20 STEL 380 TWA: 10 TWA: 190
500 ppm NGV 1000 mg/m ³ NGV	STEL: 1000 ppm STEL: 1920 mg/m ³ TWA: 500 ppm TWA: 960 mg/m ³	TWA: 1900 mg/m ³	TWA: 500 ppm TWA: 950 mg/m ³ STEL: 625 ppm STEL: 1187.5 mg/m ³	ACETIC ACID 64-19-7	STEL 20 ppm STEL 50 mg/m ³ TWA: 10 ppm TWA: 25 mg/m ³	5 ppm 13 mg/m ³
STEL: 20 ppm STEL: 50 mg/m ³ TWA: 10 ppm TWA: 25 mg/m ³	STEL: 30 mg/m ³ TWA: 15 mg/m ³	TWA: 10 ppm TWA: 25 mg/m ³ STEL: 20 ppm STEL: 37.5 mg/m ³	BENZALDEHYDE 100-52-7			
STEL: 40 mg/m ³ TWA: 10 mg/m ³						

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC) No information available

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas

Personal protective equipment

Eye Protection Tightly fitting safety goggles
Hand Protection Protective gloves
Skin and body protection Long sleeved clothing
Respiratory protection When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

Environmental Exposure Controls No information available

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	liquid	Appearance	clear
Odor	characteristic of cherry	Color	Colorless to light yellow.

<u>Property</u>	<u>Values</u>	<u>Method</u>
pH		No information available
Melting/freezing point		No information available
Boiling point/boiling range		FCC Method
Flash Point	33 °C / 92 °F	Closed cup
Evaporation rate		FCC Method
Flammability (solid, gas)		No information available
Flammability Limits in Air		No information available
Upper flammability limit		
lower flammability limit		
Vapor pressure mm Hg 20°C		No information available
Vapor density		No information available
Relative density		No information available
Specific Gravity @ 25C	1.1289 - 1.1589	FCC Method
Specific Gravity @ 20C	1.1319 - 1.1619	FCC Method
Refractive Index	1.4213 - 1.4513	FCC Method
Water solubility		No information available
Partition coefficient: n-octanol/water		No information available
Autoignition temperature		No information available
Decomposition temperature		No information available
Viscosity, dynamic		No information available
Explosive properties	No information available	
Oxidizing Properties	No information available	

9.2. Other information

VOC Content(%)	82.2050007856451
Molecular Weight	No information available

10. STABILITY AND REACTIVITY

10.1. Reactivity

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Heat, flames and sparks

10.5. Incompatible materials

No materials to be especially mentioned

10.6. Hazardous decomposition products

None under normal use conditions

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects**Acute toxicity**

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

Inhalation There is no data available for this product

Eye contact There is no data available for this product

Skin contact There is no data available for this product

Ingestion There is no data available for this product

Acute toxicity 12.084% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document (Rev. 1, 2005):

Oral 17,021.00 mg/kg

Dermal 6,976.00 mg/kg

Mist 211.34 mg/l

Vapor 372.00 mg/l

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
GLYCERINE		10 g/kg (Rabbit)	570 mg/m ³ (Rat) 1 h
ETHYL ALCOHOL			124.7 mg/L (Rat) 4 h
ACETIC ACID	3310 mg/kg (Rat)	1060 mg/kg (Rabbit)	11.4 mg/L (Rat) 4 h
BENZALDEHYDE	1292 mg/kg (Rat)	1250 mg/kg (Rabbit)	

Skin corrosion/irritation No information available

Eye damage/irritation No information available

Sensitization No information available

Germ Cell Mutagenicity No information available

Carcinogenicity No information available

Specific target organ systemic toxicity (single exposure) No information available

Specific target organ systemic toxicity (repeated exposure) No information available

Target Organ Effects Blood Central nervous system Eyes Kidney Liver Reproductive system Respiratory system Skin Teeth

Aspiration hazard No information available

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
GLYCERINE		51 - 57: 96 h Oncorhynchus mykiss mL/L LC50 static	500: 24 h Daphnia magna mg/L EC50

ETHYL ALCOHOL		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	9268 - 14221: 48 h Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static
ACETIC ACID		79: 96 h Pimephales promelas mg/L LC50 static 75: 96 h Lepomis macrochirus mg/L LC50 static	65: 48 h Daphnia magna mg/L EC50 Static
BENZALDEHYDE		10.6 - 11.8: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 12.69: 96 h Oncorhynchus mykiss mg/L LC50 static 0.8 - 1.44: 96 h Lepomis macrochirus mg/L LC50 flow-through 6.8 - 8.53: 96 h Pimephales promelas mg/L LC50 flow-through 7.5: 96 h Lepomis macrochirus mg/L LC50 static	50: 24 h Daphnia magna mg/L EC50

12.2. Persistence and degradability

No information available

12.3. Bioaccumulative potential

No information available

Chemical Name	log Pow
GLYCERINE	-1.76
ETHYL ALCOHOL	-0.32
ACETIC ACID	-0.31
BENZALDEHYDE	1.48

12.4. Mobility in soil

No information available

12.5. Results of PBT and vPvB assessment**12.6. Other adverse effects****13. DISPOSAL CONSIDERATIONS****13.1. Waste treatment methods**

Waste from residues / unused products Dispose of in accordance with local regulations

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal

14. TRANSPORT INFORMATION**DOT****IMDG / IMO**

Proper shipping name EXTRACTS, FLAVOURING, LIQUID
Hazard class 3
UN/ID No 1197
Packing Group III

ICAO/IATA

UN/ID No	1197
Proper shipping name	EXTRACTS, FLAVOURING, LIQUID
Hazard class	3
Packing Group	III
ERG Code	127

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

WGK Classification

Chemical Name	Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes
GLYCERINE 56-81-5	Hazard Class 1
ETHYL ALCOHOL 64-17-5	Hazard Class 1
ACETIC ACID 64-19-7	Hazard Class 1
BENZALDEHYDE 100-52-7	Hazard Class 2

International Inventories

All of the components in the product are on the following Inventory lists: No information available.

TSCA	-
EINECS/ELINCS	-
DSL/NDSL	-
PICCS	-
ENCS	-
IECSC	-
AICS	-
KECL	-

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

15.2. Chemical safety assessment

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed H401 - Toxic to aquatic life H319 - Causes serious eye irritation H227 - Combustible liquid H332 - Harmful if inhaled
H316 - Causes mild skin irritation H318 - Causes serious eye damage H303 - May be harmful if swallowed H225 - Highly flammable liquid and vapor H226 - Flammable liquid and vapor H314 - Causes severe skin burns and eye damage

Revision Date 03-Jun-2015

Revision Note Not applicable.

Revision#

1

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

WARNING/DISCLAIMER:

Apex Flavors, Inc.'s products are sold exclusively for use in food and drink for human consumption. These products have not been tested, nor have they been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, and electronic cigarettes or similar devices (collectively "E-Cigarettes"). In supplying this product(s), Apex Flavors, Inc. instructs, and purchasing recipient confirms, that this product(s) will not be used in connection with the manufacture and distribution of E-Cigarettes or any component thereof. Recipients of our products that use them outside of their intended use of food or drink do so at their own risk and without warranty, either expressed or implied, from Apex Flavors, Inc. or its suppliers. The user assumes all liability for loss, injury, damage, or expense resulting from such uses.

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.