



## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

**Number** 559TTB

**Manufacturer** Apex Flavors, Inc.  
1371 Brass Mill Rd.  
Suite A  
Belcamp, MD 21017  
(410) 565-6600

**Product name** KUMQUAT TYPE, NATURAL FLAVOR BLEND  
**Pure substance/mixture** Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Not for direct consumption

### 1.3. Details of the supplier of the safety data sheet

For further information, please contact:

**E-mail Address** cpisano@apexflavors.com

### 1.4. Emergency telephone number

**Emergency telephone** Chemtrec: 1-800-424-9300 for US/ 703-527-3887 outside US

## 2. HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

Serious eye damage/eye irritation	Category 2A
Carcinogenicity	Category 1A
Acute aquatic toxicity	Category 2
Flammable liquids	Category 2

**Classification according to EU Directives 67/548/EEC or 1999/45/EC**  
For the full text of the R-phrases mentioned in this Section, see Section 16

**Symbol(s)**  
Not dangerous

### 2.2. Label elements

**Signal Word**

Danger

**Hazard Statements**

H319 - Causes serious eye irritation

H350 - May cause cancer

H401 - Toxic to aquatic life

**Precautionary Statements**

P201 - Obtain special instructions before use

P281 - Use personal protective equipment as required

P308 + P313 - IF exposed or concerned: Get medical advice/ attention

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

**2.3. Other information****3. COMPOSITION/INFORMATION ON INGREDIENTS****3.1 Substances**

Chemical Name	EC-No	CAS-No	Alternate CAS #	Weight %	Classification according to Directive 67/548/EEC or 1999/45/EC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
ETHYL ALCOHOL	200-578-6	64-17-5		90-100%	F; R11	Flam. Liq. 2 (H225) Eye Irrit. 1 (H319)	No data available
LIMONENE	227-813-5	5989-27-5		<1	R10, XI; R38, XI; R43, N; R50/53;	Aquatic Acute 1 (H400) Skin Sens. 1 (H317) Skin Irrit. 1 (H315) Asp. Tox. 1 (H304) Aquatic Chronic 1 (H410) Flam. Liq. 3 (H226)	No data available
PINENES	201-291-9	80-56-8		<1	R10, XI; R43, N; R50/53, XN; R65;	Aquatic Acute 1 (H400) Skin Sens. 1 (H317) Skin Irrit. 1 (H315) Asp. Tox. 1 (H304) Aquatic Chronic 1 (H410) Acute Tox. 5 (H303) Flam. Liq. 3 (H226)	No data available
P-CYMENE	202-796-7	99-87-6		<1	R10, N; R51/53, XN; R65;	Aquatic Acute 2 (H401) Skin Irrit. 3 (H316) Aquatic Chronic 2 (H411) Asp. Tox. 1 (H304) Acute Tox. 5 (H303)	No data available

						Flam. Liq. 3 (H226)	
--	--	--	--	--	--	---------------------	--

For the full text of the R-phrases mentioned in this Section, see Section 16

## 4. FIRST AID MEASURES

### 4.1. Description of first aid measures

<b>Eye contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water.
<b>Inhalation</b>	Move to fresh air.

### 4.2. Most important symptoms and effects, both acute and delayed

### 4.3. Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically

## 5. FIRE-FIGHTING MEASURES

### 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

#### **Extinguishing media which shall not be used for safety reasons**

No information available

### 5.2. Special hazards arising from the substance or mixture

#### **Special Hazard**

None

### 5.3. Advice for firefighters

#### **Special protective equipment for fire-fighters**

As in any fire, wear self-contained breathing apparatus and full protective gear

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

See Section 12 for additional Ecological Information

### 6.2. Environmental precautions

Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust)

## 7. HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Ensure adequate ventilation.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

### 7.3 Specific end use(s)

Exposure scenario N/A

Other Guidelines N/A

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

**Exposure limits** This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Chemical Name	European Union	The United Kingdom	France	Spain	Germany
ETHYL ALCOHOL 64-17-5		STEL: 3000 ppm STEL: 5760 mg/m <sup>3</sup> TWA: 1000 ppm TWA: 1920 mg/m <sup>3</sup>	VME: 1000 ppm VME: 1900 mg/m <sup>3</sup> VLCT: 5000 ppm VLCT: 9500 mg/m <sup>3</sup>	VLA-ED: 1000 ppm VLA-ED: 1910 mg/m <sup>3</sup>	MAK: 500 ppm MAK: 960 mg/m <sup>3</sup> Ceiling / Peak: 1000 ppm Ceiling / Peak: 1920 mg/m <sup>3</sup> Skin TWA: 500 ppm TWA: 960 mg/m <sup>3</sup>
LIMONENE 5989-27-5					MAK: 20 ppm MAK: 110 mg/m <sup>3</sup> Ceiling / Peak: 40 ppm Ceiling / Peak: 220 mg/m <sup>3</sup> TWA: 20 ppm TWA: 110 mg/m <sup>3</sup>
PINENES 80-56-8				VLA-ED: 20 ppm VLA-ED: 113 mg/m <sup>3</sup>	

Chemical Name	Italy	Portugal	The Netherlands	Finland	Denmark
ETHYL ALCOHOL 64-17-5		TWA: 1000 ppm	Skin STEL: 1900 mg/m <sup>3</sup> TWA: 260 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> STEL: 1300 ppm STEL: 2500 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>
LIMONENE 5989-27-5				TWA: 25 ppm TWA: 140 mg/m <sup>3</sup> STEL: 50 ppm STEL: 280 mg/m <sup>3</sup>	
PINENES 80-56-8		TWA: 20 ppm			
P-CYMENE 99-87-6					TWA: 25 ppm TWA: 135 mg/m <sup>3</sup>

Chemical Name	Austria	Sweden - Occupational Exposure Limits - TLVs (LLVs)	Switzerland	Poland	Norway
ETHYL ALCOHOL 64-17-5	STEL 2000 ppm STEL 3800 mg/m <sup>3</sup> MAK: 1000 ppm MAK: 1900 mg/m <sup>3</sup>	500 ppm NGV 1000 mg/m <sup>3</sup> NGV	STEL: 1000 ppm STEL: 1920 mg/m <sup>3</sup> MAK: 500 ppm MAK: 960 mg/m <sup>3</sup>	NDS: 1900 mg/m <sup>3</sup>	TWA: 500 ppm TWA: 950 mg/m <sup>3</sup> STEL: 625 ppm STEL: 1187.5 mg/m <sup>3</sup>

LIMONENE 5989-27-5			STEL: 40 ppm STEL: 220 mg/m <sup>3</sup> MAK: 20 ppm MAK: 110 mg/m <sup>3</sup>		TWA: 25 ppm TWA: 140 mg/m <sup>3</sup> STEL: 37.5 ppm STEL: 175 mg/m <sup>3</sup>
PINENES 80-56-8		25 ppm NGV 150 mg/m <sup>3</sup> NGV			TWA: 25 ppm TWA: 140 mg/m <sup>3</sup> Skin STEL: 37.5 ppm STEL: 175 mg/m <sup>3</sup>
P-CYMENE 99-87-6		25 ppm NGV 140 mg/m <sup>3</sup> NGV			
<b>Component</b>			<b>Ireland</b>		
ETHYL ALCOHOL 64-17-5 ( 90-100% )			TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>		

**Derived No Effect Level (DNEL)** No information available

**Predicted No Effect Concentration (PNEC)** No information available

**8.2. Exposure controls**

**Engineering Controls** Ensure adequate ventilation, especially in confined areas

**Personal protective equipment**

- Eye Protection** Tightly fitting safety goggles
- Hand Protection** Protective gloves
- Skin and body protection** Long sleeved clothing
- Respiratory protection** When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

**Environmental Exposure Controls** No information available

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

<b>Physical state</b>	liquid	<b>Appearance</b>	clear
<b>Odor</b>	characteristic of kumquat	<b>Color</b>	colorless
<b>Property</b>	<b>Values</b>	<b>Method</b>	
pH		No information available	
Melting/freezing point		No information available	
Boiling point/boiling range		FCC Method	
Flash Point	18 °C / 65 °F	Closed cup	
Evaporation rate		FCC Method	
Flammability (solid, gas)		No information available	
Flammability Limits in Air		No information available	
Upper flammability limit			
lower flammability limit			
Vapor pressure mm Hg 20°C		No information available	
Vapor density		No information available	
Relative density		No information available	
Specific Gravity @ 25C	0.8204 - 0.8504	FCC Method	
Specific Gravity @ 20C	0.8234 - 0.8534	FCC Method	
Refractive Index	1.3576 - 1.3876	FCC Method	
Water solubility		No information available	
Partition coefficient: n-octanol/water		No information available	
Autoignition temperature		No information available	
Decomposition temperature		No information available	
Viscosity, dynamic		No information available	
<b>Explosive properties</b>	No information available		
<b>Oxidizing Properties</b>	No information available		

### 9.2. Other information

VOC Content(%)	90.36939
Molecular Weight	No information available

## 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

#### 10.2. Chemical stability

Stable under normal conditions

#### 10.3. Possibility of hazardous reactions

#### 10.4. Conditions to avoid

Heat, flames and sparks

#### 10.5. Incompatible materials

No materials to be especially mentioned

#### 10.6. Hazardous decomposition products

None under normal use conditions

## 11. TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### Acute toxicity

**Inhalation** There is no data available for this product

**Eye contact** There is no data available for this product

**Skin contact** There is no data available for this product

**Ingestion** There is no data available for this product

**Acute toxicity** 6.908279% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document (Rev. 1, 2005):

**Oral** 7,553.00 mg/kg

**Inhalation**  
**Mist** 73,352.28 mg/l

**Skin corrosion/irritation** No information available  
**Eye damage/irritation** No information available  
**Sensitization** No information available  
**Germ Cell Mutagenicity** No information available  
**Carcinogenicity** No information available

**Specific target organ systemic toxicity (single exposure)** No information available

**Specific target organ systemic toxicity (repeated exposure)** No information available

**Target Organ Effects** Blood Central nervous system Eyes Liver Reproductive system Respiratory system Skin

**Aspiration hazard** No information available

## 12. ECOLOGICAL INFORMATION

### 12.1. Toxicity

**Ecotoxicity effects** Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
ETHYL ALCOHOL		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static
LIMONENE		0.619-0.796: 96 h Pimephales promelas mg/L LC50 flow-through 35: 96 h Oncorhynchus mykiss mg/L LC50	

PINENES		0.28: 96 h Pimephales promelas mg/L LC50 static	41: 48 h Daphnia magna mg/L LC50
---------	--	--	----------------------------------

**12.2. Persistence and degradability**

No information available

**12.3. Bioaccumulative potential**

No information available

Chemical Name	log Pow
ETHYL ALCOHOL	-0.32
PINENES	4.1
P-CYMENE	4.1

**12.4. Mobility in soil**

No information available

**12.5. Results of PBT and vPvB assessment****12.6. Other adverse effects**

Endocrine Disruptor Information .? is a suspected endocrine disruptor

## 13. DISPOSAL CONSIDERATIONS

**13.1. Waste treatment methods**

**Waste from residues / unused products** Dispose of in accordance with local regulations

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal

## 14. TRANSPORT INFORMATION

**DOT/ADR**

UN/ID No 1197  
 Proper shipping name EXTRACTS, FLAVOURING, LIQUID  
 Hazard class 3  
 Packing Group II  
 ERG Code 127

**IMDG / IMO**

Proper shipping name EXTRACTS, FLAVOURING, LIQUID  
 Hazard class 3  
 UN/ID No 1197  
 Packing Group II

**ICAO/IATA**

UN/ID No 1197  
 Proper shipping name EXTRACTS, FLAVOURING, LIQUID  
 Hazard class 3  
 Packing Group II

## 15. REGULATORY INFORMATION

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**



**WGK Classification**

Chemical Name	Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes
ETHYL ALCOHOL 64-17-5	Hazard Class 1

**International Inventories**

All of the components in the product are on the following Inventory lists: Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), China (IECSC), Philippines (PICCS).

<b>TSCA</b>	-
<b>EINECS/ELINCS</b>	Complies
<b>DSL/NDSL</b>	Complies
<b>PICCS</b>	Complies
<b>ENCS</b>	-
<b>IECSC</b>	Complies
<b>AICS</b>	Complies
<b>KECL</b>	-

**Legend**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances

**15.2. Chemical safety assessment****16. OTHER INFORMATION****Risk Combination Phrases**

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

**Full text of H-Statements referred to under sections 2 and 3**

H400 - Very toxic to aquatic life H317 - May cause an allergic skin reaction H315 - Causes skin irritation H304 - May be fatal if swallowed and enters airways H410 - Very toxic to aquatic life with long lasting effects H226 - Flammable liquid and vapor H225 - Highly flammable liquid and vapor H319 - Causes serious eye irritation H303 - May be harmful if swallowed H401 - Toxic to aquatic life H316 - Causes mild skin irritation H411 - Toxic to aquatic life with long lasting effects

**Revision Date** 29-May-2018

**Revision Note** Not applicable.

**Revision#** 1

**This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.**

**WARNING/DISCLAIMER:**

Apex Flavors, Inc.'s products are sold exclusively for use in food and drink for human consumption. These products have not been tested, nor have they been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, and electronic cigarettes or similar devices (collectively "E-Cigarettes"). In supplying this product(s), Apex Flavors, Inc. instructs, and purchasing recipient confirms, that this product(s) will not be used in connection with the manufacture and distribution of E-Cigarettes or any component thereof. Recipients of our products that use them outside of their intended use of food or drink do so at their own risk and without warranty, either expressed or implied, from Apex Flavors, Inc. or its suppliers. The user assumes all liability for loss, injury, damage, or expense resulting from such uses.

---

**Disclaimer:**

Food ingredients that are safe to be consumed in food products may pose hazards if not handled properly. This product is intended to be used in food products and, not intended to be consumed in its present form. The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.