



This safety data sheet complies with the requirements of:  
 Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 22-Mar-2019

Version 1

**Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1. Product identifier**

**Product Code(s)** 413TTB  
**Product name** ALPHONSO MANGO TYPE FLAVOR, NATURAL WONF

**Pure substance/mixture** Mixture  
 Contains ETHYL ALCOHOL

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Recommended Use** Ingredient for further processing

**Uses advised against** No information available

**1.3. Details of the supplier of the safety data sheet**

**Manufacturer** Apex Flavors, Inc.  
 1371 Brass Mill Rd.  
 Suite A  
 Belcamp, MD 21017  
 (410) 565-6600

**For further information, please contact:**

E-mail Address cpisano@apexflavors.com

**1.4. Emergency telephone number**

Emergency telephone Chemtrec: 1-800-424-9300 for US/ 703-527-3887 outside US

**Section 2: HAZARDS IDENTIFICATION**

**2.1. Classification of the substance or mixture**

REGULATION (EC) No 1272/2008

<b>Serious eye damage/eye irritation</b>	Category 2 - (H319)
<b>Carcinogenicity</b>	Category 1A - (H350)
<b>Flammable liquids</b>	Category 3 - (H226)

**2.2. Label elements**

**Product identifier**  
 Contains ETHYL ALCOHOL



Signal Word

Danger

### Hazard Statements

H319 - Causes serious eye irritation

H350 - May cause cancer

H226 - Flammable liquid and vapor

### Precautionary Statements - EU (§28, 1272/2008)

P201 - Obtain special instructions before use

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P370 + P378 - In case of fire: Use .? to extinguish

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

### 2.3. Other information

No information available

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Chemical Name	EC-No	CAS-No	Weight %	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
PROPYLENE GLYCOL	200-338-0	57-55-6	50-90%	No data available	No data available
ETHYL ALCOHOL	200-578-6	64-17-5	30-50%	Flam. Liq. 2 (H225) Eye Irrit. 1 (H319)	No data available
ETHYL ACETATE	Present	141-78-6	<1%	Eye Irrit. 1 (H319) (EFFA) Flam. Liq. 2 (H225) (EFFA) Eye Irrit. 1 (H319) (EUH066) Flam. Liq. 2 (H225) STOT SE 3 (H336) Eye Irrit. 2 (H319)	No data available
MYRCENE	204-622-5	123-35-3	<1%	Eye Irrit. 1 (H319) (EFFA) Skin Irrit. 2 (315) (EFFA) Asp. Tox. 1 (H304) (EFFA) Eye Irrit. 1 (H319) Skin Irrit. 2 (H315)	No data available
ISOBUTYL ACETATE	Present	110-19-0	<1%	Aquatic Acute 3 (H402) (EFFA) Flam. Liq. 2 (H225) (EFFA) (EUH066) Flam. Liq. 2 (H225)	No data available
BUTYL ACETATE	204-658-1	123-86-4	<1%	Flam. Liq. 3 (H226)(EFFA) (EUH066) STOT SE 3 (H336) Flam. Liq. 3 (H226)	No data available
ACETALDEHYDE	200-836-8	75-07-0	<1%	Carc. 2 (H351) (EFFA) Eye Irrit. 1 (H319) (EFFA) Flam. Liq. 1 (H224) (EFFA) Flam. Liq. 1 (H224) STOT SE 3 (H335) Carc. 2 (H351) Eye Irrit. 2 (H319)	No data available
ETHYL LACTATE	202-598-0	97-64-3	<1%	Eye Dam. 1 (H318) (EFFA) Flam. Liq. 3 (H226)(EFFA) Eye Dam. 1 (H318) STOT SE 3 (H335) Flam. Liq. 3 (H226)	No data available
PHELLANDRENE ALPHA	Present	99-83-2	<1%	Skin Irrit. 3 (316) (EFFA) Asp. Tox. 1 (H304) (EFFA) Flam. Liq. 3 (H226)(EFFA) Skin Irrit. 3 (H316)	No data available
HEXYL ALCOHOL	Present	111-27-3	<1%	Aquatic Acute 3 (H402) (EFFA)	No data available

				Eye Irrit. 1 (H319) (EFFA) Skin Irrit. 3 (316) (EFFA) Acute Tox. 4 (H302) (EFFA) Acute Tox. 4 (H312)(EFFA) Flam. Liq. 3 (H226)(EFFA) Acute Tox. 4 (H302)	
DIMETHYL SULFIDE	200-846-2	75-18-3	<1%	Skin Irrit. 3 (316) (EFFA) Acute Tox. 3 (H301) (EFFA) Flam. Liq. 2 (H225) (EFFA)	No data available

For the full text of the R-phrases mentioned in this Section, see Section 16

Full text of H- and EUH-phrases: see section 16

## Section 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

<b>Inhalation</b>	Move to fresh air.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
<b>Eye contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water.

### 4.2. Most important symptoms and effects, both acute and delayed

**Main Symptoms** No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically.

## Section 5: FIRE FIGHTING MEASURES

### 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### **Unsuitable extinguishing media**

No information available

### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment.

## Section 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

#### **Personal precautions**

Ensure adequate ventilation.

#### For emergency responders

Use personal protection recommended in Section 8.

#### 6.2. Environmental precautions

Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

#### 6.3. Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Take up mechanically, placing in appropriate containers for disposal.

#### 6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

## Section 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

##### Advice on safe handling

Ensure adequate ventilation.

##### General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Storage Conditions

Keep container tightly closed in a dry and well-ventilated place.

##### Incompatible products

None known based on information supplied.

#### 7.3 Specific end use(s)

##### Risk Management Methods (RMM)

The information required is contained in this Material Safety Data Sheet.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

Chemical Name	European Union	The United Kingdom	France	Spain	Germany
PROPYLENE GLYCOL 57-55-6	-	STEL: 450 ppm STEL: 1422 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> TWA: 150 ppm TWA: 474 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>	-	-	-
ETHYL ALCOHOL 64-17-5	-	STEL: 3000 ppm STEL: 5760 mg/m <sup>3</sup> TWA: 1000 ppm TWA: 1920 mg/m <sup>3</sup>	VME: 1000 ppm VME: 1900 mg/m <sup>3</sup> VLCT: 5000 ppm VLCT: 9500 mg/m <sup>3</sup>	VLA-ED: 1000 ppm VLA-ED: 1910 mg/m <sup>3</sup>	-
ETHYL ACETATE 141-78-6	-	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 1400 mg/m <sup>3</sup>	TWA: 400 ppm TWA: 1460 mg/m <sup>3</sup>	-
MYRCENE 123-35-3	-	-	TWA: 1000 mg/m <sup>3</sup> STEL: 1500 mg/m <sup>3</sup>	-	-
ISOBUTYL ACETATE	-	STEL: 187 ppm	TWA: 150 ppm	TWA: 150 ppm	-

110-19-0		STEL: 903 mg/m <sup>3</sup> TWA: 150 ppm TWA: 724 mg/m <sup>3</sup>	TWA: 710 mg/m <sup>3</sup> STEL: 200 ppm STEL: 940 mg/m <sup>3</sup>	TWA: 724 mg/m <sup>3</sup>	
BUTYL ACETATE 123-86-4	-	STEL: 200 ppm STEL: 966 mg/m <sup>3</sup> TWA: 150 ppm TWA: 724 mg/m <sup>3</sup>	TWA: 150 ppm TWA: 710 mg/m <sup>3</sup> STEL: 200 ppm STEL: 940 mg/m <sup>3</sup>	STEL: 200 ppm STEL: 966 mg/m <sup>3</sup> TWA: 150 ppm TWA: 724 mg/m <sup>3</sup>	-
ACETALDEHYDE 75-07-0	-	STEL: 50 ppm STEL: 92 mg/m <sup>3</sup> TWA: 20 ppm TWA: 37 mg/m <sup>3</sup>	TWA: 100 ppm TWA: 180 mg/m <sup>3</sup>	STEL: 25 ppm STEL: 46 mg/m <sup>3</sup>	-
PHELLANDRENE ALPHA 99-83-2	-	-	TWA: 1000 mg/m <sup>3</sup> STEL: 1500 mg/m <sup>3</sup>	-	-
DIMETHYL SULFIDE 75-18-3	-	-	-	VLA-ED: 10 ppm	-
<b>Chemical Name</b>	<b>Italy</b>	<b>Portugal</b>	<b>The Netherlands</b>	<b>Finland</b>	<b>Denmark</b>
ETHYL ALCOHOL 64-17-5	-	TWA: 1000 ppm	Skin STEL: 1900 mg/m <sup>3</sup> TWA: 260 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> STEL: 1300 ppm STEL: 2500 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>
ETHYL ACETATE 141-78-6	-	TWA: 400 ppm	-	TWA: 300 ppm TWA: 1100 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1800 mg/m <sup>3</sup>	TWA: 150 ppm TWA: 540 mg/m <sup>3</sup>
ISOBUTYL ACETATE 110-19-0	-	TWA: 150 ppm	-	TWA: 150 ppm TWA: 720 mg/m <sup>3</sup> STEL: 200 ppm STEL: 960 mg/m <sup>3</sup>	TWA: 150 ppm TWA: 710 mg/m <sup>3</sup>
BUTYL ACETATE 123-86-4	-	STEL: 200 ppm TWA: 150 ppm	-	TWA: 150 ppm TWA: 720 mg/m <sup>3</sup> STEL: 200 ppm STEL: 960 mg/m <sup>3</sup>	TWA: 150 ppm TWA: 710 mg/m <sup>3</sup>
ACETALDEHYDE 75-07-0	-	Ceiling: 25 ppm	STEL: 92 mg/m <sup>3</sup> TWA: 37 mg/m <sup>3</sup>	STEL: 25 ppm STEL: 46 mg/m <sup>3</sup>	Ceiling: 25 ppm Ceiling: 45 mg/m <sup>3</sup>
ETHYL LACTATE 97-64-3	-	-	-	TWA: 5 ppm TWA: 25 mg/m <sup>3</sup> STEL: 10 ppm STEL: 49 mg/m <sup>3</sup>	-
DIMETHYL SULFIDE 75-18-3	-	TWA: 10 ppm	-	-	-
<b>Chemical Name</b>	<b>Austria</b>	<b>Switzerland</b>	<b>Poland</b>	<b>Norway</b>	<b>Ireland</b>
PROPYLENE GLYCOL 57-55-6	-	-	-	TWA: 25 ppm TWA: 79 mg/m <sup>3</sup> STEL: 37.5 ppm STEL: 118.5 mg/m <sup>3</sup>	TWA: 150 ppm TWA: 470 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>
ETHYL ALCOHOL 64-17-5	STEL 2000 ppm STEL 3800 mg/m <sup>3</sup> MAK: 1000 ppm MAK: 1900 mg/m <sup>3</sup>	STEL: 1000 ppm STEL: 1920 mg/m <sup>3</sup> MAK: 500 ppm MAK: 960 mg/m <sup>3</sup>	NDS: 1900 mg/m <sup>3</sup>	TWA: 500 ppm TWA: 950 mg/m <sup>3</sup> STEL: 625 ppm STEL: 1187.5 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>
ETHYL ACETATE 141-78-6	STEL 600 ppm STEL 2100 mg/m <sup>3</sup> TWA: 300 ppm TWA: 1050 mg/m <sup>3</sup>	STEL: 800 ppm STEL: 2800 mg/m <sup>3</sup> TWA: 400 ppm TWA: 1400 mg/m <sup>3</sup>	STEL: 600 mg/m <sup>3</sup> TWA: 200 mg/m <sup>3</sup>	TWA: 150 ppm TWA: 550 mg/m <sup>3</sup> STEL: 187.5 ppm STEL: 687.5 mg/m <sup>3</sup>	TWA: 200 ppm STEL: 400 ppm
MYRCENE 123-35-3	-	-	-	TWA: 40 ppm TWA: 275 mg/m <sup>3</sup> STEL: 60 ppm STEL: 343.75 mg/m <sup>3</sup>	-
ISOBUTYL ACETATE 110-19-0	STEL 100 ppm STEL 480 mg/m <sup>3</sup> TWA: 100 ppm TWA: 480 mg/m <sup>3</sup> Ceiling 100 ppm Ceiling 480 mg/m <sup>3</sup>	STEL: 200 ppm STEL: 960 mg/m <sup>3</sup> TWA: 100 ppm TWA: 480 mg/m <sup>3</sup>	STEL: 400 mg/m <sup>3</sup> TWA: 200 mg/m <sup>3</sup>	-	TWA: 150 ppm TWA: 700 mg/m <sup>3</sup> STEL: 187 ppm STEL: 875 mg/m <sup>3</sup>
BUTYL ACETATE 123-86-4	STEL 100 ppm STEL 480 mg/m <sup>3</sup> TWA: 100 ppm TWA: 480 mg/m <sup>3</sup> Ceiling 100 ppm	STEL: 200 ppm STEL: 960 mg/m <sup>3</sup> TWA: 100 ppm TWA: 480 mg/m <sup>3</sup>	STEL: 950 mg/m <sup>3</sup> TWA: 200 mg/m <sup>3</sup>	-	TWA: 150 ppm TWA: 710 mg/m <sup>3</sup> STEL: 200 ppm STEL: 950 mg/m <sup>3</sup>

	Ceiling 480 mg/m <sup>3</sup>				
ACETALDEHYDE 75-07-0	STEL 50 ppm STEL 90 mg/m <sup>3</sup> TWA: 50 ppm TWA: 90 mg/m <sup>3</sup> Ceiling 50 ppm Ceiling 90 mg/m <sup>3</sup>	STEL: 50 ppm STEL: 90 mg/m <sup>3</sup> TWA: 90 mg/m <sup>3</sup> TWA: 50 ppm	: 45 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	TWA: 25 ppm TWA: 45 mg/m <sup>3</sup> STEL: 37.5 ppm STEL: 67.5 mg/m <sup>3</sup>	TWA: 25 ppm TWA: 45 mg/m <sup>3</sup> STEL: 25 ppm STEL: 45 mg/m <sup>3</sup>
DIMETHYL SULFIDE 75-18-3	-	-	-	-	TWA: 20 ppm

**Derived No Effect Level (DNEL)** No information available.

**Predicted No Effect Concentration (PNEC)** No information available.

## 8.2. Exposure controls

**Engineering Controls** Ensure adequate ventilation, especially in confined areas.

### Personal protective equipment

**Eye/face protection** Tightly fitting safety goggles.  
**Skin and body protection** Long sleeved clothing.  
**Respiratory protection** NIOSH/MSHA approved respiratory protection is required to be worn.

**Environmental Exposure Controls** No information available.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

**Physical state** liquid  
**Appearance** liquid  
**Odor** characteristic of alphonso mango  
**Color** yellow

<u>Property</u>	<u>Values</u>	<u>• Method</u>
<b>pH</b>		No information available
<b>Melting/freezing point</b>		No information available
<b>Boiling point/boiling range</b>		FCC Method
<b>Flash Point</b>	24 °C / 75 °F	Closed cup
<b>Evaporation rate</b>		FCC Method
<b>Flammability (solid, gas)</b>		No information available
<b>Flammability Limits in Air</b>		
<b>Upper flammability limit</b>		No information available
<b>lower flammability limit</b>		No information available
<b>Vapor pressure mm Hg 20°C</b>		No information available
<b>Vapor density</b>		No information available
<b>Relative density</b>		No information available
<b>Specific Gravity @ 25C</b>	0.9199 - 0.9499	FCC Method
<b>Specific Gravity @ 20C</b>	0.9229 - 0.9529	FCC Method
<b>Refractive Index</b>	1.3891 - 1.4191	FCC Method
<b>Water solubility</b>		No information available
<b>Solubility in other solvents</b>		No information available
<b>Partition coefficient: n-octanol/water</b>		No information available
<b>Autoignition temperature</b>		No information available
<b>Decomposition temperature</b>		No information available
<b>Viscosity, kinematic</b>		No information available
<b>Viscosity, dynamic</b>		No information available
<b>Explosive properties</b>	No information available	
<b>Oxidizing Properties</b>	No information available	

**9.2. Other information**

<b>Softening point</b>	No information available
<b>Molecular Weight</b>	No information available
<b>VOC Content(%)</b>	No information available
<b>Density VALUE</b>	No information available
<b>Bulk Density VALUE</b>	No information available

**Section 10: STABILITY AND REACTIVITY****10.1. Reactivity**

No data available.

**10.2. Chemical stability**

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact	none.
Sensitivity to Static Discharge	Yes.

**10.3. Possibility of hazardous reactions****Hazardous Reactions**

None under normal processing.

**10.4. Conditions to avoid**

None known.

**10.5. Incompatible materials**

No information available.

**10.6. Hazardous decomposition products**

None under normal use conditions.

**Section 11: TOXICOLOGICAL INFORMATION****11.1. Information on toxicological effects****Acute toxicity****Product Information**

Product does not present an acute toxicity hazard based on known or supplied information.

<b>Inhalation</b>	There is no data available for this product.
<b>Eye contact</b>	There is no data available for this product.
<b>Skin contact</b>	There is no data available for this product.
<b>Ingestion</b>	There is no data available for this product.

The following values are calculated based on chapter 3.1 of the GHS document

<b>ATEmix (oral)</b>	11,291.00 mg/kg
<b>ATEmix (dermal)</b>	21,022.00 mg/kg
<b>ATEmix (inhalation-dust/mist)</b>	67,086.13 mg/l

**Unknown Acute Toxicity**

99.417% of the mixture consists of ingredient(s) of unknown toxicity.

1.614 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

44.89183 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

99.417 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

99.417 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).  
56.13917 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

**Oral LD50**

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
PROPYLENE GLYCOL	20000 mg/kg ( Rat )	20800 mg/kg ( Rabbit )	
ETHYL ALCOHOL	7060 mg/kg ( Rat )		124.7 mg/L ( Rat ) 4 h

<b>Skin corrosion/irritation</b>	No information available.
<b>Eye damage/irritation</b>	No information available.
<b>Sensitization</b>	No information available.
<b>Germ Cell Mutagenicity</b>	No information available.
<b>Carcinogenicity</b>	No information available.
<b>Reproductive toxicity</b>	No information available.
<b>Specific target organ systemic toxicity (single exposure)</b>	No information available.
<b>Specific target organ systemic toxicity (repeated exposure)</b>	No information available.
<b>Target Organ Effects</b>	Blood, Central nervous system, Eyes, Liver, Reproductive system, Respiratory system, Skin.
<b>Aspiration hazard</b>	No information available.

## Section 12: ECOLOGICAL INFORMATION

**12.1. Toxicity**

**Ecotoxicity** Toxic to aquatic life

1.59898% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
PROPYLENE GLYCOL	19000: 96 h Pseudokirchneriella subcapitata mg/L EC50	51600: 96 h Oncorhynchus mykiss mg/L LC50 static 41 - 47: 96 h Oncorhynchus mykiss mL/L LC50 static 51400: 96 h Pimephales promelas mg/L LC50 static 710: 96 h Pimephales promelas mg/L LC50	10000: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50 Static
ETHYL ALCOHOL	-	12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static
ETHYL ACETATE	3300: 48 h Desmodesmus subspicatus mg/L EC50	220 - 250: 96 h Pimephales promelas mg/L LC50 flow-through 484: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 352 - 500: 96 h Oncorhynchus mykiss mg/L LC50 semi-static	560: 48 h Daphnia magna mg/L EC50 Static
ISOBUTYL ACETATE	-	101: 48 h Leuciscus idus melanotus	168: 24 h Daphnia magna mg/L



		mg/L LC50 static 101 - 123: 48 h Leuciscus idus melanotus mg/L LC50 flow-through	EC50
BUTYL ACETATE	674.7: 72 h Desmodesmus subspicatus mg/L EC50	100: 96 h Lepomis macrochirus mg/L LC50 static 17 - 19: 96 h Pimephales promelas mg/L LC50 flow-through 62: 96 h Leuciscus idus mg/L LC50 static	72.8: 24 h Daphnia magna mg/L EC50
ACETALDEHYDE	237 - 249: 120 h Nitzschia linearis mg/L EC50	28.0 - 34.0: 96 h Pimephales promelas mg/L LC50 flow-through 53: 96 h Lepomis macrochirus mg/L LC50 static 1.8 - 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static 39.8 - 46.8: 96 h Pimephales promelas mg/L LC50 static	3.64 - 6.15: 48 h Daphnia magna mg/L EC50 Static 48.3: 48 h Daphnia magna mg/L EC50
HEXYL ALCOHOL	-	89.7 - 106: 96 h Pimephales promelas mg/L LC50 flow-through 144: 96 h Brachydanio rerio mg/L LC50 static	201: 24 h Daphnia magna mg/L EC50
DIMETHYL SULFIDE	-	-	23: 48 h Daphnia pulex mg/L EC50

**12.2. Persistence and degradability**

No information available.

**12.3. Bioaccumulative potential**

No information available.

Chemical Name	log Pow
ETHYL ALCOHOL	-0.32
ETHYL ACETATE	0.6
ISOBUTYL ACETATE	1.72
BUTYL ACETATE	1.81
ACETALDEHYDE	0.5
HEXYL ALCOHOL	2.03

**12.4. Mobility in soil****Mobility in soil**

No information available.

**12.5. Results of PBT and vPvB assessment**

No information available.

**12.6. Other adverse effects**

No information available

## Section 13: DISPOSAL CONSIDERATIONS

**13.1. Waste treatment methods**

**Waste from residues / unused products** Dispose of in accordance with local regulations.

**Contaminated packaging** Empty remaining contents.

## Section 14: TRANSPORT INFORMATION

**IMDG / IMO**

14.1 UN/ID No	1197
14.2 Proper shipping name	EXTRACTS, FLAVOURING, LIQUID
14.3 Hazard class	3
14.4 Packing Group	III

**DOT/ADR/RID**

14.1 UN/ID No	1197
14.2 Proper shipping name	EXTRACTS, FLAVOURING, LIQUID
14.3 Hazard class	3
14.4 Packing Group	III

**ICAO/IATA**

14.1 UN/ID No	1197
14.2 Proper shipping name	EXTRACTS, FLAVOURING, LIQUID
14.3 Hazard class	3
14.4 Packing Group	III
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	None

<b>Section 15: REGULATORY INFORMATION</b>
---

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

**Authorizations and/or restrictions on use:**

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

**Persistent Organic Pollutants**

Not applicable

**Ozone-depleting substances (ODS) regulation (EC) 1005/2009** Not applicable

**International Inventories**

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	-
IECSC	Complies
KECL	-
PICCS	Complies
AICS	Complies

**Legend:**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory  
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List  
 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
 ENCS - Japan Existing and New Chemical Substances  
 IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances  
 PICCS - Philippines Inventory of Chemicals and Chemical Substances  
 AICS - Australian Inventory of Chemical Substances

### 15.2. Chemical safety assessment

No information available

## Section 16: OTHER INFORMATION

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### **Full text of R-phrases referred to under sections 2 and 3**

No information available

#### **Full text of H-Statements referred to under section 3**

H402 - Harmful to aquatic life  
 H225 - Highly flammable liquid and vapor  
 H319 - Causes serious eye irritation  
 H302 - Harmful if swallowed  
 H312 - Harmful in contact with skin  
 H226 - Flammable liquid and vapor  
 H304 - May be fatal if swallowed and enters airways  
 H315 - Causes skin irritation  
 H336 - May cause drowsiness or dizziness  
 H351 - Suspected of causing cancer if inhaled  
 H224 - Extremely flammable liquid and vapor  
 H335 - May cause respiratory irritation  
 H301 - Toxic if swallowed  
 H318 - Causes serious eye damage  
 H316 - Causes mild skin irritation  
 EUH066 - Repeated exposure may cause skin dryness or cracking

#### **Legend**

SVHC: Substances of Very High Concern for Authorization:

#### **Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA:	Time weighted average	STEL:	Short term exposure limit
Ceiling:	Maximum limit value:	*	Skin designation

**Revision Date** 22-Mar-2019

**Reason for revision:** Not applicable.

**This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.**

#### **WARNING/DISCLAIMER:**

Apex Flavors, Inc.'s products are sold exclusively for use in food and drink for human consumption. These products have not been tested, nor have they been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, and electronic cigarettes or similar devices (collectively "E-Cigarettes"). In supplying this product(s), Apex Flavors, Inc. instructs, and purchasing recipient confirms, that this product(s) will not be used in connection with the manufacture and distribution of E-Cigarettes or any component thereof. Recipients of our products that use them outside of their intended use of food or drink do so at their own risk and without warranty, either expressed or implied, from Apex Flavors, Inc. or its suppliers. The user assumes all liability for loss, injury, damage, or expense resulting from such uses.