



## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

**Number** 731CON

**Manufacturer** Apex Flavors, Inc.  
1371 Brass Mill Rd.  
Suite A  
Belcamp, MD 21017  
(410) 565-6600

**Product name** CHOCOLATE TYPE, NATURAL FLAVOR BLEND (OIL SOLUBLE)  
**Pure substance/mixture** Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Not for direct consumption

### 1.3. Details of the supplier of the safety data sheet

For further information, please contact:

**E-mail Address** cpisano@apexflavors.com

### 1.4. Emergency telephone number

**Emergency telephone** Chemtrec: 1-800-424-9300 for US/ 703-527-3887 outside US

## 2. HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

|                                   |             |
|-----------------------------------|-------------|
| Serious eye damage/eye irritation | Category 2A |
| Carcinogenicity                   | Category 1A |
| Flammable liquids                 | Category 3  |

**Classification according to EU Directives 67/548/EEC or 1999/45/EC**  
For the full text of the R-phrases mentioned in this Section, see Section 16

### **R-code(s)**

R10

### 2.2. Label elements



**Signal Word**

Danger

**Hazard Statements**

H319 - Causes serious eye irritation

H350 - May cause cancer

H226 - Flammable liquid and vapor

**Precautionary Statements**

P201 - Obtain special instructions before use

P281 - Use personal protective equipment as required

P308 + P313 - IF exposed or concerned: Get medical advice/ attention

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

**2.3. Other information**

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

**3.1 Substances**

| Chemical Name                                | EC-No     | CAS-No   | Alternate CAS # | Weight % | Classification according to Directive 67/548/EEC or 1999/45/EC | Classification according to Regulation (EC) No. 1272/2008 [CLP]   | REACH Registration Number |
|--|-----------|----------|-----------------|----------|--|---|---------------------------|
| ETHYL ALCOHOL                                | 200-578-6 | 64-17-5  |                 | 15-20%   | F; R11   | Flam. Liq. 2 (H225)<br>Eye Irrit. 1 (H319)  | No data available         |
| ISOVALERALDEHYD<br>E                         | Present   | 590-86-3 |                 | <1       | -  | Aquatic Acute 2 (H401)<br>(EFFA) Skin Sens. 1<br>(H317) (EFFA) Eye Irrit. 1<br>(H319) (EFFA) Skin Irrit. 3<br>(316) (EFFA) Flam. Liq. 2<br>(H225) (EFFA) Acute Tox.<br>5 (H303)(EFFA) | No data available         |
| METHYL N-AMYL<br>KETONE FCC<br>(2-Heptanone) | Present   | 110-43-0 |                 | <1       | R10<br>Xn; R20/22  | Acute Tox. 4 (H302)<br>Acute Tox. 4 (H302)<br>(EFFA) Flam. Liq. 3<br>(H226)(EFFA) Acute Tox. 4<br>(H332)(EFFA)<br>Flam. Liq. 3 (H226)<br>Acute Tox. 4 (H332)                          | No data available         |
| DIMETHYL SULFIDE                             | 200-846-2 | 75-18-3  |                 | <1       | -  | Skin Irrit. 3 (316) (EFFA)<br>Acute Tox. 3 (H301)<br>(EFFA) Flam. Liq. 2 (H225)<br>(EFFA)   | No data available         |

For the full text of the R-phrases mentioned in this Section, see Section 16

## 4. FIRST AID MEASURES

### 4.1. Description of first aid measures

|   |  |
|---|--|
| <b>General advice</b>                     | Immediate medical attention is required Show this material safety data sheet to the doctor in attendance. If symptoms persist, call a physician  |
| <b>Eye contact</b>                        | Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes Keep eye wide open while rinsing If symptoms persist, call a physician                               |
| <b>Skin contact</b>                       | Wash off immediately with plenty of water. Immediate medical attention is not required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician. |
| <b>Ingestion</b>                          | Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician. Do NOT induce vomiting.  |
| <b>Inhalation</b>                         | Immediate medical attention is not required. If symptoms persist, call a physician. Move to fresh air in case of accidental inhalation of vapors or decomposition products.  |
| <b>Self-protection of the first aider</b> | Remove all sources of ignition Use personal protective equipment   |

### 4.2. Most important symptoms and effects, both acute and delayed

### 4.3. Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically

## 5. FIRE-FIGHTING MEASURES

### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Use Dry chemical Carbon dioxide CO<sub>2</sub> Water spray Alcohol-resistant foam

#### Extinguishing media which shall not be used for safety reasons

No information available

### 5.2. Special hazards arising from the substance or mixture

#### Special Hazard

None

### 5.3. Advice for firefighters

#### Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Remove all sources of ignition. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take precautionary measures against static discharges. Use personal protective equipment.

See Section 12 for additional Ecological Information

### 6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust)

## 7. HANDLING AND STORAGE

### 7.1. Precautions for safe handling

To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Use only in an area containing flame proof equipment. Use only in area provided with appropriate exhaust ventilation. Keep away from heat, sparks and open flame. No smoking. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

### 7.2. Conditions for safe storage, including any incompatibilities

Keep in properly labeled containers. Keep tightly closed in a dry and cool place. Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat.

### 7.3 Specific end use(s)

Exposure scenario N/A

Other Guidelines N/A

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

**Exposure limits** This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

| Chemical Name   | European Union  | The United Kingdom  | France   | Spain   | Germany   |
|---|---|---|--|---|---|
| ETHYL ALCOHOL<br>64-17-5                              |   | STEL: 3000 ppm<br>STEL: 5760 mg/m <sup>3</sup><br>TWA: 1000 ppm TWA:<br>1920 mg/m <sup>3</sup>    | VME: 1000 ppm VME:<br>1900 mg/m <sup>3</sup><br>VLCT: 5000 ppm<br>VLCT: 9500 mg/m <sup>3</sup> | VLA-ED: 1000 ppm<br>VLA-ED: 1910 mg/m <sup>3</sup>  | MAK: 500 ppm MAK:<br>960 mg/m <sup>3</sup><br>Ceiling / Peak: 1000<br>ppm Ceiling / Peak:<br>1920 mg/m <sup>3</sup><br>Skin<br>TWA: 500 ppm TWA:<br>960 mg/m <sup>3</sup> |
| ISOVALERALDEHYDE<br>590-86-3                          |   |   |  |   | TWA: 10 ppm<br>TWA: 39 mg/m <sup>3</sup>  |
| METHYL N-AMYL KETONE<br>FCC (2-Heptanone)<br>110-43-0 | S*<br>TWA 50 ppm TWA<br>238 mg/m <sup>3</sup><br>STEL 100 ppm STEL<br>475 mg/m <sup>3</sup> | STEL: 100 ppm STEL:<br>475 mg/m <sup>3</sup><br>TWA: 50 ppm TWA:<br>237 mg/m <sup>3</sup><br>Skin | TWA: 50 ppm TWA:<br>238 mg/m <sup>3</sup><br>STEL: 100 ppm STEL:<br>475 mg/m <sup>3</sup>      | S*<br>STEL: 100 ppm STEL:<br>474 mg/m <sup>3</sup><br>TWA: 50 ppm TWA:<br>237 mg/m <sup>3</sup> | TWA: 238 mg/m <sup>3</sup>  |
| DIMETHYL SULFIDE<br>75-18-3                           |   |   |  | VLA-ED: 10 ppm  |   |

| Chemical Name            | Italy | Portugal      | The Netherlands                      | Finland                                      | Denmark                                      |
|--------------------------|-------|---------------|--------------------------------------|--|--|
| ETHYL ALCOHOL<br>64-17-5 |       | TWA: 1000 ppm | Skin<br>STEL: 1900 mg/m <sup>3</sup> | TWA: 1000 ppm TWA:<br>1900 mg/m <sup>3</sup> | TWA: 1000 ppm TWA:<br>1900 mg/m <sup>3</sup> |

|   |   |             |                            |  |   |
|---|---|-------------|----------------------------|--|---|
|   |   |             | TWA: 260 mg/m <sup>3</sup> | STEL: 1300 ppm<br>STEL: 2500 mg/m <sup>3</sup>   |   |
| METHYL N-AMYL KETONE<br>FCC (2-Heptanone)<br>110-43-0 | TWA: 50 ppm TWA:<br>238 mg/m <sup>3</sup><br>STEL: 100 ppm STEL:<br>475 mg/m <sup>3</sup><br>Skin | TWA: 50 ppm | TWA: 233 mg/m <sup>3</sup> | TWA: 50 ppm TWA:<br>240 mg/m <sup>3</sup><br>STEL: 75 ppm STEL:<br>360 mg/m <sup>3</sup><br>Skin | TWA: 50 ppm TWA:<br>238 mg/m <sup>3</sup><br>Skin |
| DIMETHYL SULFIDE<br>75-18-3                           |   | TWA: 10 ppm |                            |  |   |

| Chemical Name   | Austria  | Sweden -<br>Occupational<br>Exposure Limits -<br>TLVs (LLVs) | Switzerland  | Poland  | Norway  |
|---|--|--|--|---|---|
| ETHYL ALCOHOL<br>64-17-5                              | STEL 2000 ppm STEL<br>3800 mg/m <sup>3</sup><br>MAK: 1000 ppm MAK:<br>1900 mg/m <sup>3</sup>   | 500 ppm NGV 1000<br>mg/m <sup>3</sup> NGV                    | STEL: 1000 ppm<br>STEL: 1920 mg/m <sup>3</sup><br>MAK: 500 ppm MAK:<br>960 mg/m <sup>3</sup> | NDS: 1900 mg/m <sup>3</sup>                               | TWA: 500 ppm TWA:<br>950 mg/m <sup>3</sup><br>STEL: 625 ppm STEL:<br>1187.5 mg/m <sup>3</sup>         |
| ISOVALERALDEHYDE<br>590-86-3                          | STEL 10 ppm<br>STEL 39 mg/m <sup>3</sup><br>TWA: 10 ppm<br>TWA: 39 mg/m <sup>3</sup><br>Ceiling 10 ppm<br>Ceiling 39 mg/m <sup>3</sup> |  |  |   |   |
| METHYL N-AMYL KETONE<br>FCC (2-Heptanone)<br>110-43-0 | Skin<br>STEL 100 ppm STEL<br>473 mg/m <sup>3</sup><br>TWA: 50 ppm TWA:<br>237 mg/m <sup>3</sup>  | 25 ppm NGV 120<br>mg/m <sup>3</sup> NGV                      | TWA: 50 ppm TWA:<br>235 mg/m <sup>3</sup>  | STEL: 475 mg/m <sup>3</sup><br>TWA: 238 mg/m <sup>3</sup> | TWA: 25 ppm TWA:<br>115 mg/m <sup>3</sup><br>Skin<br>STEL: 37.5 ppm<br>STEL: 143.75 mg/m <sup>3</sup> |
| DIMETHYL SULFIDE<br>75-18-3                           |  | 1 ppm NGV  |  |   |   |

| Component   | Ireland   |
|---|---|
| ETHYL ALCOHOL<br>64-17-5 ( 15-20% )                       | TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>   |
| METHYL N-AMYL KETONE FCC (2-Heptanone)<br>110-43-0 ( <1 ) | TWA: 50 ppm TWA: 238 mg/m <sup>3</sup><br>STEL: 100 ppm STEL: 475 mg/m <sup>3</sup><br>Skin |
| DIMETHYL SULFIDE<br>75-18-3 ( <1 )                        | TWA: 20 ppm   |

**Derived No Effect Level (DNEL)** No information available

**Predicted No Effect Concentration (PNEC)** No information available

**8.2. Exposure controls**

**Engineering Controls** Ensure adequate ventilation, especially in confined areas

**Personal protective equipment**

- Eye Protection** Tightly fitting safety goggles
- Hand Protection** Protective gloves
- Skin and body protection** Antistatic boots Impervious gloves Wear fire/ flame resistant/ retardant clothing Long sleeved clothing Chemical resistant apron
- Respiratory protection** When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

**General Hygiene Considerations** When using, do not eat, drink or smoke Provide regular cleaning of equipment, work area and clothing

**Environmental Exposure Controls** No information available

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

|  |                          |                          |              |
|--|--------------------------|--------------------------|--------------|
| <b>Physical state</b>                  | liquid                   | <b>Appearance</b>        | clear        |
| <b>Odor</b>                            | milk chocolate           | <b>Color</b>             | light yellow |
| <b>Property</b>                        | <b>Values</b>            | <b>Method</b>            |              |
| pH                                     |                          | No information available |              |
| Melting/freezing point                 |                          | No information available |              |
| Boiling point/boiling range            |                          | FCC Method               |              |
| Flash Point                            | 52 °C / 126 °F           | Closed cup               |              |
| Evaporation rate                       |                          | FCC Method               |              |
| Flammability (solid, gas)              |                          | No information available |              |
| Flammability Limits in Air             |                          | No information available |              |
| Upper flammability limit               |                          |                          |              |
| lower flammability limit               |                          |                          |              |
| Vapor pressure mm Hg 20°C              |                          | No information available |              |
| Vapor density                          |                          | No information available |              |
| Relative density                       |                          | No information available |              |
| Specific Gravity @ 25C                 | 0.9221 - 0.9521          | FCC Method               |              |
| Specific Gravity @ 20C                 | 0.9251 - 0.9551          | FCC Method               |              |
| Refractive Index                       | 1.4255 - 1.4555          | FCC Method               |              |
| Water solubility                       |                          | No information available |              |
| Partition coefficient: n-octanol/water |                          | No information available |              |
| Autoignition temperature               |                          | No information available |              |
| Decomposition temperature              |                          | No information available |              |
| Viscosity, dynamic                     |                          | No information available |              |
| <b>Explosive properties</b>            | No information available |                          |              |
| <b>Oxidizing Properties</b>            | No information available |                          |              |

### 9.2. Other information

|                  |                          |
|------------------|--------------------------|
| VOC Content(%)   | 17.966                   |
| Molecular Weight | No information available |

## 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

#### 10.2. Chemical stability

Stable under normal conditions

#### 10.3. Possibility of hazardous reactions

#### 10.4. Conditions to avoid

Heat, flames and sparks

#### 10.5. Incompatible materials

No materials to be especially mentioned

#### 10.6. Hazardous decomposition products

None under normal use conditions

## 11. TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

**Acute toxicity**

**Inhalation** There is no data available for this product

**Eye contact** There is no data available for this product

**Skin contact** There is no data available for this product

**Ingestion** There is no data available for this product

**Acute toxicity** 0.297% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document (Rev. 1, 2005):

**Oral** 5,132.00 mg/kg  
**Dermal** 83,500.00 mg/kg

**Skin corrosion/irritation** No information available  
**Eye damage/irritation** No information available  
**Sensitization** No information available  
**Germ Cell Mutagenicity** No information available  
**Carcinogenicity** No information available

**Specific target organ systemic toxicity (single exposure)** No information available

**Specific target organ systemic toxicity (repeated exposure)** No information available

**Target Organ Effects** Blood Central nervous system Eyes Liver Reproductive system Respiratory system Skin

**Aspiration hazard** No information available

## 12. ECOLOGICAL INFORMATION

### 12.1. Toxicity

**Ecotoxicity effects** Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants

| Chemical Name    | Toxicity to algae   | Toxicity to fish   | Toxicity to daphnia and other aquatic invertebrates   |
|------------------|---|--|---|
| ETHYL ALCOHOL    |   | 12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through | 9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static |
| ISOVALERALDEHYDE | 80: 72 h Desmodesmus subspicatus mg/L EC50 78: 96 h Desmodesmus subspicatus mg/L EC50 | 2.98 - 3.54: 96 h Pimephales promelas mg/L LC50 flow-through 53: 96 h Leuciscus idus mg/L LC50 static  | 177: 48 h Daphnia magna mg/L EC50   |

|   |  |   |                                  |
|---|--|---|----------------------------------|
| METHYL N-AMYL KETONE FCC<br>(2-Heptanone) |  | 126 - 137: 96 h Pimephales<br>promelas mg/L LC50 flow-through |                                  |
| DIMETHYL SULFIDE                          |  |   | 23: 48 h Daphnia pulex mg/L EC50 |

**12.2. Persistence and degradability**

No information available

**12.3. Bioaccumulative potential**

No information available

| Chemical Name                          | log Pow |
|--|---------|
| ETHYL ALCOHOL                          | -0.32   |
| ISOVALERALDEHYDE                       | 1.31    |
| METHYL N-AMYL KETONE FCC (2-Heptanone) | 1.98    |

**12.4. Mobility in soil**

No information available

**12.5. Results of PBT and vPvB assessment**

**12.6. Other adverse effects**

Endocrine Disruptor Information .? is a suspected endocrine disruptor

**13. DISPOSAL CONSIDERATIONS**

**13.1. Waste treatment methods**

**Waste from residues / unused products** Dispose of in accordance with local regulations

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal

**14. TRANSPORT INFORMATION**

**DOT/ADR** Not regulated (If shipped in NON BULK packaging by ground transport)  
**UN/ID No** 1197  
**Proper shipping name** EXTRACTS, FLAVOURING, LIQUID  
**Hazard class** 3  
**Packing Group** III  
**ERG Code** 127

**IMDG / IMO**  
**Proper shipping name** EXTRACTS, FLAVOURING, LIQUID  
**Hazard class** 3  
**UN/ID No** 1197  
**Packing Group** III

**ICAO/IATA**  
**UN/ID No** 1197  
**Proper shipping name** EXTRACTS, FLAVOURING, LIQUID  
**Hazard class** 3  
**Packing Group** III

**15. REGULATORY INFORMATION**



**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**WGK Classification**

|                              |   |
|------------------------------|---|
| Chemical Name                | Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes |
| ETHYL ALCOHOL<br>64-17-5     | Hazard Class 1  |
| ISOVALERALDEHYDE<br>590-86-3 | Hazard Class 1  |

**International Inventories**

All of the components in the product are on the following Inventory lists: United States of America (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), China (IECSC), Philippines (PICCS).

|               |          |
|---------------|----------|
| TSCA          | Complies |
| EINECS/ELINCS | Complies |
| DSL/NDSL      | Complies |
| PICCS         | Complies |
| ENCS          | -        |
| IECSC         | Complies |
| AICS          | Complies |
| KECL          | -        |

**Legend**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory  
 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List  
 PICCS - Philippines Inventory of Chemicals and Chemical Substances  
 ENCS - Japan Existing and New Chemical Substances  
 IECSC - China Inventory of Existing Chemical Substances  
 AICS - Australian Inventory of Chemical Substances  
 KECL - Korean Existing and Evaluated Chemical Substances

**15.2. Chemical safety assessment**

**16. OTHER INFORMATION**

**Full text of H-Statements referred to under sections 2 and 3**

H302 - Harmful if swallowed H226 - Flammable liquid and vapor H332 - Harmful if inhaled H401 - Toxic to aquatic life H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation H225 - Highly flammable liquid and vapor H303 - May be harmful if swallowed H301 - Toxic if swallowed

|               |                 |
|---------------|-----------------|
| Revision Date | 10-Jul-2018     |
| Revision Note | Not applicable. |
| Revision#     | 1.01            |

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

**WARNING/DISCLAIMER:**

Apex Flavors, Inc.'s products are sold exclusively for use in food and drink for human consumption. These products have not been tested, nor have they been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, and electronic cigarettes or similar devices (collectively "E-Cigarettes"). In supplying this product(s), Apex Flavors, Inc. instructs, and purchasing recipient confirms, that this product(s) will not be used in connection with the manufacture and distribution of E-Cigarettes or any component thereof. Recipients of our products that use them outside of their intended use of food or drink do so at their own risk and without warranty, either expressed or implied, from Apex Flavors, Inc. or its suppliers. The user assumes all liability for loss, injury, damage, or expense resulting from such uses.

**Disclaimer**

---

Food ingredients that are safe to be consumed in food products may pose hazards if not handled properly. This product is intended to be used in food products and, not intended to be consumed in its present form. The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.